



Certificate of conformity

001/007077

AENOR certifies that the organization

POLYPIPE LIMITED

registered office BROOMHOUSE LANE, EDLINGTON S YORKS, DN12 1ES DONCASTER, SOUTH YORKSHIR (Reino Unido)

supplies **Polypropylene random with modified cristallinity pipes (PP-RCT) and glass fiber (PP-RCT)/PP-RCT+GF /PP-RCT) for installation of hot and cold water inside the building structure**

in compliance with Technical Specification to RP 001.78

Description Trademark: MECFLOW
Fiberglass content: 8%
Fiberglass content of the middle layer: 18%

See annex for more information.

Production site PARQUE EMPRESARIAL MEDINA ON. AUTOVIA A-6, MADRID-A CORUÑA, Km 152. 47400 MEDINA DEL CAMPO (Valladolid - España)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 01.78.

First issued on 2020-04-24
Last issued on 2023-11-06
Validity 2028-11-06

Rafael GARCÍA MEIRO
CEO



Certificate of conformity

001/007077

Annex to Certificate

Description Trademark: MECFLOW
Fiberglass content: 8%
Fiberglass content of the middle layer: 18%

SERIE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	OPACITY
3,2	20 - 25 - 32	1/10 ; 2/10 ; 4/10 ; 5/8	Yes
4,0	40 - 50 - 63 - 75 - 90 - 110 - 125 - 160	1/8 ; 2/8 ; 4/8 ; 5/6	Yes
5,0	40 - 50 - 63 - 75 - 90 - 110 - 125 - 160 - 200 - 250 - 315	1/6 ; 2/6 ; 4/6 ; 5/4	Yes
8,0	75 - 90 - 110 - 125 - 160 - 200 - 250 - 315 - 355	1/4 ; 2/4 ; 4/4	Yes

First issued on 2020-04-24
Last issued on 2023-11-06
Validity 2028-11-06