



Supply & Drainage Systems











Price List 2025

Introduction

Welcome to Genuit Group

Here at Genuit Group, we are making the built environment more sustainable by helping create a more resilient planet, society and business. Sustainability is core to our commercial strategy, driving innovation in both how we run our business and products we create. We find solutions for the environmental challenges facing our infrastructure, our buildings and our communities, and deliver these at scale.

Polypipe Building Services is part of the Genuit Group – developing and delivering exceptional engineered solutions in both drainage and water supply. Our specialist technical team help our customers to complete safe and sustainable installations within high-rise residential, office, education, healthcare and leisure properties – both new build and retrofit.

For over 60 years our Terrain brand has been the industry benchmark for drainage systems, and now our award-winning MecFlow Supply Systems range is delivering new advances in water supply MecFlow delivers a complete plantroom to apartment solution. MecFlow Fusion

and now our award-winning MecFlow Supply Systems range is delivering new advances in water supply. MecFlow delivers a complete plantroom to apartment solution. MecFlow Fusion is a robust WRAS approved PP-RCT system, with a B-s1, d0* fire rating, designed specifically for boosted cold water, low temperature hot water, chilled water and heating applications. MecFlow Press is engineered for potable, hot & cold plumbing and heating installations, based on a multi-layer composite pipe material with innovative, flow-optimised fittings.

Our Advantage Service creates complete drainage and water supply systems, fully customised and pre-fabricated off-site. Quality assured, pre-tested and delivered direct to your site ready for immediate installation.


Whether your requirement is a single component or a complete fully customised system, we have the design, fabrication and testing capabilities together with the specialist advice and customer support needed to ensure that your project is a success.

*Fire classification rating according to EN13501, installed according to building regulations.

Contents

MecFlow Supply Systems:		5 - 28
Fusion	3000 PPR-CT Fusion	6 - 19
Press	8000 Press	20 - 28
Terrain Soil and Waste		29 - 50
Soil Systems:	100 PVC Solvent Weld	33 - 36
	100P PVC Push-fit	37 - 39
Waste Systems:	200 PVC Solvent Weld	40 - 42
	300 PP Push-fit	42 - 43
	600 ABS Solvent Waste	43 - 44
Overflow:	500 PVC Solvent Weld	45
Traps:	400 PP Threaded	46
WC Pan Connectors:	490 Push-fit	47
Soil and Waste Accessor	ies	48
Terrain FUZE	Stax	53 - 56
	900 HDPE	56 - 68
Terrain P.A.P.A. and Pleura	Vent System	71
Terrain Q:	700P Acoustic PP Push-fit	72 - 76
Underground:	PVCu Push-fit	79 - 84
Standards, Certification and	Technical Services	85 - 87
Terms & Conditions		88 - 91







MecFlow Fusion



Introduction

MecFlow Fusion is a multi-layer, WRAS approved, PP-RCT system with a material formulation designed for strength and durability that achieves a fire classification rating of B-s1, d0*; making it ideal for healthcare, leisure, multi occupancy and high-rise building projects.

The pipe's inner white layer incorporates anti-microbial protection, preventing biofilm build-up and has a high resistance to rigorous disinfection processes, heat and fluctuating temperatures.


Its intermediate layer benefits from the addition of microfibres set in a mesh formation, working to reduce thermal expansion and along with several other additives, increases the mechanical resistance of the system.

Finally, the outer layer is UV stabilised and abrasion resistant, contributing to the system's robust construction, providing overall high resistance to impact, ensuring product safety during transportation, storage and on-site handling.

The system is available in a wide range of diameters from 20mm – 315mm, giving you confidence that it's the optimal solution if running pipework up risers, along corridors or to plant equipment using known and trusted techniques including electrofusion, socket, and butt welding, depending on size.

^{*}Fire classification rating according to EN13501, installed according to building regulations.

A Guide to the MecFlow Fusion Manifolds Product Coding System



Range Series

3000 = MecFlow Fusion

Assembly

800 = Fabricated Product

Type of Fitting

08 = Manifold 18 = Manifold

Thread Sizes

 $075 = \frac{3}{4}$ " BSP

Manifold Connection Type

D = Drain

H = Horizontal

V = Vertical

X = Female

Y = Male

Code Spacers

"." and "X"

Used in product codes to split pipe series, diameter and angle references.

Products marked in the product listings are:

■ - Available in .DWG file format.

R - Available in .RFA and .ADSK file format.

These files are ready to incorporate into design drawings. If you would like the files in the relevant format, simply contact the Advantage Team on 01622 795200 or email commercial enquiries@polypipe.com.






Manifolds

MecFlow Supply S	Systems - 3	000 Fus	ion			
	Size mm	Ports	Col	Pack/ Box	Code	Price Each
	Manifolds- Ho	rizontal - Dra	ain, Male Thro	ead		
	11/2"/50/3/4"	2	⊢ G	1	3808.50Y32075Y.2.HDX	£835.23
	1½"/50/¾"	3	□ G	1	3808.50Y32075Y.3.HDX	£1,072.50
	1½"/50/¾"	4	⊢ G	1	3808.50Y32075Y.4.HDX	£1,237.47
	1½"/50/¾"		⊢ G	1	3808.50Y32075Y.5.HDX	£1,474.79
o Y. Lo.	1½"/50/¾"	6	F G	1	3808.50Y32075Y.6.HDX	£1,639.76
. 10	1½"/50/¾"	7	F G	1	3808.50Y32075Y.7.HDX	£1,877.04
	1½"/50/¾"	-	R G	1	3808.50Y32075Y.8.HDX	£2,042.04
elelelel	1½"/50/¾"	9	R G	1	3808.50Y32075Y.9.HDX	£1,965.44
	1/2"/50/%4"	10	□ G	1	3808.50Y32075Y.10.HDX	£2,130.26
	1½"/50/¾"	11	□ G	1	3808.50Y32075Y.11.HDX	£2,337.61
	1½"/50/¾"	12	F G	1	3808.50Y32075Y.12.HDX	£2,472.72
	Manifolds- Ho		•	Thread		
	11/2"/50/3/4"	2	F G	1	3818.50Y32075Y.2.HX	£798.69
	1½"/50/¾"	-	⊢ G	1	3818.50Y32075Y.3.HX	£1,035.97
	11/2"/50/3/4"	4	⊢ G	1	3818.50Y32075Y.4.HX	£1,200.93
	1½"/50/¾"	5	⊢ G	1	3818.50Y32075Y.5.HX	£1,438.20
ماماماما	1½"/50/¾"	6	⊢ G	1	3818.50Y32075Y.6.HX	£1,603.22
	1½"/50/¾"	7	F G	1	3818.50Y32075Y.7.HX	£1,840.49
1 4 -	1½"/50/¾"		⊢ G	1	3818.50Y32075Y.8.HX	£1,751.27
•	1½"/50/¾"	9	⊢ G	1	3818.50Y32075Y.9.HX	£1,928.89
	1½"/50/¾"	10	⊢ G	1	3818.50Y32075Y.10.HX	£2,093.73
	1½"/50/¾"	11	F G	1	3818.50Y32075Y.11.HX	£2,301.08
	1½"/50/¾"	12	F G	1	3818.50Y32075Y.12.HX	£2,436.13
	Manifolds- Ver	rtical - Drain	, Male Threa	d		
	11/2"/50/3/4"	2	⊢ G	1	3808.50Y32075Y.2.VDX	£758.48
	11/2"/50/3/4"	· ·	⊢ G	1	3808.50Y32075Y.3.VDX	£995.76
	1½"/50/¾"		□ G	1	3808.50Y32075Y.4.VDX	£1,160.72
ليلطيل	1½"/50/¾"	5	⊢ G	1	3808.50Y32075Y.5.VDX	£1,397.99
1 1	1½"/50/¾"	0	⊢ G	1	3808.50Y32075Y.6.VDX	£1,563.01
9 1011	1½"/50/¾"		⊢ G	1	3808.50Y32075Y.7.VDX	£1,800.28
	1½"/50/¾"	8	⊢ G	1	3808.50Y32075Y.8.VDX	£1,711.06
	1½"/50/¾"	9	⊢ G	1	3808.50Y32075Y.9.VDX	£1,888.68
	1½"/50/¾"	10	F G	1	3808.50Y32075Y.10.VDX	£2,053.47
	1½"/50/¾"	11	⊢ G	1	3808.50Y32075Y.11.VDX	£2,260.87
	1½"/50/¾"	12	A G	1	3808.50Y32075Y.12.VDX	£2,395.92
	Manifolds- Ver	rtical - No Dr	rain, Male Th	read		
	11/2"/50/3/4"	2	⊢ G	1	3818.50Y32075Y.2.VX	£721.90
	11/2"/50/3/4"	3	⊢ G	1	3818.50Y32075Y.3.VX	£959.21
	11/2"/50/3/4"	4	⊢ G	1	3818.50Y32075Y.4.VX	£1,124.19
विविव	11/2"/50/3/4"	-	R G	1	3818.50Y32075Y.5.VX	£1,361.45
	11/2"/50/3/4"	6	R G	1	3818.50Y32075Y.6.VX	£1,526.42
Col. 1 .	11/2"/50/3/4"		F G	1	3818.50Y32075Y.7.VX	£1,763.74
1 .	11/2"/50/3/4"	8	⊢ G	1	3818.50Y32075Y.8.VX	£1,674.48
	11/2"/50/3/4"	9	⊢ G	1	3818.50Y32075Y.9.VX	£1,852.14
	11/2"/50/3/4"	10	R G	1	3818.50Y32075Y.10.VX	£2,016.93
	11/2"/50/3/4"	11	B G	1	3818.50Y32075Y.11.VX	£2.224.33
	1/2 /50/74	11	n 0		3010.301320731.11.VX	22,227.00

Bespoke MecFlow Fusion Manifolds are available via the Advantage Team. Examples of bespoke options include 63mm for sprinkler applications, port length and/or angle changes and straight ends. Please contact the Advantage Team to discuss your requirements.

A Guide to the MecFlow Fusion Pipe and Fittings Product Coding System



Range Series

3000 = Mecflow Fusion

Assembly

000 = Single Product

Type of Product

00 = Pipe

01 = Elbow

04 = Tee & Tee Reducing

10 = Electrofusion Coupling

11 = Double Socket

16 = Threaded Adaptor Female

17 = Threaded Adaptor Male

19 = Threaded Adaptor Loose
Nut

24 = Reducer

24 - Reducei

57 = Threaded Adaptor Union

58 = Threaded Adaptor Union Female

80 = Stub Flange

81 = Backing Ring

82 = Seal

83 = Blanking Flange

Type of Weld

B = Butt Weld

S = Socket Weld

Pipe Series

3 & 5 = Pipe Wall Type, required for correct alignment of butt welded joints.

Diameters

20 = 20mm Pipe O/D

25 = 25mm Pipe O/D

32 = 32mm Pipe O/D

40 = 40mm Pipe O/D

50 = 50mm Pipe O/D

63 = 63mm Pipe O/D

75 = 75mm Pipe O/D

90 = 90mm Pipe O/D

110 = 110mm Pipe O/D

125 = 125mm Pipe O/D

160 = 160mm Pipe O/D

200 = 200mm Pipe O/D

250 = 250mm Pipe O/D

315 = 315mm Pipe O/D

Thread Sizes

05 = ½" BSP

075 = 3/4" BSP

1 = 1" BSP 125 = 11/4" BSP

15 = 1½" BSP

2 = 2" BSP

25 = 2½" BSP

20 - 2/2

3 = 3" BSP 4 = 4" BSP

Length

40 = 4m58 = 5.8m

Angle

45 = 45°

 $90 = 90^{\circ}$

Colour

B = Black

G = Grey S = Metal/PVC

Pressure Rating

25PN = PN25 (25Bar)

Code Spacers

"." and "X"

Used in product codes to split pipe series, diameter and angle references.





BSI kitemark certified

Products marked in the product listings are:

- Available in .DWG file format. - Available in .RFA and .ADSK file format.

These files are ready to incorporate into design drawings. If you would like the files in the relevant format, simply contact the Advantage Team on 01622 795200 or email commercial enquiries@polypipe.com.

MecFlow Fusion

MecFlow Supply S	iystems - 3	000 Fusion				
	Size mm	Angle	Col	Pack/ Box	Code	Price Each
	Pipe					
	Plain Ended					
	20 (4m)	B	G	-	3000.3.20.40G	£39.15
	25 (4m)	P	G	-	3000.3.25.40G	£61.30
	32 (4m)	R	G G	-	3000.3.32.40G 3000.5.40.40G	£73.54 £131.97
	40 (4m)	B	G	-	3000.5.40.40G	£131.97 £160.43
	50 (4m) 63 (4m)	B	G	-	3000.5.63.40G	£160.43 £214.34
	75 (4m)	B	G		3000.5.75.40G	£214.34 £283.14
ANIPPED MECFLOW	90 (4m)	B	G	_	3000.5.90.40G	£400.08
	110 (4m)	B	G	_	3000.5.110.40G	£552.13
	125 (5.8m)	B	G	-	3000.5.125.58G	£1,043.21
	160 (5.8m)		G	-	3000.5.160.58G	£1,562.31
	200 (5.8m)		G	-	3000.5.200.58G	£3,502.03
	250 (5.8m)		G	-	3000.5.250.58G	£5,633.93
	315 (5.8m)		G	-	3000.5.315.58G	£8,768.56
Can be	Electrofusion (Coupler				
Sulla Used	Double Socket - Ele	ctrofusion				
TOO dus to	20	В	G	-	3010.20G	£43.17
	25	B	G	_	3010.25G	£45.64
	32	R	G	-	3010.32G	£67.27
	40	B	G	-	3010.40G	£87.28
	50	R	G	-	3010.50G	£100.43
C. B.	63	R	G	-	3010.63G	£116.41
	75	R	G	-	3010.75G	£162.67
1	90	R	G	-	3010.90G	£192.64
	110	R	G	-	3010.110G	£225.44
est.	125	R	G	-	3010.125G	£334.83
	160	R	G	-	3010.160G	£514.31
	200	R	G	-	3010.200G	£794.44
	250	R	G	-	3010.250G	£1,607.03
	315	R	G	-	3010.315G	£2,227.61
	Double Socket					
	Double Socket - Soc		0		20446 206	04.47
	20 25	R	G G	-	3011S.20G 3011S.25G	£1.17 £1.50
	32	B	G	-	3011S.25G 3011S.32G	£1.50 £4.55
	32 40	R	G	-	3011S.32G 3011S.40G	£4.55 £6.74
	50	B	G		3011S.50G	£12.21
	63	, ,	G	-	3011S.63G	£12.21
	75	B	G	-	3011S.75G	£31.75
	90	Ř	G	_	3011S.90G	£50.41
	110	B	G	-	3011S.110G	£71.41
	125	B	G	_	3011S.125G	£109.95
		••	Ü			2.55.66

			usion		Dack		Price
	Size mm	Angl	е	Col	Pack/ Box	Code	Each
	Elbow 45°						
	Double Socket - So						
	20	45	R	G	-	3001S.20.45G	£2.09
	25	45	R	G	-	3001S.25.45G	£2.64
	32	45	R	G	-	3001S.32.45G	£5.60
	40	45	R	G	-	3001S.40.45G	£14.39
	50	45	R	G	-	3001S.50.45G	£26.2
	63	45	R	G	-	3001S.63.45G	£34.3
	75 90	45	B	G	-	3001S.75.45G	£50.4
		45	R	G	-	3001S.90.45G	£100.8
	110	45 45	B	G	-	3001S.110.45G	£131.2
	125 Plain End - Butt We	45 Id	R	G	-	3001S.125.45G	£210.9
	160	45		G	-	3001B.5.160.45G	£341.0
	200	45		G	-	3001B.5.200.45G	£599.5
	250	45		G	_	3001B.5.250.45G	£994.7
	315	45		G	-	3001B.5.315.45G	£1,954.8
	Elbow 90°						
	Double Socket - So	cket Weld					
	20	90	B	G	-	3001S.20.90G	£1.3
	25	90	B	G	-	3001S.25.90G	£2.0
	32	90	R	G	-	3001S.32.90G	£5.6
	40	90	R	G	-	3001S.40.90G	£13.0
	50	90	R	G	-	3001S.50.90G	£22.5
	63	90	R	G	-	3001S.63.90G	£29.5
	75	90	R	G	-	3001S.75.90G	£50.6
	90	90	R	G	-	3001S.90.90G	£95.7
	110	90	R	G	-	3001S.110.90G	£157.4
	125	90	R	G	-	3001S.125.90G	£215.6
	Plain End - Butt We	eld					
	160	90		G	-	3001B.5.160.90G	£410.5
	200	90		G	-	3001B.5.200.90G	£806.4
	250	90		G	-	3001B.5.250.90G	£1,333.9
	315	90		G	-	3001B.5.315.90G	£2,930.1
	Tee						
	Triple Socket - Sock	ket Weld					
	20	90	R	G	-	3004S.20.90G	£1.8
	25	90	R	G	-	3004S.25.90G	£2.3
	32	90	R	G	-	3004S.32.90G	£7.9
	40	90	R	G	-	3004S.40.90G	£10.3
	50	90	R	G	-	3004S.50.90G	£14.3
(3)	63	90	R	G	-	3004S.63.90G	£27.0
	75	90	R	G	-	3004S.75.90G	£100.4
	90	90	R	G	-	3004S.90.90G	£143.0
	110	90	R	G	-	3004S.110.90G	£214.9
	125	90	R	G	-	3004S.125.90G	£285.2
111	Triple Spigot - Butt			C		2004P 5 460 00C	2504 4
	160	90		G	-	3004B.5.160.90G	£584.1
	200 250	90		G	-	3004B.5.200.90G	£1,069.6
		90		G	-	3004B.5.250.90G	£1,756.64
	315	90		G		3004B.5.315.90G	£3,022.25

MecFlow Fusion

	Size mm	Angle	e	Col	Pack/	Code	Pric
	Reducing Tee	791	_		Box		Eac
	Triple Socket - Sock	et Weld					
	25/20	90	B	G	-	3004S.25X20X25.90G	£2
	32/20	90	B	G	-	3004S.32X20X32.90G	£5
	32/25	90	B	G	-	3004S.32X25X32.90G	£4
	40/20	90	R	G	-	3004S.40X20X40.90G	£7
	40/25	90	R	G	-	3004S.40X25X40.90G	£7
	40/32	90	R	G	-	3004S.40X32X40.90G	£14
	50/25	90	R	G	-	3004S.50X25X50.90G	£17
	50/32	90	R	G	-	3004S.50X32X50.90G	£27
	50/40	90	R	G	-	3004S.50X40X50.90G	£27
	63/32	90	R	G	-	3004S.63X32X63.90G	£4
	63/40	90	R	G	-	3004S.63X40X63.90G	£4
	63/50	90	R	G	-	3004S.63X50X63.90G	£3
	75/32	90	R	G	-	3004S.75X32X75.90G	£5
	75/40	90	R	G	-	3004S.75X40X75.90G	£5
	75/50	90	R	G	-	3004S.75X50X75.90G	£5
440	75/63	90	R	G	-	3004S.75X63X75.90G	£5
	90/50	90	R	G	-	3004S.90X50X90.90G	£7
	90/63	90	R	G	-	3004S.90X63X90.90G	£7
	90/75	90	R	G	-	3004S.90X75X90.90G	£7
	110/63	90	R	G	-	3004S.110X63X110.90G	£12
	110/75	90	R	G	-	3004S.110X75X110.90G	£17
	110/90	90	R	G	-	3004S.110X90X110.90G	£21
	Triple Spigot - Butt	Weld					
	160/110	90		G	-	3004B.5.160X110X160.90G	£48
	160/125	90		G	-	3004B.5.160X125X160.90G	£51
III .	200/125	90		G	-	3004B.5.200X125X200.90G	£59
II .	200/160	90		G	-	3004B.5.200X160X200.90G	£92
The second second	250/160	90		G	-	3004B.5.250X160X250.90G	£1,36
	250/200	90		G	-	3004B.5.250X200X250.90G	£1,55
	315/160	90		G	-	3004B.5.315X160X315.90G	£2,03
	315/200	90		G	-	3004B.5.315X200X315.90G	£2,12
	Reducer						
	Spigot / Socket - So	ocket Weld					
	25/20		R	G	-	3024S.25X20G	£
	32/20		R	G	-	3024S.32X20G	£
	32/25		R	G	-	3024S.32X25G	£
	40/25		R	G	-	3024S.40X25G	£
	40/32		R	G	-	3024S.40X32G	£
	50/32		R	G	-	3024S.50X32G	£1
	50/40		R	G	-	3024S.50X40G	£1
	63/32		R	G	-	3024S.63X32G	£1
	63/40		R	G	-	3024S.63X40G	£1
	63/50		R	G	-	3024S.63X50G	£1
	75/32		R	G	-	3024S.75X32G	£2
	75/40		R	G	-	3024S.75X40G	£2
	75/50		R	G	-	3024S.75X50G	£2
	75/63		R	G	-	3024S.75X63G	£2
	90/63		R	G	-	3024S.90X63G	£4
	90/75		R	G	-	3024S.90X75G	£4
	110/50		R	G	-	3024S.110X50G	£9:
	110/63		R	G	-	3024S.110X63G	£9:

	Size mm	Angle	Col	Pack/ Box	Code	Pr Ea
	Reducer					
	110/75	B	G	-	3024S.110X75G	£9
	110/90	R	G	-	3024S.110X90G	£9
	125/50	R	G	-	3024S.125X50G	£12
	125/110	R	G	-	3024S.125X110G	£13
	160/110	R	G	-	3024S.160X110G	£30
	160/125	R	G	-	3024S.160X125G	£40
	Double Spigot - Bu	tt Weld				
	200/125		G	-	3024B.5.200X125G	£32
	200/160		G	-	3024B.5.200X160G	£21
1	250/160		G	-	3024B.5.250X160G	£28
	250/200		G	-	3024B.5.250X200G	£31
	315/200		G	-	3024B.5.315X200G	£1,63
	315/250		G	-	3024B.5.315X250G	£1,29
	Threaded Ada	ntor				
		Socket Weld to Fema	le BSP			
	20/1/2"	B	G	-	3016S.20X05G	£1
	25/1/2"	В	G	_	3016S.25X05G	£1
	25/¾"	B	G	_	3016S.25X075G	£1
	32/3/4"	В	G	_	3016S.32X075G	£
	Threaded Adaptor -	Socket Weld to Fema	le Hex Nut BSP			
	32/1"	B	G	-	3016S.32X1G	£4
	40/11/4"	B	G	-	3016S.40X125G	£6
	50/1½"	B	G	-	3016S.50X15G	£10
	63/2"	В	G	-	3016S.63X2G	£10
	75/21/2"	В	G	_	3016S.75X25G	£29
	90/3"	В	G		3016S.90X3G	£40
	110/4"	B	G	-	3016S.110X4G	£6
		Elbow, Socket Weld				
	32/¾"	90	G	-	3016S.32X075.90G	£
	Threaded Adaptor -	Elbow, Socket Weld	to Female Hex N	ut BSP		
	32/1"	R			3016S.32X1.90G	£4
		Socket Weld to Male				
	20/1/2"	R	G	-	3017S.20X05G	£1
	25/1/2"	R	G	-	3017S.25X05G	£1
	25/3/4"	R	G	-	3017S.25X075G	£2

MecFlow Fusion

	Size mm	Angle	Col	Pack/ Box	Code	Pric Eac
	Threaded Adap					
	Threaded Adaptor -	Socket Weld to Male He	ex Nut BSP			
	32/¾"	R	G	-	3017S.32X075G	£41.4
1	32/1"	R	G	-	3017S.32X1G	£58.0
	40/11/4"	R	G	-	3017S.40X125G	£122.3
-11	50/1½"	B	G	-	3017S.50X15G	£172.2
	63/2"	В	G	_	3017S.63X2G	£222.8
	75/21/2"	В	G	_	3017S.75X25G	£371.
	90/3"	B	G	_	3017S.90X3G	£623.
	110/4"	 B	G	-	3017S.110X4G	£964.
	7	511 O 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
3	Threaded Adaptor - 32/¾"	Elbow, Socket Weld to I 90	Male BSP G	_	3017S.32X075.90G	£26.
	SEI /4	30 F	Ü		30170.328073.300	220.
	Threaded Adaptor -	Elbow, Socket Weld to I	Male Hex Nut F	RSP		
	32/1"	90	G		3017S.32X1.90G	£52.2
	32/1	30 13	o .	-	30173.32X1.90G	232.1
2	Threaded Adaptor -	Union, Socket Weld to I	Female Loose I G	Nut BSP	3019S.32X1G	£63.3
	32/11/4"	R	G	-	3019S.32X125G	£101.0
	Threaded Adaptor - 20/½" 25/¾" 32/1" 40/1¼"	Union, Socket Weld to I	Male Hex Nut E G G G G	- - -	3057S.20X05G 3057S.25X075G 3057S.32X1G 3057S.40X125G	£28.5 £47.9 £62.4 £84.9
	50/1½"	В.	G	_	3057S.50X15G	£148.1
				_		£247.4
				_		£464.0
				-		
				-		
	63/2" 75/2½"	R	G G G	-	3057S.63X2G 3057S.75X25G 3057S.90X3G	£4
		Union, Socket Weld to I	G Female Hex Nu	t BSP	3057S.110X4G	£1,388
	110/4" Threaded Adaptor - 20/½"	Union, Socket Weld to I	G Female Hex Nu G	- t BSP -	3058S.20X05G	£1,388.
	110/4" Threaded Adaptor -	Union, Socket Weld to I	G Female Hex Nu	t BSP - -		£1,388.
	110/4" Threaded Adaptor - 20/½"	Union, Socket Weld to I	G Female Hex Nu G	- t BSP - -	3058S.20X05G	£1,388. £30. £44.
	110/4" Threaded Adaptor - 20/½" 25/¾"	Union, Socket Weld to I	G Female Hex Nu G G	- t BSP - - -	3058S.20X05G 3058S.25X075G	£1,388. £30. £44. £64.
	110/4" Threaded Adaptor - 20/½" 25/¾" 32/1"	Union, Socket Weld to I	G Female Hex Nu G G G	-	3058S.20X05G 3058S.25X075G 3058S.32X1G	£1,388. £30. £44. £64. £90.
	110/4" Threaded Adaptor - 20/½" 25/½" 32/1" 40/1½"	Union, Socket Weld to I	G Female Hex Nu G G G G G	- - -	3058S.20X05G 3058S.25X075G 3058S.32X1G 3058S.40X125G 3058S.50X15G	£1,388. £30. £44. £64. £90. £136.
	110/4" Threaded Adaptor - 20//2" 25/7/4" 32/1" 40/11/4" 50/11/2" 63/2"	Union, Socket Weld to I	G Female Hex Nu G G G G G G	- - -	3058S.20X05G 3058S.25X075G 3058S.32X1G 3058S.30X125G 3058S.50X15G 3058S.63X2G	£1,388. £30. £44. £64. £90. £136.
	110/4" Threaded Adaptor - 20//2" 25/74" 32/1" 40/11/4" 50/11/2" 63/2" 75/21/2"	Union, Socket Weld to I	G Female Hex Nu G G G G G G	-	3058S.20X05G 3058S.25X075G 3058S.32X1G 3058S.30X125G 3058S.50X15G 3058S.63X2G 3058S.75X25G	£1,388. £30. £44. £64. £90. £136. £236. £419.
	110/4" Threaded Adaptor - 20//2" 25/7/4" 32/1" 40/11/4" 50/11/2" 63/2"	Union, Socket Weld to I	G Female Hex Nu G G G G G G	- - -	3058S.20X05G 3058S.25X075G 3058S.32X1G 3058S.30X125G 3058S.50X15G 3058S.63X2G	£1,099. £1,388. £30. £44. £64. £90. £136. £419. £801. £1,015.

Size mm		Col	Pack/ Box	Code	Pri Ea
Saddle					
Saddle / Spigot - Saddle \	Weld / Socket Weld				
50/20	R	G	-	3054.50X20G	£12
50/25	B	G	-	3054.50X25G	£13
50/32	B	G	-	3054.50X32G	£14
63/20	R	G	-	3054.63X20G	£1:
63/25	R	G	-	3054.63X25G	£14
63/32	R	G	-	3054.63X32G	£1-
75/20	R	G	-	3054.75X20G	£1
75/25	R	G	-	3054.75X25G	£1
75/32	B	G	-	3054.75X32G	£1-
90/20	B	G	-	3054.90X20G	£1
90/25	B	G	-	3054.90X25G	£1:
90/32	B	G	-	3054.90X32G	£1-
90/40	B	G	-	3054.90X40G	£2
90/50	В	G	_	3054.90X50G	£2
110/20	B	G	_	3054.110X20G	£1
110/25	В	G	_	3054.110X25G	£1
110/32	В	G	_	3054.110X32G	£1
110/40	B	G	_	3054.110X40G	£2
110/50	B	G	_	3054.110X50G	£2
110/63	B	G	_	3054.110X63G	£3
125/20	B	G	_	3054.125X20G	£1:
125/25	R	G	-	3054.125X25G	£1
125/32	B	G	-	3054.125X32G	£1
125/40	R	G	-	3054.125X40G	£2
	B			3054.125X50G	£2
125/50		G G	-		
125/63	R		-	3054.125X63G	£3
160/20	R	G	-	3054.160X20G	£1
160/25	R	G	-	3054.160X25G	£1
160/32	R	G	-	3054.160X32G	£1
160/40	R	G	-	3054.160X40G	£2
160/50	R	G	-	3054.160X50G	£2
160/63	R	G	-	3054.160X63G	£3
200/20	R	G	-	3054.200X20G	£1
200/25	R	G	-	3054.200X25G	£1
200/32	R	G	-	3054.200X32G	£1
200/40	R	G	-	3054.200X40G	£2
200/50	B	G	-	3054.200X50G	£2
200/63	B	G	-	3054.200X63G	£3
250/40	R	G	-	3054.250X40G	£2
250/50	R	G	-	3054.250X50G	£2
250/63	B	G	-	3054.250X63G	£3
315/40	B	G	-	3054.315X40G	£2
315/50	B	G	-	3054.315X50G	£2
315/63	R	G	-	3054.315X63G	£3

MecFlow Fusion

MecFlow Supply	Systems - 3	000 F _u	sion				
	Size mm	PN rating		Col	Pack/ Box	Code	Price Each
	Stub Flange						
	Socket - Socket Wel	d					
	40	16 & 25	R	G	-	3080S.40G	£15.89
	50	16 & 25	R	G	-	3080S.50G	£21.87
	63	16 & 25	R	G	-	3080S.63G	£29.61
	75	16 & 25	R	G	-	3080S.75G	£38.41
	90	16 & 25	R	G	-	3080S.90G	£47.91
	110	16 & 25	R	G	-	3080S.110G	£74.71
	125	16 & 25	R	G	-	3080S.125G	£133.01
	Spigot - Butt Weld						
	160	16 & 25		G	-	3080B.5.160G	£318.36
	200	16 & 25		G	-	3080B.5.200G	£219.56
	250	16 & 25		G	-	3080B.5.250G	£655.27
	315	16 & 25		G	-	3080B.5.315G	£841.00
	Backing Ring Fix with Nuts and Bo	olto					
	40	16	В	G	_	3081.40S	£25.72
	50	16	Ē	G	_	3081.50S	£32.88
	63	16	B	G	_	3081.63S	£32.88
	75	16	B	G	_	3081.758	£38.68
0	90	16	R	G	-	3081.90\$	£51.54
	110	16	R	G	-	3081.110S	£55.76
	125	16	B	G	-	3081.125S	£197.63
	160	16	R	G	-	3081.160S	£117.31
	200	16	R	G	-	3081.200S	£152.30
	250	16	R	G	-	3081.250S	£289.43
	315	16	R	G	-	3081.315\$	£480.31
	40	25	R	G	-	3081.40.25PN	£495.80
0 0	50	25	R	G	-	3081.50.25PN	£538.59
	63	25	R	G	-	3081.63.25PN	£583.28
	75	25	R	G	-	3081.75.25PN	£640.5
	90	25	R	G	-	3081.90.25PN	£640.5
	110	25	R	G	-	3081.110.25PN	£704.60
	125	25	R	G	-	3081.125.25PN	£845.41
	160	25	R	G	-	3081.160.25PN	£1,025.33
	200	25	R	G	-	3081.200.25PN	£1,078.35
	250 315	25 25	R	G G	-	3081.250.25PN 3081.315.25PN	£1,740.15 £2,055.30
	Seal PN16 & P		•				12,000.00
	EPDM Seal						
	40	16	R	G	-	3082.40B	£6.85
	50	16	R	G	-	3082.50B	£6.85
	63	16	R	G	-	3082.63B	£9.91
	75 90	16	R	G	-	3082.75B	£13.60
	90 110	16 16	R	G G	-	3082.90B 3082.110B	£12.33 £15.39
	125	16	B	G	-	3082.110B 3082.125B	£15.39
	160	16	B	G	-	3082.125B 3082.160B	£27.30
	200	16	B	G	-	3082.160B 3082.200B	£27.30 £8.85
	250	16	B	G	-	3082.250B	£35.52
	315	16	B	G	_	3082.315B	£42.05
	313	10	н	G	-	3002.313B	2.42.05

MecFlow Supply	Systems - 3	000 F	usion				
	Size mm	PN ratin		Col	Pack/ Box	Code	Price Each
	Blank Flange F		J				
	Fix with Nuts and Bo	olts					
	40	16	R	G	-	3083.40\$	£41.96
	50	16	R	G	-	3083.50\$	£46.53
A	63	16	R	G	-	3083.63\$	£51.42
0000	75	16	R	G	-	3083.75\$	£76.99
	90	16	R	G	-	3083.90\$	£91.09
The sale	110	16	R	G G	-	3083.1108	£116.68
	125 160	16	B	G	-	3083.125\$ 3083.160\$	£123.34 £204.92
	200	16 16	B	G	-	3083.160S 3083.200S	£204.92 £315.15
	250	16	B	G	-	3083.250S	2313.13 POA
	315	16	B	G	-	3083.315S	POA
				U	-	3003.3133	PUA
	Blank Flange F		_				
	40	25	R	G	-	3083.40.25PN	£74.20
	50	25	R	G G	-	3083.50.25PN	£116.99 £161.68
	63 75	25 25	B	G	-	3083.63.25PN 3083.75.25PN	£161.68 £218.92
	90	25 25	B	G	-	3083.90.25PN	£218.92
	110	25	B	G	-	3083.110.25PN	£210.92
	125	25	B	G	-	3083.125.25PN	£423.81
	160	25	B	G	_	3083.160.25PN	£603.73
(= = = =	200	25	B	G	_	3083.200.25PN	£1,036.93
	250	25	B	G	_	3083.250.25PN	£1,609.88
	315	25	B	G	-	3083.315.25PN	£2,210.03
	End Cap						
	Socket - Socket Wel	d					
	20		B	G	-	3030S.20G	£1.36
	25		R	G	-	3030S.25G	£2.09
	32		R	G	-	3030S.32G	£2.75
	40		R	G	-	3030S.40G	£4.44
	50		R	G	-	3030S.50G	£8.62
	63		R	G	-	3030S.63G	£13.01
	75		R	G	-	3030S.75G	£24.16
	90		R	G	-	3030S.90G	£42.75
	110		R	G	-	3030S.110G	£61.37
	125		R	G	-	3030S.125G	£108.04
	Spigot - Butt Weld						
	160			G	-	3030B.5.160G	£218.68
	200			G	-	3030B.5.200G	£339.00
Marine Control	250			G	-	3030B.5.250G	£400.04
	315			G	-	3030B.5.315G	£2,893.64

MecFlow Fusion - Tooling

Installation of the MecFlow Fusion Supply System requires tooling specific to the diameter and jointing method chosen. Below is a guide as to what's required for each option and applicable diameters.

	Socket Weld	Butt Weld	Electrofusion Weld ⁽²⁾	Clickweld®	Saddle Weld ⁽³⁾
Tooling Needed:(1)	Ø20mm - 125mm	Ø20mm - 125mm	Ø20mm - 315mm	Ø50mm - 125mm	Ø50mm - 315mm
Chinagraph Pencil	✓	✓	✓		
Pipe Cutter - Ratchet / Tube / Saw	✓	✓	✓		
Scraper - Turbo / Rotary / Orbital			✓		
Pipe Chamfer / Beveller	✓				
Deburrer	✓	1	✓		1
Isopropyl Alcohol Wipes (91% by volume or greater)	✓	✓	✓	✓	✓
Hole Cutters (Saddles)					✓
Temperature Probe & Thermometer	✓	✓			✓
Butt Welder		✓			
Electrofusion Welder (4mm Connectors)			✓	(4)	
Saddle Welder					✓
Socket Welder - Hand / Bench	(5)				(6)
Irons Socket - Type A	✓				
Irons Saddle - Type N					✓
Irons Saddle - Type N			1		
Pipe Support Stand	✓	✓			✓

Please contact your local Polypipe Building Services Technical Sales Manager for tooling supplier and model number details.

Detailed jointing information is available in the MecFlow Fusion Technical Manual.

⁽¹⁾ Tooling listed is for guidance only and is subject to pipe and fitting diameter requirements. (2) Electrofusion welding is available Pipe to Pipe Ø20-315mm and Pipe to Fitting Ø160-315mm. (3) Please refer to the MecFlow Fusion Technical Manual or Polypipe Building Services Price List for available saddle size options. (4) For MecFlow Fusion Clickweld® Fittings, the Griffon Electrofusion Machine is recommended. (5) Hand version socket welder should only be used for pipe diameters <063mm. (6) Hand version socket welder should only be used for saddle welds. (7) Images are given as reference only, other brands/types are available.

Index

Index.				In days				Index.				In days			
Index				Index				Index				Index			
Code		Price	Page	Code 3054,160X25G	Colour	Price £13.89	Page	Code 3083.63S	Colour	Price £51.42	Page	Code 3016S.40X125G	Colour	Price £67.92	Page
MecFlow Fusion			7	3054.160X32G	G G	£14.70	14 14	3083.75S	G G	£76.99	16 16	3016S.50X15G	G	£101.65	12 12
3808.50Y32075Y.2.HDX 3808.50Y32075Y.2.VDX	G G	£835.23 £758.48	7	3054.160X40G 3054.160X50G	G G	£25.66 £28.82	14 14	3083.90S 3001B.5.160.45G	G G	£91.09 £341.04	16 10	3016S.63X2G 3016S.75X25G	G G	£165.60 £298.05	12 12
3808.50Y32075Y.3.HDX	G	£1,072.50	7	3054.160X63G	G	£33.76	14	3001B.5.160.90G	G	£410.51	10	3016S.90X3G	G	£469.59	12
3808.50Y32075Y.3.VDX 3808.50Y32075Y.4.HDX	G G	£995.76 £1,237.47	7	3054.200X20G 3054.200X25G	G G	£12.90 £13.89	14 14	3001B.5.200.45G 3001B.5.200.90G	G	£599.55 £806.43	10 10	3017S.110X4G 3017S.20X05G	G G	£964.46 £14.96	13 12
3808.50Y32U75Y.4.HDX 3808.50Y32075Y.4.VDX	G	£1,237.47 £1.160.72	7	3054.200X32G	G	£14.70	14	3001B.5.250.45G	G	£994.79	10	3017S.25X05G	G	£15.80	12
3808.50Y32075Y.5.HDX	G	£1,474.79	7	3054.200X40G 3054.200X50G	G G	£25.66 £28.82	14 14	3001B.5.250.90G 3001B.5.315.45G	G G	£1,333.91 £1,954.83	10 10	3017S.25X075G 3017S.32X075.90G	G G	£21.56 £26.15	12 13
3808.50Y32075Y.5.VDX 3808.50Y32075Y.6.HDX	G G	£1,397.99 £1,639.76	7	3054.200X63G	G	£33.76	14	3001B.5.315.90G	G	£2,930.12	10	3017S.32X075G	G	£41.49	13
3808.50Y32075Y.6.HDX	G	£1,639.76 £1,563.01	7	3054.250X40G 3054.250X50G	G G	£25.66 £28.82	14 14	3001S.20.45G 3001S.20.90G	G	£2.09 £1.32	10 10	3017S.32X1.90G 3017S.32X1G	G G	£52.20 £58.08	13 13
3808.50Y32075Y.7.HDX	G	£1,877.04	7	3054.250X63G	G	£33.76	14	3001S.25.45G	G	£2.64	10	3017S.40X125G	G	£122.32	13
3808.50Y32075Y.7.VDX	G	£1,800.28	7	3054.315X40G	G	£25.66	14 14	3001S.25.90G	G	£2.09	10	3017S.50X15G	G	£172.20	13
3808.50Y32075Y.8.HDX 3808.50Y32075Y.8.VDX	G G	£2,042.04 £1.711.06	7	3054.315X50G 3054.315X63G	G G	£28.82 £33.76	14	3001S.32.45G 3001S.32.90G	G G	£5.60 £5.60	10 10	3017S.63X2G 3017S.75X25G	G G	£222.85 £371.41	13 13
3808.50Y32075Y.9.HDX	G	£1,965.44	7	3054.50X20G	G	£12.90	14	3001S.40.45G	G	£14.39	10	3017S.90X3G	G	£623.97	13
3808.50Y32075Y.9.VDX	G	£1,888.68	7	3054.50X25G 3054.50X32G	G G	£13.89 £14.70	14 14	3001S.40.90G 3001S.50.45G	G G	£13.08 £26.26	10 10	3019S.32X125G 3019S.32X1G	G G	£101.04 £63.35	13 13
3808.50Y32075Y.10.HDX 3808.50Y32075Y.10.VDX		£2,130.26 £2,053.47	7	3054.63X20G	G	£12.90	14	3001S.50.90G	G	£22.50	10	3024B.5.200X125G	G	£329.40	12
3808.50Y32075Y.11.HD		£2,337.61	7	3054.63X25G 3054.63X32G	G G	£14.70 £14.70	14 14	3001S.63.45G 3001S.63.90G	G G	£34.34 £29.51	10 10	3024B.5.200X160G 3024B.5.250X160G	G G	£215.02 £288.26	12 12
3808.50Y32075Y.11.VD		£2,260.87	7	3054.75X20G	G	£12.90	14	3001S.75.45G	G	£50.41	10	3024B.5.250X200G	G	£317.26	12
3808.50Y32075Y.12.HD		£2,472.72 £2.395.92	7	3054.75X25G 3054.75X32G	G G	£13.89 £14.70	14 14	3001S.75.90G 3001S.90.45G	G	£50.61 £100.82	10 10	3024B.5.315X200G 3024B.5.315X250G	G G	£1,632.00 £1,295.67	12
3818.50Y32075Y.2.HX	G	£798.69	7	3054.90X20G	Ğ	£12.90	14	3001S.90.90G	Ğ	£95.78	10	3024S.110X50G	Ğ	£95.62	- 11
3818.50Y32075Y.2.VX 3818.50Y32075Y.3.HX	G G	£721.90 £1.035.97	7	3054.90X25G 3054.90X32G	G G	£13.89 £14.70	14 14	3001S.110.45G 3001S.110.90G	G	£131.23 £157.40	10 10	3024S.110X63G 3024S.110X75G	G G	£95.67	11
3818.50Y32U/5Y.3.HX 3818.50Y32075Y.3.VX	G	£1,035.97 £959.21	7	3054.90X40G	G	£25.66	14	3001S.125.45G	G	£210.94	10	3024S.110X90G	Ğ	£96.36	12
3818.50Y32075Y.4.HX	G	£1,200.93	7	3054.90X50G 3081.40.25PN	G G	£28.82 £495.80	14 15	3001S.125.90G 3004B.5.160.90G	G	£215.61 £584.18	10 10	3024S.125X110G 3024S.125X50G	G G	£139.31 £123.48	12
3818.50Y32075Y.4.VX	G	£1,124.19	7	3081.50.25PN	Ğ	£538.59	15	3004B.5.200.90G	Ğ	£1,069.65	10	3024S.160X110G	Ğ	£308.20	12
3818.50Y32075Y.5.HX 3818.50Y32075Y.5.VX	G G	£1,438.20 £1,361.45	7	3081.63.25PN 3081.75.25PN	G G	£583.28 £640.52	15 15	3004B.5.250.90G 3004B.5.315.90G	G	£1,756.64 £3,022.25	10 10	3024S.160X125G 3024S.25X20G	G G	£400.66 £1.39	12 11
3818.50Y32075Y.6.HX	G	£1,603.22	7	3081.90.25PN	G	£640.52	15	3004B.5.160X110X160.90G	Ğ	£481.69	11	3024S.32X20G	Ğ	£1.76	11
3818.50Y32075Y.6.VX	G	£1,526.42	7	3081.110.25PN 3081.125.25PN	G G	£704.60 £845.41	15 15	3004B.5.160X125X160.90G 3004B.5.200X125X200.90G	G G	£511.90 £593.87	11 11	3024S.32X25G 3024S.40X25G	G G	£1.76 £3.74	11 11
3818.50Y32075Y.7.HX 3818.50Y32075Y.7.VX	G G	£1,840.49 £1,763.74	7	3081.160.25PN	G	£1,025.33	15	3004B.5.200X160X200.90G	G	£923.45	11	3024S.40X32G	G	£7.36	11
3818.50Y32075Y.8.HX	G	£1,751.27	7	3081.200.25PN 3081.250.25PN	G G	£1,078.35 £1,740.15	15 15	3004B.5.250X160X250.90G 3004B.5.250X200X250.90G	G G	£1,361.33 £1,557.28	11 11	3024S.50X32G 3024S.50X40G	G G	£11.02 £11.57	11 11
3818.50Y32075Y.8.VX	G	£1,674.48	7	3081.315.25PN	G	£2,055.30	15	3004B.5.315X160X315.90G	G	£2,034.60	11	3024S.63X32G	G	£14.24	11
3818.50Y32075Y.9.HX 3818.50Y32075Y.9.VX	G G	£1,928.89 £1.852.14	7	3081.110S 3081.125S	G	£55.76	15	3004B.5.315X200X315.90G 3004S.20.90G	G	£2,120.13 £1.80	11	3024S.63X40G 3024S.63X50G	G	£15.66	11
3818.50Y32075Y.10.HX	G	£2,093.73	7	3081.160S	G G	£197.63 £117.31	15 15	3004S.25.90G	G	£2.35	10 10	3024S.75X32G	G G	£17.23 £22.97	11 11
3818.50Y32075Y.10.VX	G	£2,016.93	7	3081.200S 3081.250S	G	£152.30	15	3004S.32.90G 3004S.40.90G	G	£7.93	10	3024S.75X40G 3024S.75X50G	G	£25.96	11
3818.50Y32075Y.11.HX 3818.50Y32075Y.11.VX	G G	£2,301.08 £2,224.33	7	3081.230S 3081.315S	G G	£289.43 £480.31	15 15	3004S.40.90G 3004S.50.90G	G G	£10.32 £14.33	10 10	3024S.75X63G	G G	£26.55 £26.55	11 11
3818.50Y32075Y.12.HX	G	£2,436.13	7	3081.40S 3081.50S	G	£25.72 £32.88	15	3004S.63.90G 3004S.75.90G	G	£27.08 £100.47	10	3024S.90X63G 3024S.90X75G	G	£40.33	11
3818.50Y32075Y.12.VX	G	£2,359.38	7	3081.50S 3081.63S	G G	£32.88	15 15	3004S.90.90G	G G	£100.47 £143.08	10 10	3030B.5.160G	G G	£40.33 £218.68	11 17
MecFlow Fusion	Fittinas			3081.75S 3081.90S	G	£38.68 £51.54	15	3004S.110.90G 3004S.125.90G	G	£214.91 £285.24	10	3030B.5.200G 3030B.5.250G	G	£339.00	17
3000.3.20.40G	G	£39.15	9	3081.90S 3082.40.25PN	G G	£51.54 £0.84	15 16	3004S.125.90G 3004S.110X63X110.90G	G G	£285.24 £123.13	10 11	3030B.5.250G 3030B.5.315G	G G	£400.04 POA	17 17
3000.3.25.40G 3000.3.32.40G	G G	£61.30 £73.54	9	3082.50.25PN	G	£1.16	16	3004S.110X75X110.90G	G	£174.84	11	3030S.110G	G	£61.37	17
3000.5.40.40G	G	£131.97	9	3082.63.25PN 3082.75.25PN	G G	£3.69 £4.95	16 16	3004S.110X90X110.90G 3004S.25X20X25.90G	G G	£214.91 £2.71	11 11	3030S.125G 3030S.20G	G G	£108.04 £1.36	17 17
3000.5.50.40G 3000.5.63.40G	G G	£160.43 £214.34	9	3082.90.25PN	G	£5.80	16	3004S.32X20X32.90G	G	£5.21	11	3030S.25G	G	£2.09	17
3000.5.75.40G	G	£283.14	9	3082.110.25PN 3082.125.25PN	G G	£6.85 £8.64	16 16	3004S.32X25X32.90G 3004S.40X20X40.90G	G G	£4.55 £7.77	11 11	3030S.32G 3030S.40G	G G	£2.75 £4.44	17 17
3000.5.90.40G 3000.5.110.40G	G G	£400.08 £552.13	9	3082.160.25PN	G	£11.91	16	3004S.40X25X40.90G	G	£7.85	11	3030S.50G	G	£8.62	17
3000.5.110.40G 3000.5.125.58G	G	£1.043.21	9	3082.200.25PN 3082.250.25PN	G G	£8.85 £35.52	16 16	3004S.40X32X40.90G 3004S.50X25X50.90G	G G	£14.73 £17.56	11 11	3030S.63G 3030S.75G	G G	£13.01 £24.16	17 17
3000.5.160.58G	G G	£1,562.31 £3.502.03	9	3082.315.25PN	G	£42.05	16	3004S.50X32X50.90G	G	£27.46	11	3030S.90G	G	£42.75	17
3000.5.200.58G 3000.5.250.58G	G	£5,502.03 £5,633.93	9	3082.110B 3082.125B	G G	£15.39 £5.69	16 16	3004S.50X40X50.90G 3004S.63X32X63.90G	G G	£27.46 £46.23	11 11	3057S.110X4G 3057S.20X05G	G G	£1,388.32 £28.52	13 13
3000.5.315.58G	G G	£8,768.56 £225.44	9	3082.160B	G	£27.30	16	3004S.63X40X63.90G	G	£46.23	11	3057S.25X075G	G	£47.92	13
3010.110G 3010.125G	G	£225.44 £334.83	9	3082.200B 3082.250B	G G	£8.85 £35.52	16 16	3004S.63X50X63.90G 3004S.75X32X75.90G	G G	£35.54 £55.01	11 11	3057S.32X1G 3057S.40X125G	G G	£62.43 £84.93	13 13
3010.160G	G	£514.31	9	3082.315B	G	£42.05	16	3004S.75X40X75.90G	G	£55.01	11	3057S.50X15G	G	£148.17	13
3010.200G 3010.20G	G G	£794.44 £43.17	9	3082.40B 3082.50B	G G	£6.85 £6.85	16 16	3004S.75X50X75.90G 3004S.75X63X75.90G	G G	£55.01 £53.82	11 11	3057S.63X2G 3057S.75X25G	G G	£247.49 £464.66	13 13
3010.250G	G	£1,607.03	9	3082.63B	G	£9.91	16	3004S.90X50X90.90G	G	£77.49	11	3057S.90X3G	G	£1,099.12	13
3010.25G 3010.315G	G G	£45.64 £2.227.61	9	3082.75B 3082.90B	G G	£13.60 £12.33	16 16	3004S.90X63X90.90G 3004S.90X75X90.90G	G G	£77.49 £77.49	11 11	3058S.110X4G 3058S.20X05G	G G	£1,015.80 £30.83	13 13
3010.32G	G	£67.27	9	3083.40.25PN	G	£74.20	16	3011S.110G	G	£71.41	9	3058S.25X075G	G	£44.10	13
3010.40G 3010.50G	G G	£87.28 £100.43	9	3083.50.25PN 3083.63.25PN	G G	£116.99 £161.68	16 16	3011S.125G 3011S.160G	G G	£109.95 £197.03	9	3058S.32X1G 3058S.40X125G	G G	£64.11 £90.68	13 13
3010.63G	G	£116.41	9	3083.75.25PN	G	£218.92	16	3011S.20G	G	£1.17	9	3058S.50X15G	G	£136.48	13
3010.75G 3010.90G	G G	£162.67 £192.64	9	3083.90.25PN 3083.110.25PN	G	£218.92	16	3011S.25G 3011S.32G	G	£1.50	9	3058S.63X2G 3058S.75X25G	G	£236.53	13
3054.110X20G	G	£12.90	14	3083.125.25PN	G G	£283.00 £423.81	16 16	3011S.40G	G G	£4.55 £6.74	9	3058S.90X3G	G G	£419.96 £801.19	13 13
3054.110X25G 3054.110X32G	G G	£13.89 £14.70	14 14	3083.160.25PN	G	£603.73	16	3011S.50G	G	£12.21	9	3080B.5.160G	G	£318.36	15
3054.110X40G	G	£25.66	14	3083.200.25PN 3083.250.25PN	G G	£1,036.93 £1,609.88	16 16	3011S.63G 3011S.75G	G G	£15.66 £31.75	9	3080B.5.200G 3080B.5.250G	G G	£219.56 £655.27	15 15
3054.110X50G 3054.110X63G	G G	£28.82 £33.76	14 14	3083.315.25PN	G	£2,210.03	16	3011S.90G	G	£50.41	9	3080B.5.315G	G	£841.00	15
3054.125X20G	G	£12.90	14	3083.110S 3083.125S	G G	£116.68 £123.34	16 16	3016S.110X4G 3016S.20X05G	G G	£611.04 £11.88	12 12	3080S.110G 3080S.125G	G G	£74.71 £133.01	15 15
3054.125X25G 3054.125X32G	G G	£13.89 £14.70	14 14	3083.160S	G	£204.92	16	3016S.25X05G	G	£12.35	12	3080S.40G	G	£15.89	15
3054.125X40G	G	£25.66	14	3083.200S 3083.250S	G G	£315.15 POA	16 16	3016S.25X075G 3016S.32X075.90G	G G	£16.79 £23.86	12 12	3080S.50G 3080S.63G	G G	£21.87 £29.61	15 15
3054.125X50G 3054.125X63G	G G	£28.82 £33.76	14 14	3083.315S	G	POA	16	3016S.32X075G	Ğ	£27.15	12	3080S.75G	Ğ	£38.41	15
3054.160X20G	G	£12.90	14	3083.40S 3083.50S	G G	£41.96 £46.53	16 16	3016S.32X1.90G 3016S.32X1G	G	£49.16 £45.94	12 12	3080S.90G	G	£47.91	15
										2.3.01					

An innovative approach to managing space, time and budget



Situated on the banks of the River Irwell, Trinity Island is the latest in a series of residential skyscrapers that are transforming the Manchester skyline. Designed by architectural firm SimpsonHaugh, developer Renaker is building two towers of 55 and 60 storeys, containing 483 and 532 high-end apartments respectively, which will use a bespoke water supply infrastructure provided by Polypipe Building Services.

CASE STUDY

Project

Water supply system installation within Towers D1 and D2 Trinity Island Development

Client

MWA Ecosystems on behalf of Renaker.

Application

Water supply system.

Products

MecFlow Fusion water supply system including bespoke manifolds and CLICKWELD electrofusion jointing technology.

Early adoption of innovative systems pays dividends.

Mechanical & electrical Plumbing contractor MWA Ecosystems was looking for a water supply system that could handle the scale, complexity and ambitious build programme of this residential skyscraper development – from a supplier that could provide a dependable partnership over the course of the project.

Having previously worked with Polypipe on many drainage systems, MWA became an early adopter of the MecFlow Fusion Supply System and knew it's benefits. Nevertheless, the Trinity Island project needed a highly bespoke supply system, and a holistic solution was needed that delivered several specific advantages.

Gavin Robinson, National Business Development Manager at Polypipe Building Services, said: "There were three major challenges overcome at Trinity Island. Firstly, we had to deliver highly bespoke systems that could feed entire towers without taking up valuable space. Secondly, it was an ambitious schedule. Thirdly we needed to control costs.

"Maintaining consistent water supply pressure in a 600-foot building with 500 apartments, is in itself a challenge - conventionally solved by multiple plant rooms and massive risers.

"Fusion however uses a fibre reinforced multi-layer PP-RCT pipe specifically designed for plantrooms, risers, headers and runouts. It's also got a fire rating of B-s1, d0.


"The MecFlow system was therefore robust enough to handle the high pressures required to get boosted cold water to the top of the towers - without the need for secondary pumps. Fusion is robust, lightweight and adaptable. Which when, used with our custom-designed manifolds, meant our solution needed minimal space."

Two key factors contributed to a rapid install. Polypipe's use of innovative but super-reliable jointing methods, and pre-fabrication.

Andrew Moss, Company Director at MWA Ecosystems, comments:

"Being able to deliver according to tight installation windows helps our work fit in with the overall schedule, and maintain our close working relationship with Renaker, who are a very important customer to us. The MecFlow system undoubtedly helps us do this. Polypipe have been extremely helpful. Their site visits, installer training, and essential technical support mean we can iron out issues as projects progress."







MecFlow Press




Introduction

MecFlow Press is a complete multi-layer composite piping system, specifically engineered for potable, hot and cold plumbing and heating applications. The system is available in a range of diameters from 16mm to 32mm and is certified to EN ISO 21003 with WRAS approval – ensuring its safety and compliance with UK industry regulations.

The system's high-quality multi-layer composite pipe is comprised of three engineered layers – an inner layer of cross-linked polyethylene (PE-X) with a flexible butt-welded aluminium core, and an outer layer of raised temperature polyethylene (PE-RT). These layers are bonded together using a specially formulated adhesive to create a single, durable product that meets stringent requirements and offers exceptional functionality and durability.

MecFlow Press offers a comprehensive range of fittings, each designed to provide optimal flow rate and flexibility in terms of product application. Innovative design also means that any risk of leaks is greatly reduced, thanks to extra-large inspection windows to ensure correct pipe insertion and a 'leak before press' test function.

A Guide to the MecFlow Press **Product Coding System**



Range Series

8000 = MecFlow Press

Type of Product

00 = Pipe

01 = Elbow

04 = Tee & Tee Reducina

10 = Coupler

15 = Threaded Adaptor Female

16 = Threaded Adaptor Female

17 = Threaded Adaptor Male

24 = Reducer

27 = Adaptor to Metal

30 = End Cap

46 = Threaded Adaptor Tee Female

58 = Threaded Adaptor Union Female

80 = Manifolds

81 = Manifold Bracket

82 = Plua

83 = Insert, Nut & Olive

900 = Tooling

Type of Product - Letter

C = Coiled (8000C only) C = Compression Fitting

(8019C only)

M = Mini Jaws

PC = Pre-insulated Pipe

V = Vented

Thread Sizes

 $05 = \frac{1}{2}$ " BSP

075 = 3/4" BSP 1 = 1" BSP

125 = 11/4" BSP

15 = 1½" BSP

Diameters

15 = 15mm Metal Pipe

16 = 16mm Pipe O/D

20 = 20mm Pipe O/D

22 = 22mm Metal Pipe

26 = 26mm Pipe O/D

28 = 28mm Metal Pipe 32 = 32mm Pipe O/D

Angle

 $45 = 45^{\circ}$ 90 = 90°

Colour

Pipe Only:

B = Blue

G = Grev R = Red

W = White

Fittings Only:

B = Brass

BW = Brass and White

G = Grey

M = Metal

T = Tooling

W = White Y = Yellow

Code Spacers

" " and "X"

Used in product codes to split diameter and angle references.





BSI kitemark certified

Products marked in the product listings are:

■ - Available in .DWG file format.
■ - Available in .RFA and .ADSK file format.

These files are ready to incorporate into design drawings. If you would like the files in the relevant format, simply contact the Advantage Team on 01622 795200 or email commercialenguiries@polypipe.com.

MecFlow Press

MecFlow Supply S	Systems - 80	000 Press				
	Size mm	Angle	Col	Pack/ Box	Code	Price Each
NEV	Sanitary Hot & (Cold Manifolds				
	2 Port/3/4"	R	М	1	8080.02X075	£52.53
	3 Port/3/4"	R	М	1	8080.03X075	£73.47
	4 Port/3/4"	R	М	1	8080.04X075	£94.27
a @ B	5 Port/¾"	P	M	1	8080.05X075	£123.69
NEW	Sanitary Manifo	ld Bracket				
*	Single Bracket ¾"	R	M	1	8081.075.BR	£8.40
NEV	Sanitary Manifo	ld Plug				
	Female Plug ¾"	R	M	1	8082.075.FP	£5.73
NEW	Sanitary Manifo					
	Eurocone 16/2	R	М	1	8083.16X2.EF	£7.96
	Eurocone 20/2	R	М	1	8083.20X2.EF	£8.93
A mili	-					
	Pipe					
	Plain Ended - Straight	i R	W	15	0000 40 5000	£33.26
	16 (5m) 20 (5m)	B	W	10	8000.16.50W 8000.20.50W	£33.26 £45.10
On the last No. of London	26 (5m)	Ē	W	5	8000.26.50W	£70.04
	32 (5m)	B	W	4	8000.32.50W	£92.00
	. (* /					
	Plain Ended - Coiled					
	16 (100m)	R	W	1	8000C.16.1000W	£497.26
	20 (100m)	R	W	1	8000C.20.1000W	£677.10
	26 (50m)	B	W	1	8000C.26.500W	£661.36
	32 (50m)	R	W	1	8000C.32.500W	£872.88
NEV						
	16X06 (50m)	B	В	1	8000PC.16.06.50B	£299.11
	16X06 (50m)	R	R B	1	8000PC.16.06.50R	£299.11
700	20X06 (50m) 20X06 (50m)	R	R R	1	8000PC.20.06.50B 8000PC.20.06.50R	£359.32 £359.32
	16X09 (50m)	B	G	1	8000PC.20.00.50K	£361.09
	20X09 (50m)	B	G	1	8000PC.20.09.50G	£378.00
	16X13 (50m)	B	G	1	8000PC.16.13.50G	£311.09
	20X13 (50m)	R	G	1	8000PC.20.13.50G	£388.00
	26X13 (25m)	R	G	1	8000PC.26.13.25G	£336.61
	32X13 (25m)	R	G	1	8000PC.32.13.25G	£450.99

MecFlow Supply S	ystems - 80	00 Pre	ss				
	Size mm	Angle		Col	Pack/ Box	Code	Price Each
	Coupler						
	Double Socket						
	16		R	W	10	8010.16W	£8.00
	20		R	W	10	8010.20W	£8.46
	26		R	W	5	8010.26W	£13.23
	32		R	W	5	8010.32W	£16.84
	Elbow 45°						
	Double Socket						
	26	45	R	W	5	8001.26.45W	£19.04
iii	32	45	R	W	5	8001.32.45W	£24.23
	Elbow 90°						
	Double Socket						
101	16	90	R	W	10	8001.16.90W	£8.75
100	20	90	R	W	10	8001.20.90W	£10.26
	26	90	R	W	5	8001.26.90W	£16.84
	32	90	R	W	5	8001.32.90W	£22.68
	Equal Tee						
	Triple Socket						
194	16	90	R	W	10	8004.16.90W	£13.23
17	20	90	R	W	10	8004.20.90W	£15.33
450	26	90	R	W	5	8004.26.90W	£22.68
	32	90	R	W	5	8004.32.90W	£29.94
	Reducing Tee						
	Triple Socket (End, Bra 16/20/16	ncn, Ena) 90	B	W	10	8004.16X20X16.90W	£15.33
	20/16/16	90	B	W	10	8004.20X16X16.90W	£15.33
	20/16/20	90	B	W	10	8004.20X16X20.90W	£16.10
	20/20/16	90	B	W	10	8004.20X20X16.90W	£17.55
	20/26/20	90	B	W	5	8004.20X26X20.90W	£22.68
	26/16/20	90	B	W	5	8004.26X16X20.90W	£22.68
281	26/16/26	90	B	W	5	8004.26X16X26.90W	£22.68
D ME II	26/20/16	90	R	W	5	8004.26X20X16.90W	£22.00
CO MA	26/20/20	90	R	W	5	8004.26X20X20.90W	£22.68
	26/20/26	90	R	W	5	8004.26X20X26.90W	£22.68
	26/26/16	90	R	W	5	8004.26X26X16.90W	£23.42
	26/26/20	90	R	W	5	8004.26X26X20.90W	£24.23
	32/16/32	90	R	W	5	8004.32X16X32.90W	£31.49
	32/20/26	90	R	W	5	8004.32X20X26.90W	£30.78
	32/20/32	90	R	W	5	8004.32X20X32.90W	£29.94
	32/26/26	90	R	W	5	8004.32X26X26.90W	£34.68
	32/26/32 Poducor	90	R	VV	5	8004.32X26X32.90W	£30.78
	Reducer Double Socket						
	20/16		B	W	10	8024.20X16W	£8.13
	26/16		B	W	5	8024.26X16W	£13.23
Mr am	26/20		R	W	5	8024.26X20W	£14.71
	32/20		R	W	5	8024.32X20W	£19.04
	32/26		R	W	5	8024.32X26W	£18.33

MecFlow Press


MecFlow Supply	Systems - 8	8000 <u>P</u>	ress				
	Size mm	Angl		Col	Pack/ Box	Code	Price
					Box		Each
	Adaptor to Met						
	Adaptor to Copper,						
	16/15		R	В	10	8027.16X15B	£13.10
The Control of the Co	20/22		R	В	10	8027.20X22B	£17.78
	26/22		R	В	5	8027.26X22B	£28.78
	32/28		R	В	5	8027.32X28B	£27.46
	Threaded Adap	otor					
	Threaded Adaptor N	/ale					
	16/1/2"		R	В	10	8017.16X05B	£11.07
477	20/3/4"		R	В	10	8017.20X075B	£16.88
I (Primite)	20/1"		R	В	10	8017.20X1B	£30.26
The same of the sa	26/3/4"		R	В	5	8017.26X075B	£22.42
	26/1"		R	В	5	8017.26X1B	£27.88
	32/1"		R	В	5	8017.32X1B	£29.55
	32/11/4"		R	В	5	8017.32X125B	£38.94
Comment.	16/1/2"		R	W	10	8017.16X05W	£7.20
CELL	16/3/4"		R	W	10	8017.16X075W	£13.75
	20/1/2"		R	W	10	8017.20X05W	£9.36
	20/3/4"		R	W	10	8017.20X075W	£11.23
	Threaded Adaptor F	emale					
	16/1/2"		R	В	10	8016.16X05B	£16.78
Marin .	20/1/2"		R	В	10	8016.20X05B	£19.07
	20/3/4"		R	В	10	8016.20X075B	£18.59
	26/3/4"		R	В	5	8016.26X075B	£27.10
	26/1"		R	В	5	8016.26X1B	£32.20
	32/1"		R	В	5	8016.32X1B	£40.62
	32/11/4"		R	В	5	8016.32X125B	£84.52
	Threaded Adaptor -	Elbow, Male					
Paris A	16/1/2"	90	R	BW	10	8017.16X05.90BW	£16.88
	20/1/2"	90	R	BW	10	8017.20X05.90BW	£29.55
-	20/3/4"	90	R	BW	10	8017.20X075.90BW	£33.00
	26/3/4"	90	R	BW	5	8017.26X075.90BW	£42.42
0	32/1"	90	R	BW	5	8017.32X1.90BW	£51.55
	Threaded Adaptor -						
(Sun	16/1/2"	90	R	BW	10	8016.16X05.90BW	£16.88
	20/1/2"	90	R	BW	10	8016.20X05.90BW	£25.36
	20/3/4"	90	R	BW	10	8016.20X075.90BW	£28.13
	26/3/4"	90	R	BW	5	8016.26X075.90BW	£33.88
	32/1"	90	B	BW	5	8016.32X1.90BW	£54.91

					Pack/ Box	Code	Ea
	Threaded Adap	otor			DOX		
	Threaded Adaptor -	Tee, Female					
	16/1/2"	90	R	BW	10	8046.16X05X16.90BW	£32
	20/1/2"	90	R	BW	10	8046.20X05X20.90BW	£37
(7 Sin)	20/3/4"	90	R	BW	10	8046.20X075X20.90BW	£40
	26/1/2"	90	R	BW	5	8046.26X05X26.90BW	£4:
	26/¾"	90	R	BW	5	8046.26X075X26.90BW	£4
	32/1/2"	90	R	BW	5	8046.32X05X32.90BW	£5
	32/3/4"	90	R	BW	5	8046.32X075X32.90BW	£5
	32/1"	90	R	BW	5	8046.32X1X32.90BW	£6
	Threaded Adaptor -	Transition Co					
	16/1/2"		R	BW	10	8058.16X05BW	£1
	16/3/4"		B	BW	10	8058.16X075BW	£1
	20/3/4"		R	BW	10	8058.20X075BW	£1
	20/1"		R	BW BW	10 5	8058.20X1BW 8058.26X075BW	£2 £4
	26/¾" 26/1"		B	BW	5	8058.26X075BW 8058.26X1BW	£4
	26/11/4"		B	BW	5	8058.26X125BW	£3
	26/11/2"		R	BW	5	8058.26X15BW	£5
	32/1"		R	BW	5	8058.32X1BW	£5
	32/11/4"		B	BW	5	8058.32X125BW	£5
	32/1½"		B	BW	5	8058.32X15BW	£6
	Threaded Adaptor -	Transition Co				0000102110211	
A	16/1/2"	90	R	BW	10	8058.16X05.90BW	£4
U	16/3/4"	90	В	BW	10	8058.16X075.90BW	£4
100	20/3/4"	90	B	BW	10	8058.20X075.90BW	£4
100	26/1"	90	B	BW	5	8058.26X1.90BW	£9
	Threaded Adaptor -	Wall Mount	Elbow, 32m	m offset			
	16/1/2"	90	B	BW	10	8015.16X05.35.90BW	£3
9	20/1/2"	90	R	BW	10	8015.20X05.35.90BW	£4
	20/3/4"	90	R	BW	10	8015.20X075.35.90BW	£3
	26/3/4"	90	R	BW	5	8015.26X075.35.90BW	£
	End Cap						
	Single Socket						
Mar	16		R	W	10	8030.16W	£
414	20		R	W	10	8030.20W	£
	26		R	W	5	8030.26W	£1
	32		R	W	5	8030.32W	£1
	Radiator Conn	ector					
	Single Socket		_				
	16	90	R	W	2	8001R.16.90W	£3
	III.						
	16	90	R	W	2	8004R.16.90W	£5
1							

MecFlow Press

MecFlow Supply S	ystems - 80	00 Press				
	Size mm	Angle	Col	Pack/ Box	Code	Price Each
	Tooling					
	Jaws - F Contour					
165	16			1	8990.16T	£567.04
	20			1	8990.20T	£567.04
	26			1	8990.26T	£567.04
	32			1	8990.32T	£638.07
6	Jaws Mini - F Contour					
0	16			1	8990M.16T	£581.36
0	20			1	8990M.20T	£581.36
	26 32			1	8990M.26T	£590.78
				1	8990M.32T	£639.42
-68	Deburring Tool					
NEW	16-20			1	8980.16X20G	2074 22
The contract of	16-32			1	8980.16X32T	£271.30
	Bending Springs					
	16			1	8970.16T	£71.81
	20			1	8970.20T	£86.04
	Cutters					
NEW	16-20			1	8950.16X20G	£39.21
6.0	16-32			1	8950.16X32G	£330.78
. 40						
	Test Plugs					
	16			1	8960.16T	£32.13
1	20			1	8960.20T	£35.71
	Test Plugs - Including \	/ent				
	26			1	8960V.26T	£165.04
7	32			1	8960V.32T	£170.59
3)						
	Note: Pressing contours for a	II MecFlow Press: F / TH				
	r rossing contours for a	II WIGGI IOW I 1633. I / III				

Index



8017.20X05W	W	£9.36	23
8017.20X075.90BW	BW	£33.00	23
8017.20X075B	В	£16.88	23
8017.20X075W	W	£11.23	23
8017.20X1B	В	£30.26	23
8017.26X075.90BW	BW	£42.42	23
8017.26X075B	B	£22.42	23
8017.26X1B	В	£27.88	23
8017.32X1.90BW	BW	£51.55	23
8017.32X125B	B	£38.94	23
8017.32X1B	В	£29.55	23
8024.20X16W	W	£8.13	23
8024.26X16W	W	£13.23	23
8024.26X20W	W	£14.71	23
8024.32X20W	W	£19.04	23
8024.32X26W	W	£18.33	23
8027.16X15B	В	£13.10	23
8027.20X22B	В	£17.78	23
8027.26X22B	В	£28.78	23
8027.32X28B	В	£27.46	23
8030.16W	W	£7.33	24
8030.20W	W	£8.75	24
8030.26W	W	£13.91	24
8030.32W	W	£15.71	24
8046.16X05X16.90BW	BW	£32.20	24
8046.20X05X20.90BW	BW	£37.26	24
8046.20X075X20.90BW	BW	£46.13	24
8046.26X05X26.90BW	BW	£43.88	24
8046.26X075X26.90BW	BW	£47.36	24
8046.32X05X32.90BW	BW	£59.20	24
8046.32X075X32.90BW	BW	£59.20	24
8046.32X1X32.90BW	BW	£63.49	24
8058.16X05.90BW	BW	£42.65	24
8058.16X05BW	BW	£16.88	24
8058.16X075.90BW	BW	£43.07	24
8058.16X075BW	BW	£16.88	24
8058.20X075.90BW	BW	£47.46	24
8058.20X075BW	BW	£19.46	24
8058.20X1BW	BW	£23.75	24
8058.26X075BW	BW	£42.42	24
8058.26X1.90BW	BW	£91.55	24
8058.26X125BW	BW	£33.88	24
8058.26X15BW	BW	£50.68	24
8058.26X1BW	BW	£28.78	24
8058.32X125BW	BW	£53.94	24
8058.32X15BW	BW	£69.78	24
8058.32X1BW	BW	£52.36	24
8950.16X32G		£330.78	25
8960.16T		£32.13	25
8960.20T		£35.71	25
8960V.26T		£165.04	25
8960V.32T		£170.59	25
8970.16T		£71.81	25
8970.20T		£86.04	25
8980.16X32T		£271.30	25
8990.16T		£567.04	25
8990.20T		£567.04	25
		£567.04	25
8990.26T 8990.32T			25 25
		£638.07	
8990M.16T		£581.36	25
8990M.20T		£581.36	25
8990M.26T		£590.78	25



REDEIS wanted



Take a stand against convention and join the Advantage Rebellion, where things get a bit radical. Our complete drainage and water supply systems are designed and pre-fabricated off-site, reducing system install costs by as much as 30%, installation time by up to 60% and on-site fabrication waste by as much as 100%. Fully customised solutions that are quality assured, pre-tested and delivered to site ready for immediate installation. Joining the Advantage Rebellion could be the most sensible thing you ever do.

Find out more at www.polypipe.com/polypipeadvantage



Terrain



Introduction

Having pioneered the development of solvent-welded systems, Terrain Soil & Waste products represent the industry benchmark for quality, installation flexibility and product innovation backed by the highest levels of customer service.

Terrain drainage systems include an extensive range of soil and waste drainage products for high-rise residential, hotels, hospitals, schools and public sector developments, all built on the strength of the Terrain brand.

Systems include solvent-welded and push-fit options for both soil and waste drainage, overflow and trap systems and a comprehensive range of adaptors and accessories – all available in a range of colours.

Terrain PVC Pipe is now also available manufactured with 65% recycled content – combining performance with sustainability.

- Industry leading range of solvent and push-fit soil and waste solutions.
- Unique products offer unrivalled installation options.
- Adaptable to our Terrain FUZE and Terrain Q systems.
- Includes a number of unique UK fittings making it versatile for a number of applications.

Soil & Waste

100-Solvent Terrain Soil System

PVCu soil pipes and fittings

- 82, 110 and 160mm integrated systems
- Wide range of bends, branches and access fittings to meet all application requirements
- Great problem solving products in the range

100P-PushFit Terrain Soil System

PVCu soil pipes and fittings for push-fit jointing

- 82, 110, 160mm integrated systems
- Saves time and labour costs

200-Solvent Terrain Waste System

Solvent-welded MuPVC system

- 32, 40 and 50mm integrated systems
- Wide range of bends and adaptors
- Integrated floor gullies

400-Traps

Terrain Waste System

Push-fit polypropylene system

- 32 and 40mm integrated systems
- Quick and easy to install
- Saves time and labour costs.

300-PushFit **Terrain Traps**

Polypropylene traps

- 32 and 40mm polypropylene traps
- Range includes self resealing bottle traps
- All traps have universal compression outlets which, in addition to all Terrain waste pipes, will accept other MuPVC waste pipe

500-Overflow Terrain Overflow System

Solvent-welded PVCu system for cold, non-pressure water


- 19mm PVCu pipe and fittings
- Range of tank connectors

600-Solvent Terrain Waste System

Solvent-welded ABS system

- 32, 40 and 50mm integrated systems
- Wide range of bends and adaptors

A Guide to the Terrain PVC Drainage Product Coding System



Above Ground Drainage

Series

100 = PVCu Solvent Weld Soil 100P = PVCu Push-fit Soil

200 = MuPVC Solvent Weld Waste

300 = PP Push-fit Waste

400 = PP Traps

500 = PVCu Overflow

600 = ABS Waste

700P = PP Terrain Q

900 = HDPE FUZE

Diameter

 $1.25 = 1\frac{1}{4}$ " or 32mm N/D waste

 $1.5 = 1\frac{1}{2}$ " or 40mm N/D waste

2 = 2" or 50mm N/D waste

3 = 3" or 82mm O/D soil

4 = 4" or 110mm O/D soil

6 = 6" or 160mm O/D soil

Type of Product

100 = Pipe

101 = Bend (Double Socket)

104 = Branch

106 = Corner Branches

107 = Bend (Spigot Socket)

110/111 = Couplings

13x = Access Fittings

Colour

G - Grey - RAL 7023

B - Black - RAL 9005

W - White - RAL 9010

Products marked in the product listings are:

■ - Available in .DWG file format.

R - Available in .RFA and .ADSK file format.

These files are ready to incorporate into design drawings. If you would like the files in the relevant format, simply contact the Advantage Team on 01622 795200 or email commercial enquiries@polypipe.com.





BSI kitemark certified

Soil & Waste

	400.0						
Soil System	1 s - 100 S Size mm Angle		nt Col	Pack/	Code	Price	
	Soil pipe			ВОХ		Each	
Mysasor B	Plain ended. 82 (3m) 82 (4m) 110 (3m) 110 (4m) 160 (3m) 160 (4m)	♥□♥□♥□♥♥	GBW GBW	2/88 2/88 2/48 2/48 1/33 1/33		£136.98 £179.39 £133.25 £177.59 £362.99 £474.44	
		110mm and 160mm Grey pipe now with up to 65% recycled content					
	Ring seal ad	aptor					
		Converts Terrain solvent socket to a ring seal expansion socket. Note: Requires solventing					
O	82 110 160	□R □R □R	GB GBW G		109.3 109.4 109.6	£15.38 £14.36 £40.59	
	Straight coup	oler dou	ble so	cket			
	Double solvent 82 110 160	socket. ♥□F ♥□F	GBW		110.3 110.4 110.6	£23.72 £28.84 £85.60	
	Expansion co	upler					
	To allow expan Installation gui 82 110 160		he tech GBW GBW	nical n 5/65		£36.28 £35.24 £111.71	
	Slip coupler						
	Double ring sea 82 110 160	al socket	. No ce G GB G	5/30 5/15 5/15		£75.36 £63.40 £136.96	
	Swept bend	double	socket				
	92½° Swept be 82 92½				101.3.92	£59.63	

92½ ♥□■ GBW 10 101.4.92

2

135 ♥□□ GBW 5/50 **101.3.135**

135 ♥□□ GBW 5/30 **101.4.135**

104 ♥**R** G 5/20 **101.4.104**

112½ ♥ GB 5/20 101.4.112 £70.60

4

92½ ♥耳**用** G

135 ♥**□ G**

Swept bend double socket Angle 104°

135° Swept bend double socket

110

160

82

110





135 ♥□□G 5/25 **104.3.135 £83.30** 135 ♥□□ GBW 6 104.4.135 £93.55 135 ♥**■** G 3/54 104.6.135 £382.06



£67.78

£59.63

£70.60

101.6.92 £177.58


101.6.135 £173.68

Single branch spigot outlet

With boss connections. 4 boss horns.

92½ ♥□■GB 4 104.104.92 £116.89 Connect to boss horns using 117 boss adaptors

see page 36.



3 boss horns, 2 waste sockets,

Spigot outlet. 92½ ♥묘 G



Socket	outlet					
110	921/2	$\triangledown \sqsubseteq$	G	3	104.422.92	£210.76
Insert p	lugs no	t sold s				

Connect to boss horns using 117 boss adaptors see page 36.

4 104.412.92 £206.89

Terrain

Soil System	ıs - 10	00 S	olve	ent				
	Size mm				Pack Box	Code	Price Each	
	Single	unequ	ıal braı	nch tri	ple so	cket		
	2 boss h 160/110		₩₽F	3 G	3	104.64.92	£226.00	
	No wast 160/110				2	104.64.135	£237.67	
	Corner	branc	h all so	ocket				
	2 boss h 110		₽R	G	5	106.490.92	£399.99	
UNIQUE	Corner	Corner boss branch						
01	2 boss h Spigot o	utlet 92½		socket: G		106.490.12	£463.60	
	Socket of 110 Insert pl	92½	□ t eold s			106.490.22	£463.60	
	Double			ороган	ıy.			
	4 boss h	orns. S	Spigot o	utlet.				
	110 110	92½ 135	♥ □	G G	2	106.104.92 106.104.135*		
A	2 boss h	orns S	Socket o	utlet				
	110				2	106.4.92	£193.76	
1	110	135	₽R	G	5	106.4.135*	£236.73	
	Double	uneq	ual bra	nch				
	2 boss h							
	160/110	92½	₩IJF	a G	2	106.64.92	£421.04	
	Access	pipe (double	socke	et			
	110 160 *Cannot	be use	♥□ F □ R ed with 1	G	10 10	138.4 138.6*	£71.25 £277.89	

Soil System	s - 10	00 S	olve	nt			
	Size mm	Angle		Col	Pack/ Box	Code	Price Each
	Access	pipe s	pigot o	utlet			
	110 160 *Cannot	be use	♥□ □ □ □ d with 1	G	10 10	139.4 139.6*	£73.02 £114.31
	Access						
	2 boss h	orns.					
暴暴	82		<u>_</u>	GW	12	137.3	£149.05
	4 boss h 110	orns.	♥□	GBW	8	137.4	£29.72
	Access	bend	double	socke	t		
	110	92½	♥□	GB	24	103.4.92	£188.05
	Single	access	branc	h tripl	e sock	et	
	4 boss h						
	110	92½	♥□	G	6	105.4.92	£156.91
1	No boss 160	connec 135	ctions.	G		\$105.6.135	£177.24
	Pipe ac	cess	loor				
ATTA .	82		₩Щ	G	5	135.3	£82.57
	110 160		♥ □	GB G	-,	135.4 135.6	£78.77 £144.88
	Access	сар					
	82		₩₽R	GB	5/70	136.3	£56.16
120	110					136.4	£64.31
	160		♥□□			136.6	£127.33
	or socke		ilvent we	elded to	o eitner	pipe spigot	
	Access	door	vith tes	t nipp	le		
(Ver)		ter con	nection.	Can be	e used	est nipple for on 139.4, 5P.4.92	
	110 *Fabrica	ted iten	1.	G	50	6592/DVW*	£99.21
	Spare a	ccess	door				
	Spare do & 105P.4		39.4, 139	9P.4, 13	38.4, 13	7.4, 105.4.92	
	110			G	1	137.4.502	£29.72

Soil & Waste

Price Each

Weathering states Makes weathertight cover between soil pipe and lead slate at roof level. Colours: Base - Aluminium. Cone - Black rubber	System	ent	
To support horizontal long run. Galvanized 13 S.W.G Mild Steel 110		Col	Pa Be
Salvanized 13 S.W.G Mild Steel			
Record R		G GBW	5/
110			5/
Intermediate support bracket To support horizontal pipework. Galvanized 13 S.W.G Mild Steel 82)		
Intermediate support bracket To support horizontal pipework. Galvanized 13 S.W.G Mild Steel 82			
To support horizontal pipework. Galvanized 13 S.W.G Mild Steel 82		entering v	ver
Galvanized 13 S.W.G Mild Steel 82 Self 30 191.3 £60.89 110 Self 10 191.6 £88.55 Two piece pipe bracket Galvanized 31 S.W.G Mild Steel 82 Self 10/40 140.3 £19.28 110 Self 10/30 140.4 £19.50 160 Self 10/30 140.4 £19.50 160 Self 5/25 140.6 £48.22 One piece pipe bracket Can be used as an anchor or intermediate support bracket. 82 Self 68W 10/150 143.3 £13.78 110 Self 68W 10/150 143.4 £12.54 Adjustable pipe bracket plastic coated Self coloured backplate. 110 Self 68W 10/30 144.4 £26.00 Weathering apron Makes weathertight cover between soil pipe and lead slate at roof level. For lead slates. 82 G 6 5/40 131.3.200 £73.80 110 G 30 131.4.200 £70.43 Weathering slates Makes weathertight cover between soil pipe and lead slate at roof level. Colours: Base - Aluminium. Cone - Black rubber		GB	14
82 Self 30 191.3 £60.89 110 Self 20 191.4 £64.30 160 Self 10 191.6 £88.55 Two piece pipe bracket Galvanised steel. Galvanised 3 S.W.G Mild Steel 82 Self 10/40 140.3 £19.50 160 Self 5/25 140.6 £48.22 One piece pipe bracket Can be used as an anchor or intermediate support bracket. Can be used as an anchor or intermediate support bracket. 110 Self 60/80 143.4 £12.54 Adjustable pipe bracket plastic coated Self coloured backplate. 110 Self 86 60 131.3 £12.54 Weathering apron Makes weathertight cover between soil pipe and lead slate at roof level. For lead slates. 82 G G 5/40 131.3.200 £73.80 110 G G 30 131.4.200 £70.43 Single bossed pipe 32mm waste socket 110/32 Self 10/40 Self 10/40 E43.25 Automatic air admit Allows air to enter soil seals in traps from effect rated, manufactured to 82 Self 100 Self in traps from effect of enterty of the self sold to enterty of the self		G	12
Two piece pipe bracket Galvanised steel. Galvanised 13 S.W.G Mild Steel 82			
Two piece pipe bracket Galvanised steel. Galvanised steel. Galvanised steel. Galvanised steel. Galvanised steel. Galvanized 13 S.W.G Mild Steel 82		ittance v	va
Two piece pipe bracket Galvanised steel. Galvanized 13 S.W.G Mild Steel 82		I system,	, pr
Galvanised steel. Galvanized 13 S.W.G Mild Steel 82			
Galvanized 13 S.W.G Mild Steel 82			1/
110 □ Self 10/30 140.4 £19.50 £48.22 One piece pipe bracket Can be used as an anchor or intermediate support bracket. 22 □ GBW 10/150 143.3 £13.78 £12.54 Adjustable pipe bracket plastic coated Self coloured backplate. 110 □ BW 1/30 144.4 £26.00 Weathering apron Makes weathertight cover between soil pipe and lead slate at roof level. For lasphalt upstand. 82 □ GBW 60 131.3 £17.47 £19.17 For asphalt upstand. 82 □ GBW 5/90 131.4 £19.17 For asphalt upstand. 82 □ GB 60 131.3 £17.47 £19.17 For asphalt upstand. 82 □ GB 60 131.4 £19.17 For asphalt upstand. 82 □ GB 60 131.4 £19.17 For asphalt upstand. 82 □ GB 60 131.4 £19.17 For asphalt upstand. 83 □ Single bossed pipe 32mm waste socket 110/32 □ □ Weathering slates Makes weathertight cover between soil pipe and lead slate at roof level. Colours: Base - Aluminium. Cone - Black rubber	Ø.	ĦW	1/
One piece pipe bracket Can be used as an anchor or intermediate support bracket. 82	3		
One piece pipe bracket Can be used as an anchor or intermediate support bracket. 82		ss solve	ent
One piece pipe bracket Can be used as an anchor or intermediate support bracket. 82 ♥ □ GBW 10/150 143.3 £13.78 110 ♥ □ GBW 10/80 143.4 £12.54 Adjustable pipe bracket plastic coated Self coloured backplate. 110 ♥ □ BW 1/30 144.4 £26.00 Weathering apron Makes weathertight cover between soil pipe and lead slate at roof level. For lead slates. 82 □ GB 60 131.3 £17.47 110 □ GBW 5/90 131.4 £19.17 For asphalt upstand. 82 G 5/40 131.3.200 £73.80 110 G 30 131.4.200 Weathering slates Makes weathertight cover between soil pipe and lead slate at roof level. Colours: Base - Aluminium. Cone - Black rubber			
Can be used as an anchor or intermediate support bracket. 82		G	5/
bracket. 82		G	5/
Adjustable pipe bracket plastic coated Self coloured backplate. 110			5/
Adjustable pipe bracket plastic coated Self coloured backplate. 110			
Adjustable pipe bracket plastic coated Self coloured backplate. 110			5/
## BW 1/30 144.4 ## £26.00 Weathering apron		0	J
Weathering apron Makes weathertight cover between soil pipe and lead slate at roof level. For lead slates. 82			
Weathering apron Makes weathertight cover between soil pipe and lead slate at roof level. For lead slates. 82	•		-
Weathering apron Makes weathertight cover between soil pipe and lead slate at roof level. For lead slates. 82	,		5/
lead slate at roof level. For lead slates. 82			0,
For lead slates. 82		-	_
82		the techr	ınic
110			
82 G 5/40 131.3.200 £73.80 110/40 ♥□ 110 G 30 131.4.200 £70.43 Single bossed pipe 32mm waste socket 110/32 ♥□ ■ Weathering slates Makes weathertight cover between soil pipe and lead slate at roof level. Colours: Base – Aluminium. Cone – Black rubber			10
82 G 5/40 131.3.200 £73.80 110/40 ♥□ 110 G 30 131.4.200 £70.43 Single bossed pipe 32mm waste socket 110/32 ♥□ F Weathering slates Makes weathertight cover between soil pipe and lead slate at roof level. Colours: Base - Aluminium. Cone - Black rubber			
### Single bossed pipe 32mm waste socket 110/32 10/32			10
Single bossed pipe 32mm waste socket 110/32 ♥□ F Makes weathertight cover between soil pipe and lead slate at roof level. Colours: Base - Aluminium. Cone - Black rubber		U	IU
Weathering slates Makes weathertight cover between soil pipe and lead slate at roof level. Colours: Base - Aluminium. Cone - Black rubber		connec	cto
Weathering slates Makes weathertight cover between soil pipe and lead slate at roof level. Colours: Base - Aluminium. Cone - Black rubber			
Makes weathertight cover between soil pipe and lead slate at roof level. Colours: Base - Aluminium. Cone - Black rubber		R GBW	5/
lead slate at roof level. Colours: Base - Aluminium. Cone - Black rubber 110/40 ♥□ ■			
50mm unata acalist		R GBW	5/
For flat roof			
FOI HALTOOI	1	- ODW:	-
82 to 110 ☐ Alu/B 20 149.16.00 £203.26 110/50 ♥☐ F *Requires 117 boss ho	1	GBW :	

	Vent Cowl					
	82	므	G		150.3	£17.20
11.	110				150.4	£16.48
	160		G	5/65	150.6	£46.25
	Duct cowl					
	Stops rainwater					
	110 160		GB G	14 12	152.4 152.6	£75.57 £195.88
	100		G	12	132.0	2193.00
	Automatic air					
	Allows air to ent	ter soil s	system,	protec	ting water	
	seals in traps fro rated, manufactu				pressure. A1	
	82		W		153.3	£197.65
	110	♥□ P			153.4	£197.65
	Pushfit Socket of			., .0		2101100
	Two part was	te boss	solve	nt soc	:ket	
	32mm waste so					
	110/32	CNGI	G	5/200	112.4.125	£32.39
-	40mm waste so	cket		0,200		202.00
	82/40		G	5/150	112.3.15	£33.32
	110/40		G	5/150	112.4.15	£32.39
	50mm waste so 110/50	cket	^	F /400	440.4.0	000.00
	160/50		G G	5/100	112.4.2 112.6.2	£32.86 £47.11
	100/30		U	5	112.0.2	247.11
	Socket plug					
	For use with 117	7 boss h				
	110		G G		130.4	£40.71
-	160		G	5/35	130.6	£78.33
7.5	Self locking b	oss se	al rinc	sock	et	
	Installation guid		_			
-						
Ville	For 32mm waste					
4/4/	110/32	₩.	G	10/130	122.4.125	£44.04
MILES	For 40mm waste	nine				
	110/40	₩⊒	G	10/100	122.4.15	£46.01
	Single bossed	l pipe o	conne	ctor do	uble socket	
	32mm waste so					
	110/32	₩₽Ħ	GBW	5/30	120.4.125	£24.25
	40mm waste so	alsat				
	110/40		GRW	5/30	120.4.15	£24.25
	110/10	·	ODW	0/00	120.4.10	224.20
	50mm waste so	cket				
					123.4*	£25.58
	*Requires 117 b	oss hor	n. For	50mm	use 117.2	

Terrain

em	ns - 100 S	s - 100 Solvent			
	Size mm Angle	Col	Pack/ Box	de	Price Each
	Single bossed	l pipe conne	ctor sock	et/spigot	
	Spigot outlet. Fo	or 40mm wast		0.412.15	£24 N1
	110/40	V 0	0/00 12	0.412.10	224.01
	Double bosses	d pipe conn	ector doul	ble	
	2 50mm waste s	sockets. 2 blar	nking plugs.		
	For 50mm waste	nines (40mm	n with adant	tor)	
		♥ □ F G	5/30 12		£51.15
	Insert plugs not	sold separate	ly.		
	Triple bossed				
	For 40mm waste to 32mm socket.		c plug. Illat	reduces	
0	110/40	♥□ G	5/25 12	1.4.15	£40.20
	Insert plug not s	sold separately	y.		
	Four way boss	s daubla sac	kot		
	2x boss horns, 2			outlet.	
		♥R GB		0.4.2	£39.40 £128.64
	100	∀	4 12	0.6.2	2120.04
	Four way boss	s nine solve	nt socket/s	snigot	
	2x boss horns, 2	• •			
	110	A G	5/15 12	0.412.2	£40.20
UNIQUE	Universal soil	manifold			
	For Solvent was	te connection:	S		
	For connection of floor level. Incor				
	waste pipes with Swivel Elbow or	nout need for a			
	For push-fit vers		39.		
	110	G	5 11	9.412.15	£123.86
	Reducer spigo	ot/socket			
	82/50	♥□ F G	5/90 12		£36.08
		♥□□ GBW			£43.74 £45.10
S. C.		♥ □ F G	5/45 12		£96.09

ERAIL	Size mm	Angle		Col	Pack/ Box	Code	Price Each
TEC YO	Soil pip	e sina	le soc	ket end			Lacii
THE WANTER	82 (3m)	-	₩	G	1/88	100P.3.30	£121.24
	82 (4m)		⅌	G	1/88	100P.3.40	£164.26
	110 (3m)		⅌	GB	2/67	100P.4.30	£119.70
	110 (4m)		⅌	G	2/67	100P.4.40	£160.80
	160 (3m)		⅌	G	1/33	100P.6.30	£334.30
	160 (4m)		♥	G	1/33	100P.6.40	£445.90
	110mm to 65%				pipe n	ow with up	
	Slip cou	-					
The same of the sa	No centra	I stop.					
	110			G	5/40	111.SP4	£50.23
	Straight	coupl	er dou	ıble so	cket		
	With cent	ral stop).				
	82		⅌	G		110P.3	£47.59
	110		♥	GB	5/40	110P.4	£40.32
	160		⅌	G	5	110P.6	£100.25
	Pipe en	l sock	et spi	jot/soc	ket		
	82		⅌	G		111P.3	£26.48
	110		♥	GB	20	111P.4	£28.20
	160		♥	G	5/15	111P.6	£92.35
	Swept b	end s	pigot	socket			
	92½° Sw	ept be	nd spi	got/socl	ket:		
	82	921/2	⅌	G	5/25	101P.3.92	£59.15
	110	921/2	♥	GB	10	101P.4.92	£60.58
	160	92½	₩	G	4	101P.6.92	£194.73
	112° Sw						
A CONTRACTOR OF THE PARTY OF TH	110	1121/2		G	10	101P.4.112	£70.46
	135° Sw 82	ept bei 135	na spig ⊛	jot/sock G	et: 5/40	107P.3.135	£52.02
	110	135	♥	GB	15	107P.3.135	
	160	135	♥	G	8	107P.4.135	
			•		-	1071.0.100	2104.41
	Tight ra					4070 4 00	000 50
	110	921/2	♥	G	10	107P.4.92	£62.50
UNIQUE	2 Part v	ariab	le ben	ıd			
	110	20-87	1/2	G	1/8	107P.4.VAR	£119.00

Soil System	ıs - 10	OP Pus	h-fit			
	Size mm	Angle	Col	Pack Box	Code	Price Each
	Double 110	socket bend 92½	i G	5/15	101D.4.92	£74.58
		branch spig		et		
O-H	With bos 2 boss h 82	ss connection: orns. 92½ ♥	s. G	5/15	104P.3.92	£94.61
?	5 boss h 110 160 110	92½ 92½ 92½ ♥ 112½	GB G G	8 4 5	104P.4.92 104P.6.92 104P.4.112	
	-	unequal bra	nch sp	igot o	ıtlet	
	5 boss h 160/110		G	5	104P.64.92	£222.02
	No boss 160/110		G	4	104P.64.135	£222.02
	Single	equal branc	h plair	1		
	-	connections. 135 ♥ 135 ♥ 135 ♥	G G G		104P.3.135 104P.4.135 104P.6.135	£85.94
UNIQUE	Corner	boss branch	1			
F. .	Spigot o 110		G	1/6	106E.490.12	£444.69
	Corner	branch spig	ot outl	et		
	110	92½	G	2	106P.490.92	£201.88

ystem	s - 1(OOP Pus	h-fii				tems - 100P Push-fit	
	Size mm	Angle	Col	Pack Box	Code	Price Each	Size mm Angle Col Pack/Code	Pric Eac
	Single	branch sock	et outl	let			Access bend single socket	
	No boss 110	connections. 135	G	12	104E.4.135	£94.86	Access door aperture size: 110 x 80mm diameter – secured by locking mechanism (use self tapping screw for anti-vandal locking). 82 92½ G 12 103P.3.92	
	Rranch	socket outle	ot				110 92½ G 10 103P.4.92	
	3 boss h						160 92½ G 6 103P.6.92	£450
	110	921/2	G	9	104E.4.92	£94.52	Access single equal branch single outlet	
							With waste boss connections. 4 boss horns. Access door aperture size: 114 x 80mm diameter – secured by locking	
	Single	equal branc	h varia	able bo	SS		mechanism (use self tapping screw for anti-vandal locking).	
		•					82 92½ G 10 105P.3.92	
	3 boss h 2 50mm	iorns. waste sockets	s with b	olanking	pluas.		110 92½ ♥ G 4 105P.4.92	£199.
				4		2011 25	Access door with test nipple	
	110	92½	G	4	104E.412.92	£211.95	Standard oval access door with test nipple for	
							manometer connection.	
							127 G 50 6592/DVW *	£99.
		able bend sp			407D 4 02E	C422 47		
	110	0-25	G	5/25	107P.4.025	£133.17	*Fabricated item.	
							Spare access door	
							Spare door for 139.4, 139P.4, 138.4, 137.4, 105.4.92	
		equal brand	ch spig	got out	let		& 105P.4.92 110 G 1 137.4.502	£29.
4 b		onnections. 92%	G	2	106P.4.92	£222 65	110 4 1 137.4.302	LLS.
	110	92/2	U	2	1007.4.32	2222.03	Access Cap	
							Spigot outlet. 82	£48
		connections.	0		1000 1 105		82 ♥ G 5/40 136P.3 110 G 24 136P.4	£48 £54
	110	135	G	4	106P.4.135	£222.65	160 G 15 136P.6	£133
	Access	pipe and co	ver si	ngle so	cket		Strap-on boss For 32mm waste pipe.	
	82	⅌	GB	10	139P.3	£118.51	110/32 GB 10/100 112P.4.12 !	£27
							For 40mm waste pipe.	
							110/40 GB 10/90 112P.4.15	£27
							For 50mm waste pipe. 110/50 GB 10/80 112P.4.2	£27.
							110/30 GB 10/00 112F.4.2	221.
	110	♡	GB	10	139P.4	£110.68	Straight boss adaptors	
							For 32mm waste pipe. Use on 82, 110 & 160mm	
	Access	door aperture :	size:				stacks.	
	172 x 13	30mm diamete	r – sec	ured by	2 screws.		82, 110, 160	£12
16	in.	₩	G	1/5	139P.6	£234.76	stacks.	
	100	*	U	1/0	.551.0	~_54.70	82, 110, 160 F GBW 5/160 117.15	£12
							For 50mm waste pipe. Use on 82, 110 & 160mm stacks.	
							stacks. 82, 110, 160 ♥ 同 GBW 5 117.2	£18.
							02, 110, 100 V m 00W J 117.2	410

Soil System	ns - 100P	Pus	h-fit			
	Size mm Angle		Col	Pack/ Box	Code	Price Each
6	Adaptor sadd Used with 117 connection of 3 to soil pipe. Re 110/40	Waste A 32mm, 4	0mm a	ınd 50m	nm waste pipe	£27.16
	Reducers					
	82/50 110/50 110/82 160/110	♥	G G G	5/60 5/30	124P.3.2 124P.4.2 124P.4.3 124P.6.4	£44.45 £59.00 £59.00 £89.14
	Short bossed	l pipe				
	With boss conr For use with 11 82 110		horn, s G GB	ee page 5/15 10		£72.41 £33.81
	Three way bo	ossed p	ipe			
	1 boss horn, 2 82	x 40mm	waste G	bosses 5	123P.312	£72.41
	Four way bos	s pipe	push-	fit socl	ket/spigot	
	2 boss horns. 2					
	110 160	♥	G G	5/15	120P.412.2 120P.612.2	
	Triple boss c	ollar				
O.F.	2 boss horns. 110/40 Cannot be used	1 waste :	G		120P.4.15	£33.81
	Socket Plug					

With boss horn.

110

G 5/50 **130.4**

♥ G 5/35 **130.6**

Soil Systems - 100P Push-fit									
	Size mm Angle	Col	Pacl Box	K/ Code	Price Each				
	Universal soil mar	ifold							
	For Push-fit waste cor For connection of BS 40mm waste pipes at Incorporates 4 inlets I waste pipes without n Swivel Elbow or Swep sealing gaskets, and 3 Please refer to page 3	5254/B floor le o accep eed for ot Bend. s remove	S 5255 vel. it 32mr adapto Comp able pl	m or 40mm rs. Use with lete with 4 ugs.					
	For solvent version	For solvent version see page 36.							
	110	G	5	119P.4.15	£125.72				



Easily a better job, with Terrain Soluble Lubricant or Terrain Silicone Grease. Ideal for easing ring seals smoothly into position on expansion joints.

See page 48

£40.71

£78.33

	Size mm Angle		Col	Pack/ Box	Code	Price Each		
	Waste pipe							
	Plain ended.							
	32 (3m)	₩₽Ħ	GW	5	200.125.30	£29.04		
	32 (4m)	₩₽Ħ	GBW	5	200.125.40	£38.70		
	40 (3m)	₩₽Ħ		5	200.15.30	£35.89		
	40 (4m)	₩₽Ħ			200.15.40	£47.87		
	50 (3m)	₩₽R		5	200.2.30	£55.20		
	50 (4m)	♥□■	GBW	5	200.2.40	£72.19		
	Seal ring ada	ptor						
	To convert 50mr expansion fitting	To convert 50mm 207.2 spigot socket bends to						
	50	R	G	5/250	209.2	£14.43		
	Straight coup	ler dou	ble so	cket				
	32	♥□	GBW	10/350	210.125	£6.04		
450	40	∇	GBW	10/240	210.15	£6.01		
010	50	⅌	GBW	10/120	210.2	£10.95		
	Union double	socket						
	Threaded union	for easy	disco	nnectio	n if required.			
100	32	∇	G	5/200	211.125	£25.80		
	40	∇	G	5/125	211.15	£33.74		
360	50	♡	G	5/90	211.2	£38.46		
	Expansion co	unler s	eal rii	na and	solvent			
	socket	upici s	oui iii	ig and	SOLVEIN			
	Installation guide							
	32	₩₽R			225.125	£10.61		
	40	♥□■			225.15	£13.10		
	50	♥ 🖪	GW	5/100	225.2	£17.33		
	Spigot/socket	t couple	er					
	To create a close MuPVC fittings.	-coupled	expans	ion join	t for all			
	32	₩⊒R	GW	5/250	227.125	£10.84		
	40	₩₽R		5/180	227.15	£13.30		
	50	₩₽Ħ	C	5/100	227.2	£17.68		

Waste Syst	ems.	200) Sal	ven	t _		
Waste Syst	Size mm			Col		Code	Price
	Swept I	bend o	louble s	ocket			Each
	91¼°, 1						
	For 911/4						
(and)	32	911/4				201.125.91 201.15.91	£6.14 £6.78
	40 50	911/4				201.13.91	£12.01
	For 135°			0511	10/10		2.2.0.
	32	135	₩₽R	GBW	10/280	201.125.135	£6.14
	40	135				201.15.135	£6.78
	50	135		GBW	10/100	201.2.135	£12.01
	For 165°	swept 165	bend	G	10/320	201.125.165	£9.50
60	40	165	₩	G		201.15.165	
	50	165	₩	G	5/250	201.2.165	£16.17
	Spigot/	socke	t bends				
	To chang situation						
	32	921/2	₽R	GBW	10/160	207.125.92	£10.05
(200	40	921/2	₽R			207.15.92	£11.49
The same of	50	92½	₽ R	GW		207.2.92	£16.40
	32 40	135 135	□R			207.125.135 207.15.135	£10.19 £11.94
	50	135	□R	GW		207.13.135	£16.69
	32	150	<u></u>	G		207.125.150	£10.61
	40	150		G	5/200	207.15.150	£12.15
	Knuckle	e hend	l double	sock	et		
	32	911/4	♥□			202.125.91	£5.60
	40	911/4	♥□			202.15.91	£6.15
	Swept	cross	all sock	et			
	40	911/4	₩ P	GW		206.15.91	£25.89
	50 50	91¼ 135	♥R ♥R	GW G	5/55 5/55	206.2.91 206.2.135*	£27.10
	*Fabrica		VН	G	5/55	206.2.135"	£18U.6/
	rabilda	tou.					
	Swept 1						
	91¼° an				40/400	004 405 04	00.01
	32 40	91¼ 91¼				204.125.91 204.15.91	£8.24 £10.40
	TO	01/4	v=1	ODW	10/90	207.13.31	210.40

911/4 💝 🖃 GBW 5/45 **204.2.91** £20.32 135 💝 🖃 GW 10/120 **204.125.135** £10.06

40

te Sys	tems - 200	Solver			aste Systems	s - 200 So	lver		
	Size mm Angle	Col	Pack/ Code	Price Each	Size ı	nm Angle	Col	Pack Box	Code
	Level invert tap	er			Auto	matic air admit	ance v	alve	
			ard fitting to accept d spigot and smaller		occui	s air into waste sy s. Helps prevent s ot outlet.			
	50/32 ♥	□ R GW □ R GW □ R GW	5/230 223.15.125 10/190 223.2.125 10/160 223.2.15	£7.72 £9.54 £9.34	50	므	W	10/200	253.2
					Trap	ped floor gully			
	Socket reducer					r-floor trap (e.g. fo			
1	50/32 ♥	R GBW	20/640 224.15.12 5 10/350 224.2.125 10/350 224.2.15	£6.04 £8.71 £10.64	Clear	cept 40mm waste p iing access via ren it to maintain airtig	novable		
	00/10		10,000 == 11=110	2.0.0	110/8	32	G	20	281.43
	Disco fining allo				160/	10	GT	12	281.64
	Pipe fixing clip	d GBW	20/800 240.125	£1.98	Floo	r gully inlets			
	40 50	GBW	20/700 240.15 20/400 240.2	£2.28 £3.02	in she Comp	part fitting to be se ower areas). orises of raising pi nap-in cover.			
	Expansion fitting	a fixina cl	in		110 F		GW	36	282.6
	To secure control to	hermal exp	•		110 8	SS	Self	36	283.6
	32 ⊑		10/750 242.125	£2.43	Seal	ed gully raising	piece		
	40 5 0 5 0		10/500 242.15 10/300 242.2	£2.77 £5.86	in sho	part fitting to be se ower areas). orises of raising pi crew in cover.			
	Access plug	I ⊟ GBW	40/000 007 405	£5.60	110 F		GW	36	284.6
(5)			10/260 237.125 10/320 237.15	£5.60					
	50 ⊑	GBW	10/170 237.2	£8.00		tor to undergro			
20						-fit connection into External use only.	pipes v	vith non	ninal 100mm
	Weathering apr	on			32/40)/50	В	5/60	4DW200
	To provide weathe around 50mm was	te pipe pen		£13.27		As a Terrain Unde unt structure appli		produc	t different
4	50 <u>⊨</u>	4 G	5/155 Z31.Z	£13.27					
						king bush onnecting MuPVC	unata n	ino to E	Omm analyst of
	Vent cowl					material. Solvent-			umm socket or
	Socket outlet.				32/40)/50 😐	G	10/350	232
	50	l GW	5/300 250.2	£15.03					
					Reve	rse nut adaptor			
						olvent-weld conne		MuPVC	waste pipe

£14.24

£14.02

10/300 218.125

10/250 218.15

Waste Syst	ems - 20	0 So	lver	nt			
	Size mm Angl	e	Col	Pack/ Box Code	Price Each		
	200 waste fe	emale i	ron				
	or fitting to BS	For solvent-weld connection of MuPVC waste pipe or fitting to BSP threaded male pipe or fitting. Socket and threaded socket					
	32/32 40/40	eaded so	G	10/270 212.125 10/200 212.15	£10.95 £10.95		
	50/50 Spigot and thr	♥⊒ readed so	•	5/140 212.2	£15.78		
	32/32 40/40 50/50	♥ □		5/225 216.125 5/190 216.15 5/200 216.2	£10.55 £12.37 £18.00		
	200 waste n	nale iro	n				
				of MuPVC waste pipe ale pipe or fitting.			
	Socket and the		0				
	32/32 40/40	♥ □		10/020 2101120	£9.35 £10.95		
(T)	50/50 Spigot and thr	₩ <u>□</u>	0	5/140 213.2	£15.78		
	32/32 40/40	♥ □	G G		£10.55 £12.37		
	50/50	♥⊒	GW	5/160 217.2	£16.95		



For joints that stay joined.

Terrain Liquid Weld – Low VOC solvent for jointing PVCu, MuPVC, ABS pipes and fittings.

See page 48

Waste Syste	ems -	300 Pu	sh-fi	t					
	Size mm	Angle	Col	Pack/ Box	Code	Price Each			
	Waste	oipe							
	Plain-en	ded.							
	32 (3m) 40 (3m)		W	10 10	300.125.30 300.15.30	£15.89 £19.71			
	40 (011)		"	10	000.10.00	210.71			
	Straigh	t coupler do	uble so	ocket					
	32		W		310.125	£5.14			
	40		W	10/300	310.15	£5.05			
	Swept I	wept bend double socket							
			W		301.125.91				
	40	911/4	W	10/200	301.15.91	£5.64			
	Swept I								
	32	135	W	10/300	301.125.135	£5.14			
	40	135	W	10/280	301.15.135	£5.05			
	Knuckle	bend doubl	e sock	et					
	32	90	W		302.125.90	£5.05			
	40	90	W	10/220	302.15.90	£5.05			
	Swivel	elbow bend	socket	/spigo	t				
	32	90	W		307.125.90	£5.14			
	40	90	W	10/110	307.15.90	£5.14			
	Swept t								
	32 40	91¼ 91¼	W		304.125.91 304.15.91	£5.65 £5.65			
	40	91/4	VV	5/120	304.13.91	23.03			

Waste Syste	ems - 300 Pu	sh-f	it		
	Size mm Angle	Col	Pack Box	Code	Price Each
	Socket reducer				
	To reduce waste socket to waste pipe.	o accep	ot smalle	er diameter	
	40/32	W	10/400	323.15.125	£5.52
	Pipe and fitting clip				
	32	W	20/800	340.125	£1.75
	40	W	20/600	340.15	£1.75
	Tank connector				
	For connecting push-fitank. Supplied with 2 s				
	32	W	10/150	311.125	£5.14
	40	W	10/300	311.15	£5.14
	Compression reduc	er			
	40-38	W	100	PS38	£6.78
	32mm seal for PS38			PRD100	£1.64
	40mm seal for PS38			PRD101	£1.64



Easily a better job, with Terrain Soluble Lubricant or Terrain Silicone Grease.

Ideal for easing ring seals smoothly into position on expansion joints. **See page 48**

Waste Syste	ems -	600 AB	S Sc	olve	nt	
	Size mm	Angle	Col	Pack/ Box	Code	Price Each
	Waste p	ipe				
	Plain end	led.				
	32 (3m)		W	5	600.125.30	
	40 (3m) 50 (3m)		W	5	600.15.30 600.2.30	£35.21 £38.70
					000.2.30	230.70
	Straight	coupler dou	ıble so	cket		
	32		W	10	610.125	£5.49
4700	40		W	10	610.15	£5.42
	50		W	10	610.2	£9.95
	Swept b	end double	socket			
	For 91¼° as standa	swept bend, s ard.	91.25°,	135° a	ınd 165°	
	32	911/4	W	20/220	601.125.91	£5.60
		911/4	W		601.15.91	£6.15
	50	91%	W		601.2.91	£10.91
		bend double			000 405 04	05.07
4	32 40	911/4	W		602.125.91 602.15.91	£5.07 £5.62
	Swept b	end double	socket			
	For 135°	swept bend.				
	32	135	W		601.125.135	£5.60
	40	135	W		601.15.135 601.2.135	£6.15
	50	135	W	10/100	601.2.135	£10.91
	Spigot/s	ocket bends				
	To chang situation:	ge pipe directions.	on in lir	nited sp	oace	
	32	135	W		607.125.135	£9.29
	40	135	W	10/180	607.15.135	£10.84

Waste Syst	ems -	600 A	ABS S	olve	nt					
	Size mm	Angle	Col	Pack/ Box	Code	Price Each				
	Expans socket	Expansion coupler seal ring and solvent socket								
	32		W	10/250	625.125	£9.65				
	40		W	10/180	625.15	£11.90				
	50		W	5/100	625.2	£15.74				
	Access	Access plug								
	32		W	10/350	637.125	£5.07				
(15)	40		W	10/320	637.15	£5.07				
	50		W	10/180	637.2	£7.27				
	Swept 1	ee all so	ket							
	32	911/4	W	10/120	604.125.91	£7.50				
	40	911/4	W	10/90	604.15.91	£9.44				
4	50	911/4	W	5/45	604.2.91	£18.47				
	Tee all	socket								
	32	135	W	10/120	604.125.135	£9.16				
	40	135	W	5/80	604.15.135	£11.88				
P	50	135	W	5/80	604.2.135	£18.47				
		cross all s								
	40	911/4	W		606.15.91	£23.53				
	50	911/4	W	5/55	606.2.91	£24.62				
	Socket	reducer								
	40/32		W	20/640	624.15.125	£5.49				
	50/32		W	10/350	624.2.125	£8.69				
	50/40		W	10/350	624.2.15	£9.67				

Waste Syst	ems - 600 AB	s s	olvent	
	Size mm Angle	Col	Pack/ Box Code	Price Each
	Male iron with sock	et		
	For solvent weld conne fitting to BSP threaded			
	32	W	5/300 617.125	£9.60
	40	W	5/220 617.15	£11.23
	50	W	5/160 617.2	£15.42
	Female iron with so	cket		
	For solvent weld conne fitting to BSP threaded			
	32	W	10/270 612.125	£9.95
	40	W	10/200 612.15	£9.95
Section 1	50	W	5/140 612.2	£14.36



Terrain Liquid Weld. For rock-solid joints. Low VOC solvent for jointing PVCu, MuPVC, ABS pipes and fittings.

See page 48.

Overflow Systems - 500 Overflow								
	Size mm	Angle	Col	Pack/ Box	Code	Price Each		
	Waste	pipe						
	Plain en		147	00		204 45		
	19 (4m)		W	20	500.75.40	£24.45		
	Straigh	t coupler dou	ıble s	ocket				
	19		W	50/1000	510.75	£6.50		
	Bend d	ouble socket						
100	19	911/4	W		501.75.91	£7.68		
	19	135	W	50/1100	501.75.135 £7.7			
	Branch							
	19	911/4	W	20/900	504.75.91	£8.33		
	Socket	Reducer						
6	19/32		W	20/900	524.75	£9.08		
	Pipe fix	ing clip - pla	stic					
1	19		W	50/2500	540.75	£2.37		
		t tank connec						
		ect cistern/tank						
100	19		W	10/250	511.75	£10.31		
	Bent ta	nk connector	90°					
Politica	19	90	W	10/200	502.75.90	£12.21		

Overflow Sy	stems - 500	Ove	erflow				
	Size mm Angle	Col	Pack/ Box	Price Each			
	Female to PVCu co	nnect	or				
	To connect PVCu over components. Solvent- overflow pipe. Thread male threaded pipe er	-weld s ed sock	ocket to receive				
	19	W	10/750 512.75	£11.08			
	Reverse nut connector						
	To connect PVCu over components. Threade male threaded pipe er	d loose					
	19	W	20/300 519.75	£3.14			
	Tundish						
	Double socket (19mm	n) inline	Tundish.				
	19	W	5/100 590.75	£64.16			



Terrain Cleaning fluid – the ideal solution for preparing joints for solvent welding. Leaving them squeaky clean and secure.

See page 48.

Waste Trap	s - 400							
	Size mm Angle	Col	Pack/ Box	Code	Price Each			
	Bottle trap							
592	75mm water seal.							
	32 ♥	W	5/60	411.125	£12.67			
	40 ♥	W	5/60	411.15	£15.54			
	Bottle trap anti-syp	hon						
THE .	75mm water seal.							
70	32 ♥	W	5/60	411AS.125	£17.25			
	40 ♥	W	5/60	411AS.15	£20.22			
	Resealing bottle tra							
Tio	75mm water seal.	ıþ						
	75IIIII Water Seal. 32 ♥	W	5/60	415.125	£16.58			
	40 ♥	W	5/60	415.125	£19.84			
	40 🔻	VV	3/00	413.13	213.04			
	Bottle trap - adjusta	ble t	elescop	oic				
7	75mm water seal.							
	32 ♥	W	5/60	411T.125	£15.99			
-	40 ♥	W	5/60	411T.15	£19.11			
	Bottle trap anti-syphon - adjustable telescopic							
-97	75mm water seal.							
	32 ♥	W	5/60	421AS.125	£20.00			
	40 ♥	W	5/60	421AS.15	£23.26			
	Resealing bottle trap - adjustable telescopic							
TOP .	75mm water seal.	- auju	istable to	erescopic				
200	32 ♥	W	5/60	421.125	£19.62			
	40 ♥	W	5/50	421.15	£22.72			
	Tubular swivel P tra 75mm water seal.	ıp						
	32	W	5/80	431.125	£10.93			
	40 ♥	W	5/60	431.15	£13.00			
	40 ¥	**	3/00	401.10	213.00			
	Tubular swivel P trap	- adju	stable to	elescopic				
T	75mm water seal.							
	32	W	5/80	431T.125	£13.63			
	40	W	5/60	431T.15	£15.83			
	Tubular swivel P tra	ip an	ti-sypho	on				
	75mm water seal.							
	32	W	5/80	431AS.125	£15.42			
(6)	40 ♥	W	5/60	431AS.15	£17.26			
	Tubular swivel P tra	n an	ti_evnhe	\n _				
	adjustable telescop		u-sypiic	/II -				
10 m	75mm water seal.							
0.00	40 ♥	W	5/60	431TAS.15	£18.86			
	P to S trap conversi	on be	end					
	To convert tubular P tra							
	32	W		407.125.90	£6.21			
	40	W	5/250	407.15.90	£7.00			
	10		0, 200		2			

Size mm Angle Col Pack							
Tubular swivel S trap 75mm water seal. 32	Waste Trap	s - 40	0				
75mm water seal. 32		Size mm	Angle	Col	Pack Box	Code	
### Signature ### Signature		Tubular	r swivel S tra	р			
Running trap 75mm water seal. 40	10						
Running trap 75mm water seal. 40							
Running trap anti-syphon 75mm water seal. 32	- 6				0/10	402.10	210.10
Running trap anti-syphon 75mm water seal. 32	dra orb		• •				
75mm water seal. 32				W	5/50	445.15	£17.74
32		Running	g trap anti-sy	/phor	1		
## S/50 ## S/	- 4						
Washing machine half trap 75mm water seal with adaptor. 40 ♥ W 5/40 433.15 £21.79 Washing machine half trap anti-syphon 75mm water seal with adaptor. 40 ♥ W 5/40 433AS.15 £26.79 Washing machine trap with upstand T5mm water seal with 0.6m upstand and 2 clips. 40 ♥ W 5/130 434.15 £21.35 Washing machine trap anti-syphon with upstand 75mm water seal with 0.6 upstand and 2 clips. 40 ₹21.35 £24.54 Low level bath trap 38mm water seal. 40 ₩ 5/10 434AS.15 £24.54 Low level bath trap 38mm water seal. 40 ₩ 5/30 457.15 £13.25 Shower trap with 45° adjustable waste 50mm water seal, 70mm grid. 40 W 5/50 484.15 £29.18 40 C/P 5/50 486.15 £23.291	71 (
75mm water seal with adaptor. 40 ♥ W 5/40 433.15 Washing machine half trap anti-syphon	-	40		W	5/50	445AS.15	£22.16
Washing machine half trap anti-syphon			-		-		
Washing machine half trap anti-syphon 75mm water seal with adaptor. 40	to The					400.45	004.70
75mm water seal with adaptor. 40 ♥ W 5/40 433AS.15 Washing machine trap with upstand	-	40	♥	VV	5/40	433.15	£21./9
Washing machine trap with upstand 75mm water seal with 0.6m upstand and 2 clips. 40		Washin	g machine h	alf tr	ap anti	-syphon	
Washing machine trap with upstand 75mm water seal with 0.6m upstand and 2 clips. 40	息 型 . /	75mm w	rater seal with a	dapto	or.		
75mm water seal with 0.6m ⊔pstand and 2 clips. 40 ♥ W 5/130 434.15 Washing machine trap anti-syphon with upstand		40	♥	W	5/40	433AS.15	£26.79
Washing machine trap anti-syphon with upstand 75mm water seal with 0.6 upstand and 2 clips. 40		Washin	g machine tr	ap w	ith ups	tand	
Washing machine trap anti-syphon with upstand							
75mm water seal with 0.6 upstand and 2 clips. 40 ♥ W 5/10 434AS.15 £24.54 Low level bath trap 38mm water seal. 40 ♥ W 5/30 457.15 £13.25 Shower trap with 45° adjustable waste 50mm water seal, 70mm grid. 40 W 5/50 484.15 £29.18 40 C/P 5/45 486.15 £32.91 Condensate trap		40	♥	W	5/130	434.15	£21.35
Low level bath trap 38mm water seal. 40		Washing	g machine trap	anti-	syphon	with upstand	
Low level bath trap 38mm water seal. 40	1 5						
38mm water seal. 40	G.	40	♥	W	5/10	434AS.15	£24.54
40		Low lev	el bath trap				
Shower trap with 45° adjustable waste		38mm w	rater seal.				
50mm water seal, 70mm grid. 40 W 5/50 484.15 £29.18 40 C/P 5/45 486.15 £32.91 Condensate trap		40	♥	W	5/30	457.15	£13.25
50mm water seal, 70mm grid. 40 W 5/50 484.15 £29.18 40 C/P 5/45 486.15 £32.91 Condensate trap		Shower	trap with 45	° adj	ustable	waste	
40 C/P 5/45 486.15 £32.91 Condensate trap	©						
Condensate trap	1	40					£29.18
•	0.0	40		C/P	5/45	486.15	£32.91
40 W 1/30 420.15 £25.63		Conden	sate trap				
	P	40		W	1/30	420.15	£25.63

WC Pan Cor	nnect	ors	- 49	0				
	Size mm	Angle		Col	Pack/ Box	Code	Price Each	
	Straigh	t WC	connec	tor fi	n seal			
	110		♥	W	5/40	499P.4.00	£12.25	
	90° WC	conn	ector f	in sea	ıl bend			
	110	90	♥	W	5/15	499P.4.90	£14.57	
	14° WC	conn	ector f	in sea	al spigo	ts		
		14				499P.4.104	£12.03	
	40mm	offset	WC co	nnec	tor fin s	eal		
	110			W	5/30	494P1.4.00	£12.03	
	12mm offset WC connector fin seal							
	110			W	5/40	494P2.4.00	£12.03	
	Swivel	conne	ctor 0	-30° f	in seal			
	Adjustab	le 0-30)°					
	110	0-30		W	5/20	498P.4.030	£31.27	
	Swan n	eck W	/C con	necto	r 90° fir	ı seal		
0	110	90		W	5/15	496P.4.90	£26.63	
	Long 90	o° wc	conne	ector f	in seal			
	225mm							
	110	90		W	5/10	491P.4.90	£15.22	

WC Pan Connectors - 490								
	Size mm	Angle	Col	Pack/ Box	Code	Price Each		
	90° WC	connector w	ith 3	2mm b	oss fin seal			
O	110	90	W	5/15	495P.4.90	£36.03		
	Extensi	on 200mm						
	110		W	5/25	493P.00	£11.08		
	WC ma	nifold conne	ctors	fin sea	l spigot			
		ed in conjuction WC pans can l stack.						
	110 110 110 110 110 110 110 110 *Custom	5 14 24 34 9 18 29 *	W W W W W W mgle o	6 6 5/10 5/10 1 1 1 1 n order	499.4.05 499.4.14 499.4.24 499.4.34 \$499.4.09 \$499.4.18 \$499.4.29 \$499.4.X	£31.43 £31.43 £31.43 £31.43 £73.28 £73.28 £73.28 £73.28		
	WC frai	ne manifold	bend	conne	ctors fin			
	110 110 110 110	5 34 18 29	B B B	5/10 5/10 1/12 1/12	497.35.05 497.35.34 F497.35.18 F497.35.29	£85.77 £85.77 £85.77 £85.77		
	WC con	nectors sock	et ou	tlet				
	110	2½	W	5/50	498.4.02	£19.04		
	110	90	W	5/25	498.4.90	£30.79		
	90° WC							
-	110	90	W	5/20	492.4.5	£49.08		
	WC stra	aight connect	or so	cket ou	tlet			
	For conn	ecting non BS	5503 W		s to soil pipes 495.4.5	£34.32		

Size mm Angle Co	' Box	Code	Price Each	Size mm Angle	Col	Rox	Code
	DUX		Eacii	Spare seal ring -	waste	DUX	
To clamp 112 and 115 Bo	ss Connect	ors while		Material: EPDM			
solvent-welding.	lf 1/50	9115	£104.07	Suitable for: - 200 Waste Syster manufactured to I - Use with boss ad:	3S 5255.		pt pipe
				Acceptable for: - copper pipe to B	S 659 and	BS 278	R1
Packing piece				32	В	1	9132.125
For use with 140 and 142 Intermediate Support Brad		ets and 191		40	В	1	9132.15
160 G		9104.6	£23.46	50	В	1	9132.2
Cut to size				Spare manifold i	nsert		
				Material: EPDM. Sp			
Pipe marking template	•			40	В	1	9113
Marking guide for Terrain		ns access and					
boss connection.	0011 0 9 0 101			Spare manifold p	olug		
110 Blu	ue 1	9105.500T	£47.32	Spare insert for 119 40	P. G	1	9114
				Spare access do	or		
				Spare door for 139.4	, 139P.4, 1	38.4, 13	37.4, 105.4.9
WC pan seal - soil				& 105P.4.92 110	G	1	137.4.502
Material: EPDM Rubber in rubber. Replacement seal 951/4-121mm.				Cleaning fluid	G	ı	137.4.502
For use on 102.4.5 and 12							
110 B	1/100	9124	£29.14	Material: Acetone. For cleaning PVCu Liquid Weld. Screw			pefore applyi
HDPE WC pan connect	or fin sea	1		250ml		20	9101.250C
Adapts standard WC conn				Lubricant			
110mm. Material: EPDM with EN681 rubber.	Rubber in a 150	ccordance 499P.4.908	£8.77	Material: Silicone g For lubricating seal			
	100		2011	250ml Tub (silico 500ml Tub (solut	one)	10/40	9136.250 9136.500
Spare seal rings - soil							
Material: EPDM				QUE Liquid weld			
Suitable for: - Soil system expansion s - Use with 126 Adaptors t - Soil fittings (as listed).				Low VOC solvent for ABS pipes and fittin Cap incorporates in	igs.		of PVCu and
Push-fit Soil (P) range and		0440 4	04.70	250ml ♥		24	9100.250SV
110 B Push-fit Soil (P) range	1	9116.4	£4.70	500ml ♥		12	9100.500SV

Index				Index				Index				Index			
Code	Colour	Price	Page	Code	Colour	Price	Page	Code	Colour	Price	Page	Code	Colour	Price	Page
100 Solvent				135.3	G	£82.57	34	115P.4	G	£27.16	39	242.15	W	£2.77	41
100.3.30	GBW	£136.98	33	135.4 135.6	GB G	£78.77 £144.88	34 34	119P.4.15 120P.4.15	G G	£125.72 £33.81	39 39	242.125 250.2	W GW	£2.43 £15.03	41 41
100.3.40	GBW	£179.39	33	136.3	GB	£56.16	34	120P.412.2	G	£43.57	39	253.2	W	£76.87	41
100.4.30 100.4.40	GBW	£133.25 £177.59	33 33	136.4 136.6	GBW G	£64.31 £127.33	34 34	120P.612.2 123P.3	G G	£142.27 £72.41	39 39	281.43 281.64	G GT	£80.03 £81.82	41 41
100.6.30	G	£362.99	33	137.3	GW	£149.05	34	123P.4	GB	£33.81	39	282.6	GW	£29.05	41
100.6.40	G	£474.44	33	137.4.502 137.4	G GBW	£29.72 £29.72	34 34	123P.312 124P.3.2	G G	£72.41 £44.45	39 39	283.6 284.6	Self GW	£61.26 £37.03	41 41
101.3.92 101.3.135	GBW	£59.63 £59.63	33 33	138.4	GBW	£71.25	34	124P.4.2	G	£59.00	39	4DW200	В	£58.02	41
101.4.025	G	£129.63	33	138.6 139.4	G GB	£277.89 £73.02	34 34	124P.4.3 124P.6.4	G G	£59.00 £89.14	39 39	300 Push-fit			
101.4.92	GBW	£67.78	33	139.6	G	£114.31	34	136P.3	G	£48.24	38	300.15.30	W	£19.71	42
101.4.104 101.4.112	G GB	£70.60 £70.60	33 33	140.3 140.4	Self Self	£19.28 £19.50	35 35	136P.4 136P.6	G G	£54.30 £133.81	38 38	300.125.30	W	£15.89	42
101.4.135	GBW	£67.78	33	140.6	Self	£48.22	35	139P.3	GB	£118.51	38	301.15.91 301.15.135	W	£5.64 £5.05	42 42
101.6.92	G	£177.58	33	143.3 143.4	GBW	£13.78 £12.54	35	139P.4 139P.6	GB	£110.68 £234.76	38 38	301.125.91	W	£5.05	42
101.6.135 103.4.92	G GB	£173.68 £188.05	33 34	144.4	BW	£26.00	35 35	6592/DVW	G G	£99.21	38	301.125.135 302.15.90	W	£5.14 £5.05	42 42
104.3.92	GBW	£83.30	33	149.16.00	Alu/B	£203.26	35					302.125.90	W	£5.05	42
104.3.135	G	£83.30	33	150.3 150.4	G GBW	£17.20 £16.48	35 35	200 Solvent 200,2,30	GW	£55.20	40	304.15.91 304.125.91	W	£5.65 £5.65	42 42
104.4.92 104.4.104	GBW G	£111.21 £113.30	33 33	150.6	G	£46.25	35	200.2.40	GBW	£72.19	40	307.15.90	W	£5.14	42
104.4.104	GBW	£93.55	33	152.4 152.6	GB G	£75.57 £195.88	35 35	200.15.30	GW	£35.89	40	307.125.90	W	£5.14	42
104.4.924	G	£111.21	33	153.3	W	£197.65	35	200.15.40 200.125.30	GBW GW	£47.87 £29.04	40 40	310.15 310.125	W	£5.05 £5.14	42 42
104.6.92	G	£200.17	33	153.4 190.3	W Self	£197.65 £119.63	35 35	200.125.40	GBW	£38.70	40	311.15	W	£5.14	43
104.6.135 104.64.92	G G	£382.06 £226.00	33 34	190.4	Self	£126.50	35	201.2.91 201.2.135	GBW GBW	£12.01 £12.01	40 40	311.125 323.15.125	W	£5.14 £5.52	43 43
104.64.135	G	£237.67	34	190.6 191.3	Self Self	£206.32 £60.89	35 35	201.2.165	G	£16.17	40	340.15	W	£1.75	43
104.104.92	GB G	£116.89	33	191.4	Self	£64.30	35	201.15.91 201.15.135	GBW GBW	£6.78 £6.78	40 40	340.125 PRD100	W	£1.75 £1.64	43 43
104.412.92	G	£206.89 £210.76	33 33	191.6 115P.4	Self G	£88.55 £27.16	35 36	201.15.165	G	£12.28	40	PRD101		£1.64	43
105.4.92	G	£156.91	34	4DW200	В	£58.02	36	201.125.91 201.125.135	GBW GBW	£6.14 £6.14	40 40	PS38	W	£6.78	43
106.4.92	GW	£193.76	34	4DW3 6592/DVW	B G	£59.30 £99.21	36 34	201.125.165	G	£9.50	40	600 ABS Solven	t		
106.4.135 106.64.92	G G	£236.73 £421.04	34 34	S105.6.135	G	£177.24	34	202.15.91 202.125.91	GBW GBW	£6.15 £5.60	40 40	600.2.30	W	£38.70	43
106.104.92	G	£226.51	34	400D Dunk 64				204.2.91	GBW	£20.32	40	600.15.30 600.125.30	W	£35.21 £26.40	43 43
106.104.135	G	£226.51	34	100P Push-fit 111.SP4	G	£50.23	37	204.2.135 204.15.91	GW GBW	£20.32 £10.40	40 40	601.2.91	W	£10.91	43
106.490.12 106.490.22	G G	£463.60 £463.60	34 34	117.2	GBW	£18.06	38	204.15.135	GW	£13.05	40	601.2.135 601.15.91	W	£10.91 £6.15	43 43
106.490.92	G	£399.99	34	117.15 117.125	GBW GBW	£12.69 £12.69	38 38	204.125.91 204.125.135	GBW GW	£8.24 £10.06	40 40	601.15.135	W	£6.15	43
107.3.92	G	£58.90	33	130.4	G	£40.71	39	206.2.91	GW	£27.10	40	601.125.91 601.125.135	W	£5.60 £5.60	43 43
107.4.025 107.4.92	G	£130.11 £65.71	33	130.6 137.4.502	G	£78.33 £29.72	39	206.2.135 206.15.91	G GW	£180.67 £25.89	40 40	602.15.91	W	£5.62	43
107.4.135	GBW	£73.73	33	100P.3.30	G G	£121.24	38 37	207.2.92	GW	£16.40	40	602.125.91 604.2.91	W	£5.07 £18.47	43 44
109.3	GB	£15.38	33	100P.3.40 100P.4.30	G GB	£164.26 £119.70	37 37	207.2.135 207.15.92	GW GBW	£16.69 £11.49	40 40	604.2.135	W	£18.47	44
109.4 109.6	GBW G	£14.36 £40.59	33 33	100P.4.40	G	£160.80	37	207.15.135	GBW	£11.49 £11.94	40	604.15.91 604.15.135	W	£9.44 £11.88	44 44
110.3	GBW	£23.72	33	100P.6.30 100P.6.40	G G	£334.30 £445.90	37 37	207.15.150 207.125.92	G GBW	£12.15 £10.05	40 40	604.125.91	W	£7.50	44
110.4 110.6	GBW G	£28.84 £85.60	33 33	101D.4.92	G	£74.58	37	207.125.92	GBW	£10.05	40	604.125.135 606.2.91	W	£9.16 £24.62	44 44
111.3	GBW	£36.28	33	101P.3.92	G	£59.15	37	207.125.150	G	£10.61	40	606.15.91	W	£23.53	44
111.4 111.6	GBW G	£35.24 £111.71	33 33	101P.4.92 101P.4.112	GB G	£60.58 £70.46	37 37	209.2 210.2	G GBW	£14.43 £10.95	40 40	607.15.135 607.125.135	W	£10.84 £9.29	43 43
111.S.3	G	£75.36	33	101P.6.92	G	£194.73	37	210.15	GBW	£6.01	40	610.2	W	£9.95	43
111.S.4 111.S.6	GB G	£63.40 £136.96	33 33	103P.3.92 103P.4.92	G G	£232.94 £170.47	38 38	210.125 211.2	GBW G	£6.04 £38.46	40 40	610.15 610.125	W	£5.42 £5.49	43 43
112.3.15	G	£33.32	35	103P.6.92	G	£450.53	38	211.15	G	£33.74	40	612.2	W	£14.36	44
112.4.2 112.4.15	G G	£32.86 £32.39	35 35	104E.4.92 104E.4.135	G G	£94.52 £94.86	38 38	211.125 212.2	G G	£25.80 £15.78	40 42	612.15 612.125	W	£9.95 £9.95	44 44
112.4.125	G	£32.39	35	104E.412.92	G	£211.95	38	212.15	G	£10.95	42	617.2	W	£15.42	44
112.6.2 117.2.90	G GW	£47.11 £22.67	35 36	104P.3.92 104P.3.135	G G	£94.61 £154.25	37 37	212.125 213.2	G GW	£10.95 £15.78	42 42	617.15 617.125	W	£11.23 £9.60	44 44
117.2.150	G	£20.59	36	104P.4.92	GB	£81.72	37	213.15	GW	£10.95	42	624.2.15	W	£9.67	44
117.2 117.15.90	GBW	£18.06 £18.90	36 36	104P.4.112 104P.4.135	G G	£120.17 £85.94	37 37	213.125 217.2	GW GW	£9.35 £16.95	42 42	624.2.125 624.15.125	W	£8.69 £5.49	44 44
117.15	GBW	£12.69	36	104P.6.92	G	£225.64	37	217.15	G	£12.37	42	625.2	W	£15.74	44
117.125 119.412.15	GBW G	£12.69 £123.86	36 36	104P.6.135 104P.64.92	G G	£176.47 £222.02	37 37	217.125 218.15	G W	£10.55 £14.02	42 41	625.15	W	£11.90	44
120.3.2	Ğ	£51.15	36	104P.64.135	G	£222.02	37	218.125	W	£14.24	41	625.125 637.2	W	£9.65 £7.27	44 44
120.4.2	GB GBW	£39.40 £24.25	36 35	105P.3.92 105P.4.92	G G	£213.46 £199.52	38 38	223.2.15 223.2.125	GW GW	£9.34 £9.54	41 41	637.15	W	£5.07	44
120.4.15 120.4.125	GBW	£24.25 £24.25	35 35	106E.490.12	G	£444.69	37	223.15.125	GW	£7.72	41	637.125	W	£5.07	44
120.6.2	G	£128.64	36	106P.4.92 106P.4.135	G G	£222.65 £222.65	38 38	224.2.15 224.2.125	GBW GBW	£10.64 £8.71	41 41	500 Overflow			
120.412.2 120.412.15	G G	£40.20 £24.01	36 36	106P.490.92	G	£201.88	37	224.15.125	GBW	£6.04	41	500.75.40	W	£24.45	45
121.4.15	Ğ	£40.20	36	107P.3.135 107P.4.025	G G	£52.02 £133.17	37 38	225.2	GW	£17.33	40 40	501.75.91 501.75.135	W	£7.68 £7.72	45 45
122.4.15 122.4.125	G G	£46.01 £44.04	35 35	107P.4.92	G	£62.50	37	225.15 225.125	GW GW	£13.10 £10.61	40	502.75.90	W	£12.21	45
123.4	GBW	£25.58	35	107P.4.135	GB	£61.19	37	227.2	G	£17.68	40	504.75.91 510.75	W	£8.33 £6.50	45 45
124.3.2 124.4.2	G GBW	£36.08 £43.74	36 36	107P.4.VAR 107P.6.135	G G	£119.00 £184.41	37 37	227.15 227.125	GW GW	£13.30 £10.84	40 40	511.75	W	£10.31	45
124.4.3	GBW	£45.10	36	110P.3	G	£47.59	37	231.2	G	£13.27	41	512.75 519.75	W	£11.08 £3.14	45 45
124.6.4 130.4	G	£96.09 £40.71	36 35	110P.4 110P.6	GB G	£40.32 £100.25	37 37	232 237.2	G GBW	£14.98 £8.00	41 41	524.75	W	£9.08	45
130.6	Ğ	£78.33	35	111P.3	G	£26.48	37	237.15	GBW	£5.60	41	540.75 590.75	W	£2.37 £64.16	45 45
131.3.200	G GB	£73.80 £17.47	35 35	111P.4 111P.6	GB G	£28.20 £92.35	37 37	237.125 240.2	GBW GBW	£5.60 £3.02	41 41	330.13	vv	204.10	-10
131.4.200	G	£70.43	35	112P.4.2	GB	£27.85	38	240.15	GBW	£2.28	41				
131.4 132.4	GBW G	£19.17 £56.43	35 36	112P.4.15 112P.4.125	GB GB	£27.52 £27.52	38 38	240.125 242.2	GBW GW	£1.98 £5.86	41 41				
104.7	u	200.40	50		00		50		0.17	23.00	- "				

Index			
Code 400 Waste Traps	Colour	Price	Page
407:15:90 407:15:50 407:15:50 407:15:50 407:15:50 411:15 411:125 415:125 415:125 421:15 421:15 431:125 431:125 431:125 431:125 431:125 431:15 433:15 435:15	W W W W W W W W W W W W W W W W W W W	£7.00 £62;1 £15,54 £12,67 £19,84 £25,63 £15,76 £13,00 £10,93 £15,78 £21,79 £13,00 £10,93 £15,78 £21,79 £13,00 £10,93 £12,52 £21,35 £21,52 £21,	46 46 46 46 46 46 46 46 46 46 46 46 46 4
490 Pan Connecto	ors		
492.45 495.45 497.35.05 497.35.34 498.407 498.401 498.4.90 499.4.05 499.4.14 499.4.24 499.4.24 499.4.24 499.4.20 499.4.00	W W B B W W W W W W W W W W W W W W W W	£49.08 £34.32 £85.77 £19.04 £30.79 £31.43 £31.43 £31.43 £31.43 £11.08 £11.08 £12.03 £12.03 £26.63 £31.27 £12.25 £14.57 £12.25 £14.57 £12.25 £14.57 £12.25 £14.57 £12.25 £13.27 £13.28 £13.28 £13.28 £13.28	47 47 47 47 47 47 47 47 47 47 47 47 47 4
Accessories 137.4.502	G	£29.72	48
9102-2958W 9100-5005W 9101-250CF 9104-5 9105-500T 9113 9115-500T 9116-4 9116-6 9119-8 9124 9132-15 9132-15 9132-15 9136-500L 9136-500L 9136-500L	G Blue B G Self B B B B B B B B B B B B B B B B B B B	£47.45 £87.66 £32.48 £23.46 £47.32 £3.41 £3.82 £104.07 £4.70 £12.26 £10.21 £29.14 £2.54 £1.90 £1.63 £116.06 £23.97 £8.77	48 48 48 48 48 48 48 48 48 48 48 48 48 4





Introduction

A modern high density polyethylene system with many advantages over cast iron and other traditional systems.

Terrain FUZE is a top-to-bottom solution for all above ground drainage and many chemical waste applications. It allows specifiers and installers to benefit by providing them maximum flexibility in the design process.

Utilising the intrinsic properties of high-density polyethylene, Terrain FUZE offers greater benefits above and beyond more traditional materials and performs significantly better when tested for impact and abrasion resistance, chemical corrosion and extreme temperatures.

The lightweight nature of Terrain FUZE allows the product to be installed quickly and efficiently, giving direct, resource-saving benefits to specifiers and installers.

HDPE offers exceptional performance above and beyond traditional pipe materials including:

- Versatile application
- Highly resistant to impact even at low temperatures
- Highly resistant to chemical agents
- Corrosion resistant
- Abrasion resistant
- Lightweight and easy to install
- Ideal for fabrication through our Polypipe Advantage Service

Innovative Products



Terrain FUZE Swept Entry Branch

The Terrain FUZE 904.110.925B HDPE swept entry branch is engineered as a unique space-saving fitting. It offers 5 bosses which can be easily converted to waste. Using our 927 adapters, it can also connect to other materials. This fitting is ideal for use with our Polypipe Advantage service. See page 60 for further details.



Terrain FUZE Stax

Terrain FUZE Stax is a popular addition to the Terrain FUZE HDPE drainage system. This new range of 2-part fabricated stack configurations is designed to make installing the most common mid to high-rise applications simpler, faster and less wasteful. Terrain FUZE Stax has transformed the process of drainage stack installation. See pages 55-56 for further details.



Terrain FUZE Long Radius Bend

The Long Radius Bend is unique to the Terrain FUZE range and does away with the need to use two bends and a pipe length to form a bend at the base of a drainage stack. This new single component replaces unnecessarily complex arrangements, saves space, fitting time and reduces the number of joints. The fitting's smooth centre line radius also allows for an easier and quieter flow. See page 59 for further details.



Terrain FUZE Rotating Access Pipe

The Rotating Access Pipe is another innovative addition to the Terrain FUZE range and is a simple yet completely unique solution to drainage stack access problems. The 360° rotating access door enables quick and easy fitting to face any angle and can be adjusted after installation if structures change around the drainage stack. The slimline, lockable door maintains a smooth internal bore and can always be presented to allow easy access. See page 61 for further details.



Stax faster with *Terrain FUZE Stax*

A unique, site-ready 2-part drainage stack system for kitchens, utilities and bathrooms.

They remove repetitious cuts and welds needed to create the same 'loose' configurations common in low to high rise buildings, making them simpler and quicker with far less waste.

With different top and bottom sections, stack diameters, vents, and more, available from your distributor, you'll be Stax faster and have more flexibility.

Learn more about how Terrain FUZE Stax complements existing ways to buy the Terrain FUZE range: polypipe.com/terrain-fuze

THIS IS OUR TERRAIN




NEW 2-PART SOLUTION





FUZE Stax



All products labelled	COMING SOON	have Revit files available now.
-----------------------	-------------	---------------------------------

Kitch	ens							
		Size mm		Pack Qty	Code	Price Each		
		HDPE Kitchen Expansion						
		75mm = Singl Branch. * Excl Bottom section						
- 4		75/56	R	1	9407.7556B	£70.50		
		110/56	R	1	9407.11056B	£99.64		
- 1	COMING SOON	110/56	R	1	9407.110563B*	£99.64		
		160/56	R	1	9407.16056B	£209.80		
		HDPE Kitch	nen Lo	cked				
		Branch. * Excl	luding 9	9408.110	m & 160mm = 4-Way 563B = 3-Way Branch. access section (9411).			
- 49		75/56	R	1	9408.7556B	£59.65		
- 1		110/56	R	1	9408.11056B	£77.43		
- 1	COMING SOON	110/56	R	1	9408.110563B*	£77.43		
		160/56	R	1	9408.16056B	£148.64		
Utilit	ies							
o till t								
		Size mm		Pack	Code	Price		

			-		Luon
	HDPE Uti	lity Exp	pans	ion	
ļ	x 4-Way Br	anch. * I nch. Bott	Exclu	ch, 110mm & 160mm = 2 ding 9409.110563B = 2 x ection, use with an access	
- 6	75/56	R	1	9409.7556B	£75.92
- 11	110/56	R	1	9409.11056B	£152.35
	COMING SOON 110/56	R	1	9409.110563B*	£152.35
	160/56	R	1	9409.16056B	£393.57
	HDPE Uti	lity Lo	cked		

Į	l	x 4-Way Bran	ch. * E n. Botto	cluding	10mm & 160mm = 2 9410.110563B = 2 x n, use with an access	
1		75/56	R	1	9410.7556B	£65.07
1	ľ	110/56	R	1	9410.11056B	£131.83
ı	COMING SOOR	110/56	R	1	9410.110563B*	£131.83
ı		160/56	R	1	9410.16056B	£233.90
п						

Note: 927 ring seal adaptors can be fabricated to all Bathroom, Kitchen & Utility FUZE Stax sections, contact our Advantage team for further information 01622 795200

No Connections								
	Size mm	1	Pack Qty	Code	Price Each			
	HDPE N	o Conne	ction					
	56	R	1	9411.56B	£39.69			
1	75	R	1	9411.75B	£45.52			
	110	R	1	9411.110B	£61.89			
	160	R	1	9411.160B	£116.36			

Access Pipes								
	Size mn	n	Pack Qty	Code	Price Each			
	HDPE A	HDPE Access Pipe						
1	section (9	Top section, use with a bathroom, kitchen or utility section (9401–9408) or within a vent stack. * Slimline door.						
- 1	56	R	1	9412.56B	£68.08			
l	75	R	1	9412.75B	£80.53			
ľ	110	R	1	9412.110B	£120.60			
COMING	SOON 110	R	1	9412.110PB*	£139.43			
•	160	R	1	9412.160B	£277.99			
Vents								

Size mm		Pack Qty	Code	Price Each
HDPE Teri	rain P.A	A.P.A.	Horizontal	
For connect (see p67).	ting to Te	errain F	P.A.P.A. valve 9300.4	
110/110	R	4	9413.110110B	£34.34
160/110	R	3	9413.160110B	£104.76

HDPE Terrain P.A.P.A. Vertical						
For connection (s						
110/110	110/110 🖪 4 9414.110110B					
160/110	R	3	9414.160110B	£107.29		
HDPE Cro	ss Ve	nt Teri	mination			
110/56	R	4	9415.11056B	£32.54		
110/75	R	4	9415.11075B	£37.96		
110/110	R	4	9415.110110B	£41.21		
160/110	R	3	9415.160110B	£103.98		

	HDPE Cro	ss Vei	nt		
_	110/56	B	4	9416.11056B	£32.54
	110/75	R	4	9416.11075B	£40.13
	110/110	R	4	9416.110110B	£40.74
	160/110	R	3	9416.160110B	£111.15



Pipes					
	Size mm		Pack Qty	Code	Price Each
	HDPE Pipe - 3 m		etre le	ngth	
	40	♥□	50	900.40.30B	£18.62
	50	$\triangledown \sqsubseteq$	50	900.50.30B	£22.25
	56	$\triangledown \sqsubseteq$	40	900.56.30B	£25.55
	75	$\triangledown \sqsubseteq$	30	900.75.30B	£35.27
_	110	⅌	15	900.110.30B	£63.31
	160	⅌	10	900.160.30B	£151.96
	HDPE Pipe	- 5 m	etre le	ngth	
	40	♥□		900.40.50B	£31.19
	50	$\triangledown \sqsubseteq$	86	900.50.50B	£37.03
	56	$\triangledown \sqsubseteq$	98	900.56.50B	£42.49
	75	$\triangledown \sqsubseteq$	58	900.75.50B	£58.80
_	110	⅌	57	900.110.50B	£105.48
	160	⅌	10	900.160.50B	£253.23
	200	⅌	10	900.200.50B	£328.17
	250	⅌	8	900.250.50B	£526.08
	315	⅌	6	900.315.50B	£820.37

Electrofusion Couplings									
	Size mm		Pack Qty	Code	Price Each				
	HDPE ele	ctrofus	ion cou	ıplings					
	40	₩R	20	910.40B	£9.10				
	50	₩R	16	910.50B	£9.38				
	56	₩R	16	910.56B	£9.00				
	75	₩R	18	910.75B	£13.62				
	110	₩R	10	910.110B	£13.43				
1	160	₩R	8	910.160B	£33.70				
	200	₩R	10	910.200B	£234.76				
	250	₩Ħ	55	910.250B	£388.07				
	315	₩R	34	910.315B	£440.17				

Ring Seal C	ouplings						
	Size mm	Pack Qty	Code	Price Each			
	HDPE ring seal s	HDPE ring seal socket					
	With central stop. 110 160 200 250 315	1 5 1 1	910P.110B 910P.160B 910P.200B 910P.250B 910P.315B	£93.43 £337.65 £429.73 £644.59 £890.15			
	HDPE ring seal	expansi	ion socket				
	Used for expansion 40	20 30 30 20 10 80 1 1	911.40B 911.50B 911.56B 911.75B 911.110B [†] 911.1200B 911.250B* 911.250B* 911.35B* ithout cap.	£18.42 £18.32 £17.55 £23.28 £24.94 £68.04 £314.11 £435.84 £788.84			



	927.5043B	3	50	40	
	927.5636B	3	56	32	
	927.5643B	;	56	40	
Ring Seal A	Adaptor	Ber	nds		
	Size mm		Pack Qty	Code	Price Each
UNIQUE	HDPE 90° r	ing s	eal ada	ptor bend	
COMING SO	ON <mark>56</mark>	R	1	927.56.90B	£20.22
6					
UNIQUE	HDPE 135°	ring	seal ad	laptor bend	

40

50

32

32

927.4036B


927.5036B

Alignment Funnel						
	Size mm	Pack Qty	Code	Price Each		
	HDPE Alignment					
	Allows for ease of i	nsertion 6	between floors 911E.110B	£180.18		

Rigid Fixings						
	Size mm	Pack Qty	Code	Price Each		
	HDPE rigid fixing					
	For joining HDPE to 110 For joining HDPE to	4	990.110B	£58.11		
	110	4	990.4B	£51.21		

RECOMMENDED Mechanical Couplings							
	Size mm	Pack Qty	Code	Price Each			
	HDPE mecha	nical coup	ling				
100	For joining HDPE to HDPE or HDPE to EN877 Cast Iron.						
	110	12	9110.110B	£42.62			
	160	8	9110.160B	£53.19			
	For joining HD						
	110	12	9110.110C	£51.77			
	160	8	9110.160C	£96.73			

All products labelled **COMING SOON** have Revit files available now.



- Funnel allows for ease of insertion between floors
- Provides an expansion point on the stack
- Perfect for use with our Advantage service
- · Unique UK style fitting





FUZE

Bends					
benus	Size mm		Pack Qty	Code	Price Each
	HDPE 92.5	s° (87.		nd	Lacii
	40	B	200	901.40.92B	£4.17
	50	R	100	901.50.92B	£5.62
	56	R	90	901.56.92B	£5.45
	75	R	40	901.75.92B	£10.19
	110	R	30	901.110.92B	£15.13
	110 160	R	1 90	901.110.92RB	£64.18
			90	901.160.92B	£63.49
	HDPE 90° Butt weld or				
	200	ily.	1	907.200.90B	£232.55
	250	В	14	907.250.90B	£388.26
The state of	315	B	1	907.315.90B	£564.75
	Wide radius	, and w	velded.		
	HDPE exte	nded	spigot l	bend	
	56	R	20	902.56.90B	£6.62
	110	R	10	902.110.90B	£21.49
	HDPE 112.	5° (6	7.5°) he	end	
	110	R	1	901.110.112B*	£79.47
	160	R	1	901.160.112B*	£123.23
	200	B	1	901.200.112B*	£141.33
	250 315	R	1	901.250.112B* 901.315.112B*	£231.76 £400.37
	*Welded	-		301.313.1125	2400.37
	HDPE 45°	bend			
	40	B	5	901.40.135B	£4.17
	50 56	R	5 120	901.50.135B 901.56.135B	£4.19 £4.91
	75	Ē	50	901.75.135B	£8.09
	110	R	24	901.110.135B	£11.58
1000	160	B	18	901.160.135B	£49.00
100	200 250	B	32 1	901.200.135B* 901.250.135B*	£135.15 £219.85
	315	В	10	901.315.135B*	£304.90
	*Welded				
	HDPE 150				
	110 160	R	30 1	901.110.150B* 901.160.150B*	£39.12 £59.76
	200	B	1	901.200.150B*	£74.17
	250	R	1	901.250.150B*	£121.45
	315 *Welded	R	1	901.315.150B*	£193.13
	HDPE 165	° (15°) bend		
	110	B	30	901.110.165B*	£38.27
	160	B	1	901.160.165B*	£56.65
	200 250	B	1	901.200.165B* 901.250.165B*	£68.88 £118.56
	315	Ē	1	901.315.165B*	£173.49
	*Welded				
UNIQUE	HDPE 92.5	s° (87.	.5°) Ion	g radius bend	
COMING SOO	N 110	R	1	901.110.92RB	£64.18
1					

Bends					
	Size mm		Pack Qty	Code	Price Each
UNIQUE	HDPE vari	able b	end - a	djustable 0-25°	
COMING SO	<mark>110</mark>	P	1	907.110.025B	£81.89

Branches					
	Size mm		Pack Qty	Code	Price Each
	HDPE 90° b	rancl	1		
-	40 50 56 75 110 160 200		100 70 40 30 20 8 1	904.40.90B 904.50.90B 904.56.90B 904.75.90B 904.110.90B 904.160.90B 904.200.90B*	£8.30 £10.54 £10.54 £12.97 £19.02 £105.85 £209.95
	250 315 *Welded	R	1	904.250.90B* 904.315.90B*	£300.03 £423.55
	HDPE 90° r	educi	ng bra	nch	
	50/40 56/50 75/40 75/50 75/56 110/40 110/56 110/75 160/110 200/110 200/110 250/110 250/110 250/200 315/110 315/250 *Welded		25 25 25 20 30 30 15 10 10 10 8 1 1 1 1 1 1	904.5040.90B 904.5550.90B 904.7550.90B 904.7556.90B 904.11050.90B 904.11056.90B 904.11056.90B 904.11075.90B 904.200160.90B* 904.250110.90B* 904.250110.90B* 904.250110.90B* 904.250110.90B* 904.25010.90B* 904.31510.90B* 904.31510.90B*	£10.54 £10.54 £12.97 £12.97 £19.02 £19.02 £19.02 £19.02 £105.85 £209.95 £209.95 £300.03 £300.03 £300.03 £352.92 £352.92
	HDPE 45° Y	bran'	ch		
	40 50 56 75 110 160 200 250 315 *Welded	RR	80 50 40 20 16 45 16 8	904.40.135B 904.50.135B 904.56.135B 904.75.135B 904.110.135B 904.160.135B 904.200.135B* 904.250.135B*	£10.18 £10.54 £9.98 £12.29 £21.10 £97.38 £314.11 £529.44 £776.51

Branches					
	Size mm		Pack Qty	Code	Price Each
	HDPE 45°	reduc		ranch	
	50/40	В	20	904.5040.135B	£10.54
	56/50	R	20	904.5650.135B	£9.98
	75/40	R	25	904.7540.135B	£12.29
	75/50	R	25	904.7550.135B	£12.29
	75/56	В	25	904.7556.135B	£12.29
	110/40	R	10	904.11040.135B	£21.10
	110/50	R	15	904.11050.135B	£21.10
	110/56	В	15	904.11056.135B	£21.10
	110/75	R	8	904.11075.135B	£21.10
	160/75	B	6	904.16075.135B	£131.27
	160/110	B	7	904.160110.135B	£97.38
	200/75	В	1	904.20075.135B*	£195.82
	200/110	B	1	904.200110.135B*	£209.95
	200/160	R	1	904.200160.135B*	£218.80
	250/110	В	10	904.250110.135B*	£352.92
	250/160	В	1	904.250160.135B*	£388.26
	250/200	В	1	904.250200.135B*	£388.26
	315/110	B	1	904.315110.135B*	£617.69
	315/160	В	1	904.315160.135B*	£617.69
	315/200	В	1	904.315200.135B*	£652.94
	315/250	В	1	904.315250.135B*	£652.94
	*Welded	•••		001101020011002	2002.01
	HDPE 60°	doubl	e Y bra	nch	
- /	50/40		25	906.5040.60B	£12.97
	110/110	R	10	906.110.60B	£33.49
U					
	HDPE 45°	doubl	e branc	h	
	110/40	R	10	906.11040.135B	£30.27
	110/50	R	10	906.11050.135B	£34.52
T	110/110	R	8	906.110.135B	£38.78
		•	,	ible branch	050.55
P	110	P	6	906.110.92B	£52.83
UNIQUE	HDPE 88°	swept	t branch	1	
	56/56	В	40	904.56.92B	£18.06
	110/110	R	18	904.110.92B	£22.98

Branches					
	Size mm		Pack Qty	Code	Price Each
UNIQUE	HDPE 92.5°	° (87		ept entry bossed	
	5 Bosses. Bo	sses	are bu	tt weld only.	
(3)	110/110/56	R	17	904.110.925B	£58.42
UNIQUE	HDPE 92.5	(87	.5°) sin	gle boss branch	
*	110/56		12	904.11090.12B	£105.99
	HDPE 3 way		s branc		
COMING SOOI	110/56	R		921.110.56B	£44.93
*	HDPE 90° 4 110/56 160/56 Note: 920.1	R	8 15	920.110.56B 920.160.56B e boss pre-drilled	£60.81 £105.85
UNIQUE		•	•	ner boss branch	
	110	R	9	906.11090.12B	£132.56
	HDPE 92.5	(87	.5°) cor	ner boss branch	
	110	R	12	906.11090.92B	£79.41
		•	,	ay corner branch	
	110	R	75	906.11093.928	£105.99

All products labelled COMING SOON have Revit files available now.

Access						
	Size mm		Pack Qty	Code	Price Each	
	HDPE 45° a	cces	s pipe v	with screw cap		
	110/110 160/110	R	1	938.110.135B 938.160.135B	£60.97 £149.32	
	HDPE short	end	cap wit	th seal		
	110		10	9938.110B	£13.84	
	HDPE screw	ved e	nd cap			
	110 160 *Includes bur	n also		936.40B 936.50B 936.56Bt 936.75B 936.110B* 936.160B* I 9936.56B 9936.56B	£12.42 £12.66 £18.44 £29.60 £40.21 £102.11	
	HDPE short	scre	wed ca	p		
	Butt weld only 110	y.	15	935.110B	£19.25	
	HDPE threaded union					
	50 56 75 110		50 10 15 100	9122.50B 9122.56B 9122.75B 9122.110B	£6.11 £6.44 £10.18 £16.29	

Access					
	Size mm		Pack Qty	Code	Price Each
	HDPE nut				
	50		10	9120.50B	£7.35
	56		10	9120.56B	£8.30
I	75		10	9120.75B	£13.22
	110		10	9120.110B	£20.26
	HDPE threa	ded (couplin	g	
	40		40	912.40B	£10.80
	50		40	912.50B	£11.69
	56		25	912.56B	£11.69
	75		20	912.75B	£32.76
	110		15	912.110B	£41.92
	HDDE QUo a	rras	e nina ı	with screw cap	
	50	R	40	938.50.90B	£41.58
9330	56	B	20	938.56.90B	£41.30
		B	30	938.75.90B	£42.31 £45.84
	75				
	110	R	8	938.110.90B*	£60.61
UNIQU		R		938.160.90B [†]	£142.83
	200	R	1	938.200.90B	£247.04
	250	R	1	938.250.90B	£317.66
	315	R	1	938.315.90B	£383.67
	* For spare dod				
S 4 4 7	Note: Fittin	gs ha	ive 3 Bi	uttweld connection	S
	Т				
	HDPE sliml	ine a	ccess p	oipe	
COMING SOO	N 110	R	1	938.110.90PB	£55.78
UNIQUE	HDPE rotat	ing a	ccess p	ipe	
	Access door installation	positi	on can b	e rotated 360° after	
COMING SOO	N <mark>110</mark>	R	1	938.110.90RB	£123.31

All products labelled COMING SOON have Revit files available now.

Vent Cowls	;				
	Size mm		Pack Qty	Code	Price Each
	HDPE vent	cowl			
	Spigot outle	t.			
	75	R	120	950.75B	£14.92
	110	R	180	950.110B	£17.51
-	160	R	65	950.160B	£24.82

Weathering Aprons						
	Size mm	Pack Qty	Code	Price Each		
	HDPE weathering	ng apror	ı			
	P	13	931.110.200B	£44.50		

Reducers					
	Size mm		Pack Qtv	Code	Price Each
	HDPE con	centri	c reduc	er	
	50/40 56/50 75/40 75/50 75/56 110/40 110/50 110/56 110/75 160/110		50 150 50 50 50 30 30 60 30	924.5040B 924.5650B 924.7540B 924.7550B 924.7556B 924.11040B 924.11050B 924.11056B 924.11075B 924.160110B	£4.65 £5.07 £5.97 £5.97 £5.97 £9.35 £9.35 £9.35 £9.35
	200/160	R	1	924.200160B	£105.71
	HDPE ecc	entric	reduce	r	
	50/40 56/40 56/50 75/40 75/50 75/56 110/40 110/50 110/56 110/75 160/110		50 180 30 30 30 45 25 25 25 25 10	923.5040B 923.5640B 923.5650B 923.7540B 923.7550B 923.7556B 923.11040B 923.11050B 923.11056B 923.11075B 923.160110B	£5.48 £4.38 £5.97 £7.24 £7.24 £10.59 £10.59 £10.59 £10.59 £23.30
	HDPE long	•			
	160/110 200/110 200/160 250/200 315/200		5 8 1 1	923.160110LB 923.200110LB 923.200160LB 923.250200LB 923.315200LB	£126.99 £169.28 £169.28 £275.15 £380.93
	315/250	В	1	923.315250LB	£380.93

Blank Ends					
	Size mm		ack ty Cod	de	Price Each
	HDPE blank		_		
	50 F 56 F 75 F 110 F 160 F 200 F 250 F 5	3 10 3 25 3 30 3 40 3 15 3 1	50 930 50 930 0 930 0 930 0 930 930 930	0.40B 0.50B 0.56B 0.75B 0.110B 0.160B 0.200B 0.250B	£5.23 £4.43 £4.43 £10.54 £42.34 £59.98 £77.66 £88.25
	HDPE long b	-		7.3130	200.23
	Butt weld or Ele 40 50 56 75 110	12 90 60 30 36 16	930 930 930 930 930 930 930 930 930	0.40LB 0.50LB 0.56LB 0.75LB 0.110LB 0.160LB	£7.06 £6.00 £6.00 £14.25 £57.17
	HDPE flange 50	adapte ∃ 40).50B	£31.70
	56 F 75 F 110 F 160 F 200 F 250 F 315	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	980 980 980 980 980 980	0.56B 0.75B 0.110B 0.160B 0.200B 0.250B	£31.70 £43.95 £48.56 £82.96 £158.86 £275.28 £469.40
	Flange jointi M16x90 (50-56 fla	-	(4pcs) 98 4	1.1650B	£17.69
	M16x100 (63-75) M16x110 (110-140 M20x110 (160 fla M20x130 (200-315 Rubber flang	flange) 1 flange) 1 ange) 1 flange) 1	(4pcs) 984 (8pcs) 984 (8pcs) 984	1.1663B 1.16110B 1.20160B	£19.81 £45.88 £67.11 £123.53
	50 F	3 1		2.50B	£5.26
Q	75 110 160 200 250 315	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	982 982 982 982 982 982	2.56B 2.75B 2.110B 2.160B 2.200B 2.250B 2.315B	£7.05 £7.28 £14.10 £16.80 £20.28 £35.26 £45.84
	Painted alum 50	ninium ⇒ 1	-	ring I.50B	£45.77
0	56 75 110 110 1100 1200 1250 1100 1100 1100		981 981 981 981 981	1.56B 1.75B 1.110B 1.160B 1.200B 1.250B	£49.24 £59.85 £70.42 £123.40 £176.35 £257.50 £352.84
	Painted alum			•	0404.00
	56 F 75 F 110 F 160 F 200 F	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	983 983 983 983 983	3.50B 3.56B 3.75B 3.110B 3.160B 3.200B 3.250B 3.315B	£104.08 £76.20 £80.41 £126.99 £211.57 £275.28 £381.16 £705.95

Utilities				
	Size mm	Pack Qty	Code	Price Each
	HDPE WC pan	connecto	or - white	
0	110	10	925.110W	£52.77
	HDPE straight \ seal and cap	NC pan	connector with	
	90/100	10	999.90100.00B	£61.39
	HDPE double W seals and caps		onnector with 1 lip	
W	110/110	5	929.110.90DB	£144.27
	HDPE bend for seal and cap, le		ng pan with 1 lip	
	110/110	5	949.110LB	£82.92
-	110/90	5	949.11090LB	£82.92
	HDPE bend for seal and cap, r		ng pan with 1 lip	
	110/110	5	949.110RB	£82.92
	110/90	5	949.11090RB	£82.92
	HDPE WC pan	connecto	ors	
~	110/110	5	949.110DB	£211.57
	HDPE connector & white covering		hung pan with seal	
S ₀	110/44	10	925.11044B	£46.04
	HDPE WC bend seal and cap	for han	ging pan with	
	110/110	10	999.110.90B	£72.08
	HDPE trap with	seal an	d cap	
i.	110	5	9631.110.0B	£92.10

Utilities										
	Size mm	Pack Qty	Code	Price Each						
	HDPE WC conne seal									
	100	10	925.100B	£49.12						
	HDPE universal horizontal outlet		ertical inlet and							
1	110	4	931.110B	£224.93						
	HDPE trap, verti	cal inle	et and horizontal							
	40/40	30	931.4040B	£67.52						
	40/50	80	931.4050B	£89.00						
	40/56	10	931.4056B	£89.04						
W.	50/50	10	931.5050B	£67.52						
	50/56	10	931.5056B	£89.04						
	HDPE trap - vert									
	40/40	50	932.4040B	£89.04						
	40/50	10	932.4050B	£89.04						
	40/56	10	932.4056B	£89.04						
	50/50	10	932.5050B	£89.04						
	50/56	10	932.5056B	£89.04						
	HDPE trap - hori	zontal i	inlet and outlet							
	40/40	15	945.4040B	£89.04						
	40/50	10	945.4050B	£89.04						
	50/50	10	945.5050B	£110.50						
	HDPE fitting with	nut - †	brass *plastic							
	40mm/1¼"	50	918.40.125BN [†]	£12.88						
	40mm/1½"	50	918.40.15BN†	£12.29						
	50mm/1¼"	40	918.50.125BN†	£11.69						
	50mm/1½"	40	918.50.15BN†	£12.91						
	40mm/1¼"	40	918.40.125PN°	£10.73						
	40mm/1½"	40	918.40.15PN°	£10.77						
	50mm/1¼"	30	918.50.125PN°	£10.73						
	50mm/1½"	80	918.50.15PN°	£11.37						

Utilities					Utilities				
Otilities		Pack		Price	Othlities		Pack		Pri
	Size mm	Qty	Code	Each		Size mm	Qty	Code	Ea
	HDPE extended		vith nut -			HDPE sleeve			
	†brass *plastic 40mm/11/4"	20	918.40.125EB†	£19.33		40/46	50	917.4046B	£4.0
	40mm/1½"	20	918.40.15EBN†	£19.35		50/46	50	917.5046B	£4.0
	50mm/11/4"	20	918.50.125EBN†	£22.99		50/58 56/46	50 50	917.5058B 917.5646B	£4.0
	50mm/1½"	20	918.50.15EBN†	£23.02		56/58	50	917.5658B	£4.0
	40mm/11/4"	20	918.40.125EPN°	£17.47		00,00		***************************************	2
	40mm/1½"	20	918.40.15EPN°	£17.50		HDPE gasket			
	50mm/1¼"	20	918.50.125EPN°	£19.94		46/24-32	150	917.4624.908B	£2.
	50mm/1½"	20	918.50.15EPN°	£19.94		46/36-40	150	917.4636.908B	£1.
	UDDE famala :					58/36-40	100	917.5836.908B	£2.
	HDPE female i		040 40 050	050.00		58/47-50	100	917.5847.908B	£2.
	40mm x ½" 40mm x ¾"	40 20	916.40.05B 916.40.075B	£58.38 £58.38					
	40mm x 1"	20	916.40.1B	£58.38					
	50mm x ½"	20	916.50.05B	£85.92		HDPE spigot I	bend with	cap	
	50mm x ¾"	20	916.50.075B	£85.92		40/46	40	917.4046.90B	£4.0
	50mm x 1"	20	916.50.1B	£85.92		50/46	40	917.5046.90B	£4.0
	50mm x 11/4"	30	916.50.125B	£85.92		50/58	20	917.5058.90B	£5.3
	50mm x 1½"	50	916.50.15B	£85.92		56/46 56/58	20 20	917.5646.90B 917.5658.90B	£5.3
	56mm x 2"	50	916.56.2B	£104.37		30/36	20	917.3030.900	23.
	75mm x 2½"	5	916.75.25B	£98.81		HDPE protect	ive cap fo	r socket	
	UDDE					40	40	9130.40B	£1.0
	HDPE male iro		047 50 4050	005.00		50	150	9130.50B	£1.0
	50mm x 11/4" 50mm x 11/2"	10 50	917.50.125B 917.50.15B	£85.92 £85.92		56	160	9130.56B	£1.0
	56mm x 2"	100	917.56.2B	£104.37		75	30	9130.75B	£1.
	75mm x 2½"	5	917.75.25B	£102.35		110	60	9130.110B	£1.
						160 200	10 5	9130.160B 9130.200B	£2. £3.
						200	J	9130.2008	23.
	HDPE threaded	d fitting v	vith brass nipple			HDPE ring			
	40mm/½" x 15	40	936.40.05NB	£67.52		Suitable for 912	HDPE thre	aded coupling.	
	40mm/¾" x 18	10	936.40.075NB	£67.52		50	10	9118.50B	£2.
	50mm/½" x 15	5	936.50.05NB	£67.52		56	10	9118.56B	£3.:
	50mm/¾" x 18	5	936.50.075NB	£67.52		75	10	9118.75B	£2.
	50mm/1" x 22	5	936.50.1NB	£67.52		110	10	9118.110B	£3.
	HDPE bend wit	th nut - †	brass *plastic			HDPE ring s	eal		
	40mm/11/4"	20	918.40.125.90BN [†]	£11.36		Suitable for 912			
	40mm/1½"	20	918.40.15.90BN [†]	£11.69		50	10	9119.50B	£1.3
	40mm/1½"	20	918.40.15.90PN°	£10.73		56 75	50 10	9119.56B 9119.75B	£2.0
	ſ					110	20	9119.75B 9119.110B	£2.5
						110	20	9119.1106	22.
	HDPE reducing	bend w	ith nut - †brass						
	*plastic					HDPE 1 lip se			
	40/50mm/11/4"	20	918.4050.125.90BN [†]	£11.36		Suitable for 927 100	HDPE ring 20	seal adaptors. 927.100.908B	£1.0
	40/50mm/1½"	25	918.4050.15.90BN [†]	£11.69		110	20	927.100.908B 927.110.908B	£1.0
400	40/50mm/1¼"	20	918.4050.125.90PN*	£10.18		160	20	927.110.908B	£1.0
	40/50mm/1½"	20	918.4050.15.90PN°	£11.05		200	20	927.200.908B	£4.:
						250	1	927.250.908B	£8.
						315	1	927.315.908B	£11.

Utilities				
	Size mm	Pack Qty	Code	Price Each
	HDPE O ring f	for sockets	s	
	40	20	9116.40B	£0.57
	50	20	9116.50B	£0.67
	75	20	9116.75B	£1.02
	110	20	9116.110B	£1.70
	160	20	9116.160B	£4.30
	HDPE seal for	r expansio	on sockets	
	Suitable for 911	HDPE expa	ansion joint.	
	40	20	911.40.908B	£1.51
	50	20	911.50.908B	£1.70
	56	20	911.56.908B	£2.61
	75	20	911.75.908B	£3.43
	110	50	911.110.908B	£4.30
	160	10	911.160.908B	£5.84
	200	10	911.200.908B	£14.74

d brackets	5		
Size mm	Pack/ Box	Code	Price Each
Threaded bar			
M10 x 1 metre	1	9147B	£4.62
M16 x 1 metre	1	9149B	£14.11
Rubber insert st	rip		
For acoustic bracke	ts		
40mm x 10m	2	9104.40B	£60.65
Anti vibration in	sert		
		9105.30B	£194.17
	Threaded bar M10 x 1 metre M16 x 1 metre M16 x 1 metre Rubber insert st For acoustic bracke 40mm x 10m Anti vibration in: For acoustic bracke 30mm x 30	Box	Pack Pack Box

Anchors a	nd bracket			
	Size mm	Pack/ Box	Code	Price Each
	Anchor / Guide	Bracket		
	Guide bracket per removal of the pla we recommend N	astic clips.	For larger diameter	
	40mm x M10	50	9140.40B	£6.11
ANY TO	50mm x M10	50	9140.50B	£8.47
	56mm x M10	50	9140.56B	£8.66
	75mm x M10	25	9140.75B	£9.15
	110mm x M10	25	9140.110B	£10.58
	160mm x M10	25	9140.160B	£12.57
	200mm x M10	25	9140.200B	£45.77
	250mm x M10	10	9140.250B	£46.31
	315mm x M10	10	9140.315B	£53.99
RECOMMEN	DED M16 I	bracket		
	200mm x M16	15	9149.200B	£69.79
	250mm x M16	2	9149.250B	£69.79
₹Ĵ	315mm x M16	2	9149.315B	£71.51
	Acoustic pipe b	racket		
	110	15	9140.110R	£26.52
0	160	1	9140.160R	£35.53
	Mounting plate			
1	M10	100	9148.10B	£8.02
	G1"	25	9148.25B	£9.90
	Rubber flat sea	ıl		

40mm x 1/4"

40mm x ½"

918.40.908B

918.40.918B

10

10

£0.38

£0.38


Electrofu	Electrofusion Machines								
Description	Pack Quantity	Code	Price Each						
FUZE electrofus	ion welding	machine 40-315mm							
40 to 315mm	1	9000.40315.110V*	£3,181.24						
Note: A different dis machine.	count structure	applies to the electrofusion welding							
Replacement le	ads								
40 - 160mm (Yello	ow) 1	AW00-2003	£201.98						
200 - 315mm (Blu	ie) 1	AW00-2004	£227.24						
HDPE pipe scra	per								
	10	9507T	£85.92						
Pipe cutter									
40 to 63mm	1	9500.663T	£362.20						
50 to 140mm	1	9500.50140T	£521.82						
100 to 160mm	1	9500.100160T	£583.20						
180 to 315mm	1	9500.180315T	£2,505.30						
HDPE pencils									
	1 (12Pcs.)	9508T	£142.72						
HDPE knife									
	1 (12Pcs.)	9504T	£267.06						
Bevelling tool									
40 to 250mm	1	9502.40250T	£709.04						
32 to 160mm	1	9502.32160T	£460.40						
*For hiring details	, please call loo	al TSM.							

Universal Electrofusion Machine Spares								
Description	Cables	Code	Price Each					
40 - 160mm	Yellow	HDC464334	£604.02					
200 - 315mm	Blue	HDC464335	£604.02					

Expansion Socket with Ring Seal

- · Connection properties:
- · Non-removable
- · Non-tension resistant





Horizontal assembly (e.g. at an ambient temperature of 20°C).

Use

Expansion sockets can be used in underground pipe systems as normal push-fit fittings but must be provided on vertical stacks running from floor to floor and for rainwater pipes both inside and outside the building.

Electrofusion Coupling



- · Available in sizes 40 315mm
- · Connection properties:
- Non-removable
- Tension resistant

Use

This form of jointing is suitable for on-site

welding, additional installations, repair work and modifications.

The pressure required for welding

is obtained from the shrinking effect of the sleeve upon heating and is distributed equally over the entire weld.

This shrinkage has a compensating effect on pipe diameter measurement tolerances.

By removing the central stop ring, the electrical sleeves can be made to slide to enable system modifications and repairs.


The electrical resistance wires will not corrode as they are protected by HDPE after welding.



Pipe scraper



Terrain FUZE Box




Cut the pipe squarely, dry, clean and scrape the welding surfaces.

The surface must remain clean and dry during the whole welding process, therefore do not touch with your hands.

The length of pipe to be scraped with diameters ranging from 40 - 160mm is 35mm.

The length of pipe to be scraped with diameters 200, 250 and 300mm is 100mm.



Insert pipe or fitting into sleeve coupling. If the stop ring in the sleeve needs to be removed, mark the depth at 30mm.

Index				Index				Index				Index			
Code	Pack				Pack				Pack				Pack		
Code	Qty	Price	Page	Code	Qty	Price	Page	Code	Qty	Price	Page	Code	Qty	Price	Page
FUZE Stax				901.200.135B 901.200.150B	32 1	£135.15 £74.17	59 59	910.315B 910.40B	34 20	£440.17 £9.10	56 56	923.5040B 923.5640B	50 180	£5.48 £4.38	62 62
9401.11011056B 9401.16011056B	1	£191.05 £378.24	55 55	901.200.165B	1	£68.88	59	910.50B	16	£9.38	56	923.5650B	30	£5.97	62
9402.11011056B	1	£151.44	55	901.250.112B 901.250.135B	1	£231.76 £219.85	59 59	910.56B 910.75B	16 18	£9.00 £13.62	56 56	923.7540B 923.7550B	30 30	£7.24 £7.24	62 62
9402.16011056B	1	£336.16	55	901.250.150B	1	£121.45	59	911.40.908B	20	£1.51	65	923.7556B	45	£7.24	62
9403.11011056B	1	£184.91	55	901.250.165B 901.315.112B	1	£118.56 £400.37	59 59	911.50.908B 911.56.908B	20 20	£1.70 £2.61	65 65	924.11040B 924.11050B	30 30	£9.35 £9.35	62 62
9403.16011056B 9404.11011056B	1	£395.88 £173.91	55 55	901.315.135B	10	£304.90	59	911.75.908B	20	£3.43	65	924.11056B	60	£9.35	62
9404.16011056B	1	£333.42	55	901.315.150B 901.315.165B	1	£193.13 £173.49	59 59	911.110.908B 911.160.908B	50 10	£4.30 £5.84	65 65	924.11075B 924.160110B	30 1	£9.35 £16.61	62 62
9405.11011056B	1	£223.91	55	902.56.90B	20	£6.62	59	911.200.908B	10	£14.74	65	924.200160B	1	£105.71	62
9405.16011056B 9406.11011056B	1	£394.82 £205.92	55 55	902.110.90B 904.40.135B	10 80	£21.49 £10.18	59 59	911.110B 911.160B	10 80	£24.94 £68.04	56 56	924.5040B 924.5650B	50 150	£4.65 £5.07	62
9406.16011056B	1	£336.86	55	904.40.135B 904.40.90B	100	£8.30	59	911.160B 911.200B	1	£314.11	56	924.7540B	50	£5.07	62 62
9407.110563B	1	£99.64	55	904.50.135B	50	£10.54	59	911.250B	1	£435.84	56	924.7550B 924.7556B	50	£5.97	62
9407.11056B 9407.16056B	1	£99.64 £209.80	55 55	904.50.90B 904.56.135B	70 40	£10.54 £9.98	59 59	911.315B 911.40B	8 20	£788.84 £18.42	56 56	924.7556B 925.100B	50 10	£5.97 £49.12	62 63
9407.7556B	1	£70.50	55	904.56.90B	40	£10.54	59	911.50B	30	£18.32	56	925.110100B	10	£43.01	57
9408.110563B	1	£77.43	55	904.56.92B 904.75.135B	40 20	£18.06 £12.29	60 59	911.56B 911.75B	30 20	£17.55 £23.28	56 56	925.11044B 925.110W	10 10	£46.04 £52.77	63 63
9408.11056B 9408.16056B	1	£77.43 £148.64	55 55	904.75.90B	30	£12.97	59	912.110B	15	£41.92	61	927.56.135B	1	£20.22	57
9406.160366 9408.7556R	1	£140.04 £59.65	55	904.110.135B 904.110.90B	16 20	£21.10 £19.02	59 59	912.40B 912.50B	40 40	£10.80 £11.69	61 61	927.56.90B 927.100.908B	1 20	£20.22 £1.07	57 64
9409.110563B	1	£152.35	55	904.110.925B	17	£58.42	60	912.56B	25	£11.69	61	927.110.908B	20	£1.07	64
9409.11056B	1	£152.35	55	904.110.92B 904.160.135B	18 45	£22.98 £97.38	60 59	912.75B 916.40.05B	20 40	£32.76 £58.38	61 64	927.160.908B 927.200.908B	20 20	£2.46 £4.30	64 64
9409.16056B 9409.7556B	1	£393.57 £75.92	55 55	904.160.90B	8	£105.85	59	916.40.075B	20	£58.38	64	927.250.908B	1	£8.60	64
9410.110563B	1	£131.83	55	904.200.135B	16	£314.11	59	916.40.1B	20	£58.38	64	927.315.908B	1	£11.37	64
9410.11056B	1	£131.83	55	904.200.90B 904.250.135B	8	£209.95 £529.44	59 59	916.50.05B 916.50.075B	20 20	£85.92 £85.92	64 64	927.110B 927.160B	20 15	£15.82 £52.91	57 57
9410.16056B 9410.7556B	1	£233.90 £65.07	55 55	904.250.90B	1	£300.03	59	916.50.125B	30	£85.92	64	927.200B	1	£278.79	57
9411.110B	1	£61.89	55	904.315.135B 904.315.90B*	1	£776.51 £423.55	59 59	916.50.15B 916.50.1B	50 20	£85.92 £85.92	64 64	927.250B 927.315B	1	£458.80 £529.44	57 57
9411.160B 9411.56B	1	£116.36 £39.69	55 55	904.5040.135B	20	£10.54	60	916.56.2B	50	£104.37	64	927.4036B	5	£13.80	57
9411.75B	1	£45.52	55	904.5040.90B 904.5650.135B	25 20	£10.54 £9.98	59 60	916.75.25B 917.50.125B	5 10	£98.81 £85.92	64 64	927.40B 927.5036B	130 5	£7.06 £13.85	57 57
9412.110B 9412.110PB	1	£120.60 £139.43	56 56	904.5650.90B	25	£10.54	59	917.50.15B	50	£85.92	64	927.5043B	5	£13.90	57
9412.110FB 9412.160B	1	£277.99	56	904.7540.135B 904.7540.90B	25 25	£12.29 £12.97	60 59	917.56.2B 917.75.25B	100 5	£104.37 £102.35	64 64	927.50B 927.5636B	80 5	£8.40 £13.90	57 57
9412.56B	1	£68.08	56	904.7550.135B	25	£12.29	60	917.4046.90B	40	£4.62	64	927.5643B	5	£13.94	57
9412.75B 9413.110110B	4	£80.53 £34.34	56 56	904.7550.90B 904.7556.135B	20 25	£12.97 £12.29	59 60	917.4624.908B 917.4636.908B	150 150	£2.77 £1.34	64 64	927.56B 927.75B	80 30	£11.39 £13.37	57 57
9413.160110B	3	£104.76	56	904.7556.90B	30	£12.29	59	917.5046.90B	40	£4.62	64	929.110.90DB	5	£144.27	63
9414.110110B 9414.160110B	4	£48.81 £107.29	56 56	904.11040.135B	10	£21.10	60	917.5058.90B	20	£5.39	64	938.110.90RB	1	£123.31	61
9415.110110B	4	£41.21	56	904.11040.90B 904.11050.135B	15 15	£19.02 £21.10	59 60	917.5646.90B 917.5658.90B	20 20	£5.39 £5.39	64 64	930.110B 930.110LB	40 36	£10.54 £14.25	62 62
9415.11056B 9415.11075B	4	£32.54 £37.96	56 56	904.11050.90B	10	£19.02	59	917.5836.908B	100	£2.77	64	930.160B	20	£42.34	62
9415.160110B	3	£103.98	56	904.11056.135B 904.11056.90B	15 10	£21.10 £19.02	60 59	917.5847.908B 917.4046B	100 50	£2.77 £4.00	64 64	930.160LB 930.200B	16 15	£57.17 £59.98	62 62
9416.110110B 9416.11056B	4	£40.74 £32.54	56 56	904.11075.135B	8	£21.10	60	917.5046B	50	£4.09	64	930.250B	1	£77.66	62
9416.11075B	4	£40.13	56	904.11075.90B 904.11090.12B	10 12	£19.02 £105.99	59 60	917.5058B 917.5646B	50 50	£4.62 £4.62	64 64	930.315B 930.40B	1 100	£88.25 £5.23	62 62
9416.160110B	3	£111.15	56	904.16075.135B	6	£131.27	60	917.5658B	50	£4.62	64	930.40LB	120	£7.06	62
FUZE Pipes				904.20075.135B 904.160110.135B	1 7	£195.82 £97.38	60 60	918.40.15.90BN 918.40.15.90PN	20 20	£11.69 £10.73	64 64	930.50B 930.50LB	250 90	£4.43 £6.00	62 62
900.40.30B	30B	£18.62	56	904.160110.90B	8	£105.85	59	918.40.125.90BN	20	£11.36	64	930.56B	250	£4.43	62
900.40.50B 900.50.30B	50B 30B	£31.19 £22.25	56 56	904.200110.135B 904.200110.90B	1	£209.95 £209.95	60 59	918.40.125BN 918.40.125EB	50 20	£12.88 £19.33	63 64	930.56LB 930.75B	60 30	£6.00 £4.43	62 62
900.50.50B	50B	£37.03	56	904.200160.135B	1	£218.80	60	918.40.125EPN	20	£17.47	64	930.75LB	30	£6.00	62
900.56.30B 900.56.50B	30B 50B	£25.55 £42.49	56	904.200160.90B 904.250110.135B	1 10	£209.95 £352.92	59 60	918.40.125PN 918.40.15BN	40 50	£10.73 £12.29	63 63	931.110.200B 931.110B	13 4	£44.50 £224.93	62 63
900.75.30B	30B	£35.27	56 56	904.250110.90B	1	£300.03	59	918.40.15EBN	20	£19.35	64	931.4040B	30	£67.52	63
900.75.50B 900.110.30B	50B 30B	£58.80 £63.31	56 56	904.250160.135B 904.250160.90B	1	£388.26 £300.03	60 59	918.40.15EPN 918.40.15PN	20 40	£17.50 £10.77	64 63	931.4050B 931.4056B	80 10	£89.00 £89.04	63 63
900.110.50B	50B	£105.48	56	904.250200.135B	1	£388.26	60	918.40.908B	10	£0.38	65	931.5050B	10	£67.52	63
900.160.30B	30B 50B	£151.96	56	904.250200.90B	1	£300.03	59	918.40.918B	10	£0.38	65	931.5056B	10	£89.04	63
900.160.50B 900.200.50B	50B	£253.23 £328.17	56 56	904.315110.135B 904.315110.90B	1	£617.69 £352.92	60 59	918.50.125BN 918.50.125EBN	40 20	£11.69 £22.99	63 64	932.4040B 932.4050B	50 10	£89.04 £89.04	63 63
900.250.50B	50B	£526.08	56	904.315160.135B	1	£617.69	60	918.50.125EPN	20	£19.94	64	932.4056B	10	£89.04	63
900.315.50B	50B	£820.37	56	904.315160.90B 904.315200.135B	1	£352.92 £652.94	59 60	918.50.125PN 918.50.15BN	30 40	£10.73 £12.91	63 63	932.5050B 932.5056B	10 10	£89.04 £89.04	63 63
FUZE Fittings				904.315200.90B	1	£352.92	59	918.50.15EBN	20	£23.02	64	935.110B	15	£19.25	61
901.40.135B	5	£4.17	59	904.315250.135B 904.315250.90B	1	£652.94 £352.92	60 59	918.50.15EPN 918.50.15PN	20 80	£19.94 £11.37	64 63	936.40.05NB 936.40.075NB	40 10	£67.52 £67.52	64 64
901.40.92B 901.50.135B	200 5	£4.17 £4.19	59 59	906.110.135B	8	£38.78	60	918.4050.15.90BN	25	£11.69	64	936.50.05NB	5	£67.52	64
901.50.92B	100	£5.62	59	906.110.60B	10	£33.49 £52.83	60	918.4050.15.90PN •	20	£11.05	64	936.50.075NB	5	£67.52	64
901.56.135B 901.56.92B	120 90	£4.91 £5.45	59 59	906.110.92B 906.5040.60B	6 25	£52.83 £12.97	60 60	918.4050.125.90BN 918.4050.125.90PN	20 20	£11.36 £10.18	64 64	936.50.1NB 936.110B	5 20	£67.52 £40.21	64 61
901.75.135B	50	£8.09	59	906.11040.135B	10	£30.27	60	920.110.56B	8	£60.81	60	936.160B	10	£102.11	61
901.75.92B 901.110.112B	40 1	£10.19 £79.47	59 59	906.11050.135B 906.11090.12B	10 9	£34.52 £132.56	60 60	920.160.56B 921.110.56B	15	£105.85 £44.93	60 60	936.40B 936.50B	40 40	£12.42 £12.66	61 61
901.110.135B	24	£11.58	59	906.11090.92B	12	£79.41	60	923.11040B	25	£10.59	62	936.56B	30	£18.44	61
901.110.150B	30	£39.12	59	906.11093.92B 907.110.025B	75 1	£105.99 £81.89	60 59	923.11050B 923.11056B	25 25	£10.59 £10.59	62 62	936.75B 938.50.90B	30 40	£29.60 £41.58	61 61
901.110.165B 901.110.92B	30 30	£38.27 £15.13	59 59	907.200.90B	1	£232.55	59	923.11075B	25	£10.59	62	938.56.90B	20	£42.31	61
901.110.92RB	1	£64.18	59	907.250.90B 907.315.90B	14 1	£388.26 £564.75	59 59	923.160110B 923.160110LB	10 5	£23.30 £126.99	62 62	938.75.90B 938.110.135B	30 1	£45.84 £60.97	61 61
901.160.112B 901.160.135B	1 18	£123.23 £49.00	59 59	901.110.92RB	1	£64.18	59	923.200110LB	8	£169.28	62	938.110.90B	8	£60.61	61
901.160.150B	1	£59.76	59	910.110B 910.160B	10 8	£13.43 £33.70	56 56	923.200160LB 923.250200LB	1	£169.28 £275.15	62 62	938.110.90PB 938.160.135B	1	£55.78 £149.32	61 61
901.160.165B 901.160.92B	1 90	£56.65 £63.49	59 59	910.200B	10	£234.76	56	923.315200LB	1	£380.93	62	938.160.90B	54	£142.83	61
901.200.112B	1	£141.33	59	910.250B	55	£388.07	56	923.315250LB	1	£380.93	62	938.200.90B	1	£247.04	61

Index			_
Code	Pack Qty	Price	Page
938.250.90B 938.315.90B	1	£317.66 £383.67	61 61
945.4040B	1 15	£383.67 £89.04	63
945 4050B	10	£89 04	63 63
945.5050B 949.11090LB	10 5	£110.50 £82.92	63
949.11090RB	5	£82.92	63
	5 5	£211.57 £82.92	63 63
949.110LB 949.110RB	5	£82.92	63
950.110B 950.160B	180	£82.92 £17.51 £24.82	62
950.160B 950.75R	65 120	£24.82 £14.92	62 62
950.75B 980.110B 980.160B 980.200B 980.250B	20	£14.92 £48.56 £82.96	62
980.160B	10 4	£82.96	62 62
980.250B	5	£158.86 £275.28	62
980.315B 980.50B	6 40	£469.40	62 62
980.56B	1	£31.70 £31.70 £43.95	62
980.75B	1	£43.95	62
981.110B 981.160B 981.200B	1	£70.42 £123.40 £176.35	62 62
981.200B	5	£176.35	62
981.250B 981.315B	1	£257.50	62 62
981.50B 981.56B	1	£257.50 £352.84 £45.77 £49.24	62
981.56B	1	£49.24	62 62
981.75B 982.110B	1	£59.85 £14.10	62
982.160B	1	£16.80	62
982.200B 982.250B	30 1	£20.28 £35.26	62 62
982.315B	1	£45.84 £5.26 £7.05 £7.28 £126.99	62
982.50B 982.56B	1	£5.26	62 62
982.75B	1	£7.28	62
983.110B 983.160B	1	£126.99	62 62
983.200B	8	£211.57 £275.28	62
983.250B	1	£381.16	62
983.315B 983.50B	1	£705.95 £104.08	62 62
983.56B	1	£76.20	62
983.75B 984.16110B	1	£80.41 £45.88	62 62
984.1650B		£45.88 £17.69 £19.81	62
984.1663B 984.20160B		£19.81	62 62
984.20250B		£67.11 £123.53	62
990.110B 990.4B	4	£58.11	57 57
999.110.90B	10	£58.11 £51.21 £72.08	63
999.90100.00B	10 1	£61.39	63
9000.40315.110V 9104.40B	2	£3,181.24 £60.65	65 65
9104.40B 9105.30B	1	£194.17	65
9110.110B 9110.110C	12 12	£42.62 £51.77 £53.19 £96.73 £1.70 £4.30 £0.57	57 57
9110.160B	8	£53.19	57
9110.160C 9116.110B	8 20	£96.73	57 65
9116.160B	20	£4.30	65
9116.40B	20 20	£0.57	65 65
9116.50B 9116.75B	20	£1.02	65
9118.110B 9118.50B	10 10	£0.67 £1.02 £3.54 £2.15 £3.22 £2.92 £2.92 £1.34 £2.02	64 64
	10	£3.22	64
9118.56B 9118.75B 9119.110B 9119.50B	10	£2.92	64
9119.110B 9119.50R	20 10	£2.92 £1.34	64 64
9119.56B 9119.75B	50	£2.02 £2.92	64
9119.75B	10 10	£2.92	64 61
9120.110B 9120.50B 9120.56B	10	£20.26 £7.35 £8.30	61
9120.56B	10 10	£8.30	61 61
9120.75B 9122.110B 9122.50B	100	£16.29	61
9122.50B	50	£6.11	61
9122.50B 9122.56B 9122.75B 9130.110B 9130.160B	10 15	£8.30 £13.22 £16.29 £6.11 £6.44 £10.18	61 61
9130.110B	60	£1.51	64
	10 5	£2.77	64 64
9130.40B 9130.50B	40	£1.07	64
9130.50B	150 160	£1.07	64 64
9130.56B 9130.75B	30	£1.51 £2.77 £3.43 £1.07 £1.07 £1.07	64
9140.110B	25		65
9140.110B 9140.110R 9140.160B 9140.160R	15 25	£26.52 £12.57 £35.53	65 65
9140.160R	1	£35.53	65

Index					
Code	Pack Qty	Price	Page		
9140.200B	25	£45.77	65		
9140.250B	10	£46.31	65		
9140.315B	10	£53.99	65		
9140.50B	50	£8.47	65		
9140.56B	50	£8.66	65		
9140.75B	25	£9.15	65		
9148.10B	100	£8.02	65		
9148.25B	25	£9.90	65		
9149.200B	15	£69.79	65		
9149.250B	2	£69.79	65		
9149.315B	2	£71.51	65		
9500.100160T	1	£583.20	65		
9500.180315T	1	£2,505.30	65		
9500.50140T 9500.663T	1	£521.82 £362.20	65 65		
9500.6631 9502.32160T	1	£362.20 £460.40	65		
9502.321601 9502.40250T	1	£709.04	65		
9631.110.0B	5	£92.10	63		
9936.110.0B	20	£31.10	61		
9936.110B 9936.56B	10	£12.21	61		
9938.110B	10	£13.84	61		
910P.110B	10	£13.04 £93.43	56		
910P.110B	5	£337.65	56		
910P.200B	1	£337.03 £429.73	56		
910P.250B	1	£644.59	56		
910P.315B	1	£890.15	56		
911E.110B	6	£180.18	57		
911S.110B	16	£173.64	57		
911S.160B	8	£337.65	57		
911S.200B	1	£460.40	57		
911S.250B	1	£644.59	57		
911S.315B	1	£890.15	57		
9147B	i	£4.62	65		
9149B	i	£14.11	65		
9504T	1	£267.06	65		
9507T	(12Pcs.) 10	£85.92	65		
9508T	1 (12Pcs.)	£142.72	65		
AW00-2003	(12Pcs.)	£201.98	65		
AW00-2003 AW00-2004	1	£227.24	65		
HDC464334	Yellow	£604.02	65		
HDC464335	Blue	£604.02	65		

Fast order turnaround of prefabricated drainage stacks helps installation team hit project deadlines.



Alperton Bus Depot is a mixed-use new development which includes commercial space aimed at supporting start-ups alongside 461 new homes, of which 40 percent will be affordable in the London Borough of Brent.

The former Metroline bus garage is being transformed into three blocks, one of which is 27-storey, linked at the ground and first floors for community use and industrial floorspace.

The development is due to be completed mid 2025.

CASE STUDY

Project

Drainage stacks installation at Alperton Bus Depot development, Greater London.

Client

I-MEX (M&E) Ltd on behalf of Telford Homes

Application

New building drainage stacks installation.

Products

Terrain FUZE

Tight project turnarounds need a versatile solution.

Mechanical & electrical contractor I-MEX (M&E) Ltd was looking for a drainage stack solution which was both good quality and quick to install within a six-month project deadline.

Other challenges for the installation team included the fact that the development sits on the corner of a busy dual carriageway meaning limited space on site for deliveries and cranes. This meant a delivery schedule which staggered product delivery to tie into work on each level was essential.

Robert Bruce, Polypipe Building Services Technical Sales Manager for London, said:

"We met with I-MEX (M&E) Ltd on October 6th and the order was placed for Block A of the building by the end of October.

The essential aspect for them was the fast turnaround to keep up with the build schedule. This made Terrain FUZE Stax ideal. This is supported by flexible delivery options, so the products for different phases of work can be delivered at intervals, for example, so many floors worth at a time "

Versatility was also important, and I-MEX (M&E) Ltd liked that Stax offers two four-way bosses on the same stack and can be used in multiple situations. The fact that they come in two parts means logistically moving them around site is easier and the pieces are more versatile compared to traditional three metre long pieces of fabrication which I-MEX (M&E) Ltd have previously used."

Minimising time-consuming repetitive work

Terrain FUZE Stax helps reduce installation times because typically large-scale drainage stack projects involve repeating similar configurations of loose components across floors. This means significant time is spent on repetitive cutting and welding jobs. The Terrain FUZE Stax range removes a lot of this time-consuming work by offering prefabricated products in the most common configurations covering kitchens, bathrooms, and utility rooms.

Dan Smailes, Commercial Director Prefabrication at I-MEX (M&E) Ltd. said:

"Prefabrication is at the forefront of what I-MEX (M&E) Ltd have been doing over the last seven years, and the introduction of Polypipe FUZE Stax came at the perfect time for us to be able to utilise it on this project. Moving forward we will continue to use the two-part FUZE Stax on all of our sites."



Landmark Manchester tower benefits from Polypipe approach to drainage.



Polypipe Building Services, the UK's leading manufacturer and specialist in building services solutions, devised an above ground drainage system for the small footprint of a tall building in the centre of Manchester.

The use of Terrain P.A.P.A.® system allowed for the use of less pipework, while maximising the use of the available floor space within the building structure.

Polypipe supplied its Terrain P.A.P.A.® (Positive Air Pressure Attenuation) and Pleura air admittance and control systems for use on the 28 storey Axis Tower, situated near the city's popular Deansgate Locks, and the pioneering Beetham Tower. The building is positioned between a canal and locks, a critical city centre junction between Whitworth Street and Lower Moseley Street, as well as the tram tracks serving Deansgate Castle eld station – meaning it has a tight footprint. The development is 93 metres high and is currently the 12th highest building in a city which is currently experiencing a dramatic growth of tall building developments. The development site has a footprint of just 3,200 square feet, as the base of the building is small, but the structure cantilevers out to the upper floors of the building. This provided a challenge in managing water from the top of the building, through the bottom of the structure, without relying on an extensive network of pipes. The design of the system also required a reduction in additional secondary stack pipework.

Polypipe Building Services worked with primary contractor Russell WHBO and Quartzelec to develop the system and advised the use of the Terrain P.A.P.A.® and the Terrain Pleura air admittance valves to supply a complete drainage ventilation system. The positive pressure reduction device is used to mitigate the effects of positive air fluctuations in the drainage pipework system, such as when a toilet is flushed on an upper floor.

The application of the Terrain Pleura Regulators balances negative air pressure fluctuations within the drainage system. The regulators are also easy to install allowing for ef cient management of on-site skilled labour, which is essential during projects relying on meeting strict deadlines.

Gary Gardner, Head of Building Services at Russell WHBO said:

"Polypipe's early involvement in this project ensured we could deliver a high quality above ground drainage system and water supply system. "We managed the project from design to inception so it was important we worked with a drainage specialist that could meet and exceed the demands of this project with its unique structural requirements."

CASE STUDY

Project

Axis Tower, Manchester.

Client

Al Turki Enterprises

Application

Tall building waste water drainage system.

Main Contractor

Russell WHBO

Products

Terrain P.A.P.A.® and Pleura air admittance and control systems.





Terrain P.A.P.A.*

The Terrain P.A.P.A. is a positive air pressure attenuator, designed to mitigate the affects of positive air fluctuations in the drainage pipework system. As water descends down the drainage stack it creates a negative pressure; if that flow is interrupted or is approaching a change of direction, the negative pressure changes to a positive pressure and moves up the pipe. This low amplitude air wave travels typically at 320m/s, the speed of sound. As the positive air fluctuation approaches the branch-off point for the Terrain P.A.P.A.. the bladder within the unit reacts very quickly, within 0.2 seconds, and starts to expand; this creates a pressure differential at the branchoff point. The branch to the Terrain P.A.P.A. then becomes the path of least resistance and the majority of the positive air pressure is absorbed within the unit.

As the transient air pressure within the pipework starts to equalise, the bladder slowly releases the small volume of air into the pipework system to only 12m/s which will have no effect on the trap seals.

Terrain P.A.P.A.® and Pleura Vent System						
	Size mm	Pack/Box	Code	Price Each		
	Terrain P.A.P.A. Valve					
PAPA	75-110 ♥	1	9300.4	£955.98		
	Terrain Pleura 100 Valve					
1 222	75-110 ♥	1	9301.34	£195.07		
	Terrain Pleu	ıra 50 Valve				
Company of the compan	32-63 ♥	1	9301.253	£84.89		

 $\ensuremath{\text{\$}}$ P.A.P.A. is a registered trademark owned by Akatherm BV, part of the Aliaxis Group

- Replaces extensive ventilation pipework, saving costs in material and installation.
- Allows more flexibility in the layout and design of internal drainage systems for engineers, architects and design professionals.
- Offers a point-of-need solution that quickly responds to transient air fluctuations.

Terrain Pleura 50*

The Terrain Pleura 50 air admittance valve provides ventilation to branch pipework. It is generally installed on the pipe behind the appliance trap water seal.

The Terrain Pleura 50 opens and admits fresh air into the branch pipe when the negative (suction) pressure occurs from an appliance discharging into the pipework system.

This equalises the ambient air pressure within the pipework and protects the trap water seal.

When the flow stops and the internal ambient air pressure in the pipework balances, the Terrain Pleura 50 closes by gravity and prevents foul air entering the built environment.

Terrain Pleura 100*

The Terrain Pleura 100 air admittance valve can be fitted on to the top of a foul or waste stack, or at the end of long low gradient branch drains, to provide ventilation.

The Terrain Pleura 100 opens and admits fresh air under condition of reduced pressure in the discharge pipes and prevents trapped water seals being drawn. As the internal ambient air pressure in the pipework balances, the Terrain Pleura 100 closes by gravity and prevents foul air entering the built environment.

^{*}Valves to be installed only on Polypipe pipework.



Terrain Q. Turning flush sounds into hush sounds.

Designed to meet your specific project needs, Terrain Q is a simple, reliable alternative to other traditional noise reducing drainage systems. Its multi-layer noise reducing system also provides increased fire retardancy, with a fire classification of B-s1, d0*, crucial for todays:

- High Rise Developments
- Hospitals
- Hotels
- Schools
- Other Commercial Applications

With excellent noise reducing properties and high fire retardancy, coupled with its ease of installation thanks to the push-fit jointing method, its compatibility with other systems and fittings, Terrain Q is an ideal choice for all your drainage and noise reducing project requirements.

Terrain Q Benefits

- Low Noise Transmission
- Fire Classification B-s1, d0
- Chemical Resistance
- Anti- Fouling
- Increased Mechanical Strength
- Push-Fit Jointing
- UV Protection
- Abrasion Resistance
- Easy Handling

Terrain Q has a wide range of pipe and unique fittings, from 40mm to 200mm diameter, making it an ideal solution for the installation of a complete drainage system.

Advanced Technology and Performance

Terrain Q stands out for its high resistance to fire, rated B-s1,d0* according to the European standard EN 13501 and for its excellent sound absorbing properties, according to the data provided by the Fraunhofer Institute for Building Physics IBP.

*Fire classification rating B-s1,d0 according to EN 13501, Terrain Q to be installed in accordance with building regulations.

Pipes				
	Size mm	Pack Qty	Code	Price Each
	Single socket p	ipe		
	40 (3m)	30	700P.40.30B	£36.72
	50 (3m)	30	700P.50.30B	£33.52
	75 (3m)	30	700P.75.30B	£54.80
	110 (3m)	15	700P.110.30B	£95.03
	160 (3m)	10	700P.160.30B	£200.57
	200 (3m)	10	700P.200.30B	£384.29

Fittings				
	Size mm	Pack Qty	Code	Price Each
	Bend 15°			
	110	12	707P.110.165B	£36.48
	Bend 30°			
	110	30	707P.110.150B	£38.29
	Bend 45°			
	40	50	707P.40.135B	£7.36
	50	70	707P.50.135B	£9.55
	75	16	707P.75.135B	£16.60
	110	16	707P.110.135B	£40.65
	160 200	6	707P.160.135B 707P.200.135B	£84.40 £370.37
	200	2	707P.200.133B	23/0.3/
	Bend 87°			
	40	110	707P.40.92B	£7.36
	50	70	707P.50.92B	£9.55
	75	20	707P.75.92B	£16.60
	110 160	20	707P.110.92B 707P.160.92B	£42.71 £89.99
	200	ა 1	707P.160.92B 707P.200.92B	£432.15
				2432.13
	Double Socket B			
	110 Double Socket	16	701P.110.135B	£53.25
	Double Socket E	end 87	•	
9	110	20	701P.110.92B	£55.04
	Double Socket			

Fittings				
	Size mm	Pack Qty	Code	Price Each
	Branch 45°			
	40	25	704P.40.135B	£16.88
	50	30	704P.50.135B	£20.51
	75	15	704P.75.135B	£59.20
	110	10	704P.110.135B	£69.41
	160	3	704P.160.135B	£187.63
	200	1	704P.200.135B	£640.23
	Branch 87°			
	40	30	704P.40.92B	£16.16
	50	40	704P.50.92B	£19.01
	75	15	704P.75.92B	£59.20
	110	12	704P.110.92B	£125.15
	160	3	704P.160.92B	£299.98
	200	1	704P.200.92B	£681.38
	Reducing branch	45°		
	50/40	20	704P.5040.135B	£20.51
	75/50	20	704P.7550.135B	£59.20
	110/50	20	704P.11050.135B	£45.82
	110/75	10	704P.11075.135B	£69.41
	160/110	3	704P.160110.135B	£135.94
	200/160	1	704P.200160.135B	£461.85
	Reducing branch	87°		
	110/50	20	704P.11050.92B	£45.82
	110/75	10	704P.11075.92B	£125.15
	160/110	3	704P.160110.92B	£240.00
	Fully socketed be	ranch 4	15°	
	110	10	704E.110.135B	£79.38
	Double branch 4			
	110	2	706P.110.135B	£135.83
	Double branch 8	7°		
	110	2	706P.110.90B	£261.40

Terrain Q

Fittings					PVC Fitting	js			
	Size mm	Pack Qty	Code	Price Each		Size mm	Pack Qty	Code	Price Each
	Eccentric reduc	er				Double equal bi	ranch		
	50/40 75/50 110/50 110/75	50 20 24 20	723P.5040B 723P.7550B 723P.11050B 723P.11075B	£9.15 £32.61 £43.16 £46.61		110 Can be solvent we	2 Ided.	706P.104.92B	£232.26
	160/110 200/160	24 5	723P.160110B 723P.200160B	£50.08 £429.90		For use with Terrain	117 boss	adaptors on page 36.	
	Short Eccentric			2425.50		Cinala basash			
	75/50	30	724P.7550B	£13.65		Single branch	8	704P.104.92B	£125.15
	110/50 110/75	30 30	724P.11050B 724P.11075B	£14.04 £19.84		Can be solvent we	lded.	adaptors on page 36.	1123.13
	Double depth so	cket				Four way boss			
	50	30	711P.50B	£16.29		110 way boss	15	720P.412.2B	£51.04
	110	12	711P.110B	£19.54		Can be solvent we	lded.		231.04
	Slip coupler					For use with Terrain	117 DOSS	adaptors on page 36.	
	No central stop					Corner boss bra	nch		
	40 50 75 110 160 200	50 50 30 20 2 5	711P.S.40B 711P.S.50B 711P.S.75B 711P.S.110B 711P.S.160B 711P.S.200B	£10.68 £12.11 £17.86 £25.78 £72.57 £292.36		110 Can be solvent we	6 Ided.	706P.490.12B	£458.05
	Double socket					Universal soil n	nanifolo	d	
	With central stop. 40 50 75 110 160 200	50 50 50 48 10 2	710P.40B 710P.50B 710P.75B 710P.110B 710P.160B 710P.200B	£10.69 £11.39 £17.86 £37.53 £69.71 £518.12		110 Can be solvent we Adaptors Converts PushFit		719P.412.15B	£120.58
	Access with cap					40mm to 1.5 Inch	-	6789/DVW	£10.46
	50 75 110	16 10 13	738P.50.90B 738P.75.90B 738P.110.90B	£26.79 £46.25 £85.98		50mm to 2 Inch Can be solvent we	75	6790/DVW	£10.46
- 37	160	6	738P.160.90B	£195.72	Brackets				
	200	2	738P.200.90B	£722.29		Size mm	Pack Qty	Code	Price Each
	Cooket -l					Acoustic bracke	ts		
	50	25 25 50 40 40 20	730P.40B 730P.50B 730P.75B 730P.110B 730P.160B 730P.200B	£7.36 £11.09 £32.48 £24.88 £88.11 £366.97	0	40 M10 50 M10 75 M10 110 M10 160 M10 Please see page 69 backing plate.	50 50 15 1	9140.40R 9140.50R 9140.75R 9140.110R 9140.160R eaded rod and	£9.48 £10.13 £14.10 £26.52 £35.53
					Price	es shown are for o	one iter	m excluding VAT	75

Index			
Code	Pack Qty	Price	Page
Terrain Q Pipes			
700P.40.30B	30	£36.72	74
700P.50.30B	30	£33.52	74
700P.75.30B	30	£54.80	74
700P.110.30B	15	£95.03	74
700P.160.30B	10	£200.57	74
700P.200.30B	10	£384.29	74

700P.160.30B	10	£200.57	74
700P.200.30B	10	£384.29	74
Terrain Q Fittings			
9140.110R	15	£26.52	75
9140.160R	1	£35.53	75
9140.40R	50	£9.48	75
9140.50R	50	£10.13	75
9140.75R	50	£14.10	75
6789/DVW	50	£10.46	75
6790/DVW	75	£10.36	75
701P.110.135B	16	£53.25	74
701P.110.92B	20	£55.04	74
704E.110.135B	10	£79.38	74
704P.40.135B	25	£16.88	74
704P.40.92B	30	£16.16	74
704P.50.135B	30	£20.51	74 74
704P.50.92B 704P.75.135B	40 15	£19.01 £59.20	74
704P.75.133B 704P.75.92B	15	£59.20	74
704P.104.92B	8	£125.15	75
704P.110.135B	10	£69.41	74
704P.110.133B	12	£125.15	74
704P.160.135B	3	£187.63	74
704P.160.92B	3	£299.98	74
704P.200.135B	1	£640.23	74
704P.200.92B	1	£681.38	74
704P.5040.135B	20	£20.51	74
704P.7550.135B	20	£59.20	74
704P.11050.135B	20	£45.82	74
704P.11050.92B	20	£45.82	74
704P.11075.135B	10	£69.41	74
704P.11075.92B	10	£125.15	74
704P.160110.135B	3	£135.94	74
704P.160110.92B	3	£240.00	74
704P.200160.135B	1	£461.85	74
706P.104.92B	2	£232.26	75
706P.110.135B	2	£135.83	74
706P.110.90B	2	£261.40	74
706P.490.12B 707P.40.135B	6 50	£458.05 £7.36	75 74
707P.40.133B 707P.40.92B	110	£7.36	74
707P.50.135B	70	£9.55	74
707P.50.92B	70	£9.55	74
707P.75.135B	16	£16.60	74
707P.75.92B	20	£16.60	74
707P.110.135B	16	£40.65	74
707P.110.150B	30	£38.29	74
707P.110.165B	12	£36.48	74
707P.110.92B	20	£42.71	74
707P.160.135B	6	£84.40	74
707P.160.92B	3	£89.99	74
707P.200.135B	2	£370.37	74
707P.200.92B	1	£432.15	74
710P.110B	48	£37.53	75
710P.160B	10	£69.71	75
710P.200B	2	£518.12	75
710P.40B	50	£10.69	75
710P.50B	50	£11.39	75
710P.75B	50	£17.86	75 75
711P.110B 711P.50B	12 30	£19.54 £16.29	75
7 1 17°.30D	au	£10.29	10

Index			
Code	Pack Qty	Price	Page
711P.S.110B	20	£25.78	75
711P.S.160B	2	£72.57	75
711P.S.200B	5	£292.36	75
711P.S.40B	50	£10.68	75
711P.S.50B	50	£12.11	75
711P.S.75B	30	£17.86	75
719P.412.15B	5	£120.58	75
720P.412.2B	15	£51.04	75
723P.11050B	24	£43.16	75
723P.11075B	20	£46.61	75
723P.160110B	24	£50.08	75
723P.200160B	5	£429.90	75
723P.5040B	50	£9.15	75
723P.7550B	20	£32.61	75
724P.11050B	30	£14.04	75
724P.11075B	30	£19.84	75
724P.7550B	30	£13.65	75
730P.110B	40	£24.88	75
730P.160B	40	£88.11	75
730P.200B	20	£366.97	75
730P.40B	25	£7.36	75
730P.50B	25	£11.09	75
730P.75B	50	£32.48	75
738P.50.90B	16	£26.79	75
738P.75.90B	10	£46.25	75
738P.110.90B	13	£85.98	75
738P.160.90B	6	£195.72	75
738P.200.90B	2	£722.29	75

POLYPIPE ADVANTAGE OFF-SITE PRE-FABRICATION

Don't fight the system, use a better one.





Take a stand against convention and join the Advantage Rebellion, where things get a bit radical. Our complete drainage and water supply systems are designed and pre-fabricated off-site, reducing system install costs by as much as 30%, installation times by up to 60% and on-site fabrication waste by as much as 100%. Fully customised solutions, that are quality assured, pre-tested and delivered to site ready for immediate installation. Join the Advantage Rebellion and change to a better system.

Find out more at www.polypipe.com/polypipeadvantage



New drainage system and stack replacement to residential flats in Birmingham.



JBS Mechanical provide a range of plumbing, heating, mechanical and renewable energy services to residential and commercial clients across the UK having set up business in 2012. Based in Gloucestershire, they undertake projects of all sizes, and were approached by one their key clients to come in and undertake a commercial project in Birmingham city centre.

New drainage system and stack replacement to residential flats in Birmingham.

The project, based in Queensgate, is one of several live projects JBS Mechanical is doing for this client who specialises in converting former office buildings into residential apartments.

This project involves the creation of 66 flats over seven floors with the ground floor being used as retail/office space.

Because all the floors can be different due to their former use and their new design the installation team at JBS Mechanical decided to specify Polypipe Building Services Terrain Q products rather than traditional cast to speed up installation time and ensure any design changes could easily be made as the project progressed.

In total 36 Terrain Q stacks were used across this build. The use of the multi-layer noise-reducing Terrain Q drainage system product is an ideal choice in high-rise apartments.

It contains mineral-reinforced plastic with an anti-fouling additive which keeps the bore clear of deposits and helps to reduce noise levels within the system.

As a complete system it is also includes pipe brackets and connectors with rubber bases to further absorb and disperse noise vibrations minimising the passage of structure borne sound.

Simon Rowe, Head of Major Works at JBS Mechanical said:

- " We have carried out several projects for this customer where office blocks are being converted into residential flats from 60 flats to 280, depending on the building size
- " In this building there are differing layouts to deal with, as there is retail on the ground floor then floors one to six there are 10 flats, then there are six flats on the seventh floor and there are plans to put an eighth floor on top.
- "We've used Terrain products before from Polypipe Building Services and we know they're good products, so while we have done jobs in cast because this project wasn't a new build it's far easier to deal with any issues with difference in slab heights and thicknesses."

CASE STUDY

Project

Office conversion to residential flats, Birmingham.

Client

JBS Mechanical.

Application

New drainage system and stack replacement.

Products

Terrain Q.



Underground



Introduction

Using the latest plastics manufacturing technology to satisfy the requirements of today's installers, the Terrain underground range offers a rigid pipe and a comprehensive range of fittings to suit all applications.

Terrain underground products represent the benchmark for quality, supported with outstanding service levels.

Our comprehensive range of underground drainage products are suitable for commercial, industrial, housing and public sector developments.

They are:

- Easy-to-lay
- Flexible, to accommodate normal ground movement
- Adaptable, to connect to existing drainage systems
- Unique products offer unrivalled installation options
- Suitable for commercial and domestic installations

Systems include:

Solid wall pipes and fittings

Available in 82, 110 and 160mm diameters. 110 and 160mm comply with BS EN 1401.

Pipe						
	Size mm An	gle	Col	Pack/ Box	Code	Price Each
	Pipe plain e	nded				
	82 (5.8m)		T	1/88	3DP58	£282.44
	110 (5.8m)	⅌	T	1/67	4DP58X	£296.37
	160 (5.8m)	♥	T	1/33	6DP58X	£610.90

	Pipe piain	епа	ea				
	82 (5.8m)			Τ	1/88	3DP58	£282.44
	110 (5.8m)		₩	Т	1/67	4DP58X	£296.37
	160 (5.8m)		₩	Т	1/33	6DP58X	£610.90
	100 (3.0111)		•	'	1/33	ODF JOX	2010.50
Fittings							
Tittingo							Dul.
	Size mm A	ngle		Col	Pack/ Box	Code	Price Each
	Coupler do	uble	sock	cet			Lacii
	•						
	With central	stop.		_			
	82			T	10/60	3D20D	£57.31
	110		♥	Τ	5/48	4D20D	£27.29
	160		♥	Τ	5/15	6D20D	£75.30
	Slip couple	er					
	For inserting					g pipework.	
	(e.g. refurbis	hme	nt or r	epair)			
	No central st	op.					
	110			Т	5/45	4D20DSC	£40.79
	Pipe end s	ocke	et				
	110		⅌	Τ	5/40	4D69	£46.11
E-10-Marco (1946)	Short radii	ıc h	and d	ouble	s cocko	•	
						-	
	lo change pi as standard.		irectio	n: 87	½°, 45°,	30° and 15°	
	82 8	71/2		Т	1/15	3D23D	£82.37
4 -1	82 4	. , -		T	5/20	3D25D	£78.70
market and the		3 7½	₩	T	5/18	4D23D	£82.81
		. , -	*				
	110 4	-	♥	T	5/26	4D25D	£84.61
_	160 8	7½	♥	T	1/6	6D23D	£196.70
	160 4	5	♥	T	1/8	6D25D	£196.70
	Rest bend	doul	ble so	cket			
	Tb 4	10		dia.			
	To change 1				tion at b	ase of soil	
	stack: 87½°	as st	.aridaro	J.			
	110			Т	3/9	4D21D	£135.32

	82 (5.8m) 110 (5.8m) 160 (5.8m)	₩	T T	1/88 1/67 1/33	3DP58 4DP58X 6DP58X	£282.44 £296.37 £610.90
Fittings						
	Size mm Ar	igle	Col	Pack/ Box	Code	Price Each
	Coupler do		ket			
	With central s 82 110 160	stop. ♥	T T	10/60 5/48 5/15	3D20D 4D20D 6D20D	£57.31 £27.29 £75.30
	Slip couple	r				
	For inserting (e.g. refurbish No central sto	nment or			g pipework.	
	110		T	5/45	4D20DSC	£40.79
	Pipe end so					
	110	♥	T	5/40	4D69	£46.11
	Short radiu	s bend o	louble	e socke	t	
	To change pip as standard.	oe directio	on: 87	½°, 45°,	30° and 15°	
	82 87 82 45 110 87 110 45 160 87 160 45	1½ ♥ 5 ♥	T T T T T	1/15 5/20 5/18 5/26 1/6 1/8	3D23D 3D25D 4D23D 4D25D 6D23D 6D25D	£82.37 £78.70 £82.81 £84.61 £196.70 £196.70
	Rest bend o	louble s	ocket			
	To change 11 stack: 87½° a			tion at b	ase of soil	
	110		T	3/9	4D21D	£135.32

ittings							
	Size mr	n Angl		Col	Pack/ Box	Code	Price Each
	Variable	e bend	single	e soc	ket		
	To chang Any non- conjuncti	standar	d angl	e can	be achie	0–25°. eved if used in	
	110	0-25	♥	T	5/25	4DV40	£115.37

	Socket plug					
	To blank off any With boss horn. see page 36. Sp	For t	use wit		oss horn,	
	110	⅌	Т	6/54	4D68	£49.31
	160	♥	Т	1/30	6D68	£95.44
	Access cap					
	To allow full bor 160mm pipewor					
- 11°	82		T	5/40	3D64	£4.92
	110	⅌	T	5/50	4D64	£95.13
	160	♥	T	1/15	6D64	£154.06
(5-5)	110		Т	1/40	4D63	£80.48
	160		T	1/35	6D63	£143.30
	Rodding eye					

Material: Aluminium. Elliptical rodding eye with 110mm pipe size spigot. Access aperture size: 118x90mm. Self 5/25 4DRE £228.89



02	45	т	1/20	20220	£44¢
an ano	gle: 45° as sta	ndard.			
To joir	n 82mm branc	h pipe to	82mm	main pipe at	

£118.14

Single equal junction - all equal sockets To join 110mm or 160mm branch pipe to 110mm or 160mm main pipe at an angle: (110mm) 871/2° and 45° as standard

Single equal junction

(160mm) 45° as standard 110 87½ ♥ Т 12 4D30D £117.19 160 871/2 T 4 6D30D £328.26 4D33D £117.19 110 45 ♥ T 12 160 45 ♥ T 3 6D33D £328.26

Underground

Fittings					
	Size mm Angle	Col	Pack/ Box	Code	Price Each
	Single unequal junc	tion -	all so	cket	
	To join 110mm branch an angle: 45° and 87½			n main pipe at	
	160/110 45 ♥	T	5	64D33D	£293.21
	Gully trap				
A m	Material: Polypropylene To obtain 'P' trap, add 4		nd.		
1	110	T	4/12	4DG90	£98.36
	'P' trap				
	Material: PVCu To obtain 'Q' or 'S' trap,	add 4	5° or 87	7½° bend.	
	110	T	4/8	4DG91	£178.23
	Square hopper head				
	Material: PVCu and Pol Spigot outlet may be cu can accept solvent-weld Terracotta body with Bla	it off t ded pi	o reveal pe as ex	tended spigot.	
	110	T	5/15	4DG92	£85.80
	Rectangular hopper	head	l		
	Material: PVCu and Pol Back inlet plate incorpo discs to create aperture waste pipes. Terracotta body with Bl	rates s for i	two easi nsertion	of 40mm	
	110	Т	4/12	4DG93	£155.89
	Circular gully				

Fittings					
	Size mm Angle	Col	Pack/ Box	Code	Price Each
	Bottle gully with ro	und c	over		
	Material: PVCu and Po Removable dip tube pro Incorporates 110mm b Terracotta body with Bl	ovides ack in	50mm let conn		
	110	T	4	4DG97	£278.82
	Bottle gully with sq	uare	cover		
	Material: PVCu and Po Removable dip tube pro Incorporates 2 x waste Can also accept up to 6 or via adaptors. Terraco	ovides back 6 diffe	50mm inlet con rent pipe	nections. es either direct	
	110	Τ	4	4DG89	£325.03

110

Material: PVCu

Incorporates plugged horizontal pipe entries: 2x110mm spigots, 1x110mm ring seal socket and

Spigot outlet may be cut off to reveal socket which can accept solvent-welded pipe as extended spigot.

T 2/4 4DG80

£249.08

1x68mm rainwater pipe socket.

ullies & H	oppers				Inspection Chambers	
	Size mm Angle	Col Pack	Code	Price Each	Size mm Angle Col Pack/ Code	Price Each
	Sealed cover				Shallow inspection chamber	
	To cap 4DG80 Circula Extension Piece with s				To allow inspection of drainage system.	
	211	B 1/30	4DG82	£130.60	Supplied with 2 plugs for unused entries.	
	211	В 1/30	40002	2130.00	200mm socket has angular tolerance of ±7° allowing up to 14° adjustment to accommodate pipe variation and ground fall.	
					Access aperture size: 162x100mm.	
					Requies seal 9116.4 found on page 65.	
					110 T 2 4DI600	£299.72
	Circular grating				Sealed cover and frame	
	To provide an open gr	ating for surfa	re water		To cap 4DI600 Shallow Inspection Chamber. Ring seal joint to shaft	
	drainage for 4DG80 C				200 B 4/12 4DIFC1	£234.39
	Extension Piece. Also: spare grating for	r 4DC07 Rottle	Gully			
Λ	211	В 1/30	4DG83	£60.01		
Ŋ	211	Б 1/30	40003	200.01		
					Inspection chamber base - 470mm diameter	
					Material: Polypropylene.	
					To allow inspection of drainage system.	
	Raising piece				Incorporating 110mm main channel and 4 x 110mm branch inlets.	
	To extend upper apert				Supplied with 4 x blanking plugs	
	Bottle Gully to surface tal pipe entries beneat	e level or to lov th	ver horizon-		110 ♥ B 1 4DI240B	£485.05
	surface level.					
	200	T 3	4DG96	£169.82	Unequal inspection chamber base - 475	
					diameter	
					Material: Polypropylene supplied with 4 x blanking plugs.	
					To allow inspection of drainage system,	
_					incorporating 160mm main channel, 2 x 160mm	
	Square hopper hea	ad arid			and 2 x 110mm branch inlets. 160/110	£534 26
	Material: Polypropyler	-			100/110 9 b 1 04D1240B	2334.20
	Spare grid for 4DG92				Policina vices	
	155	B 1/100	4DG92G	£18.18	Raising piece	
Ħ					Material: Polypropylene. To allow inspection of drainage system,	
Ħ	Material: Polypropyler Spare grid for 4DG89				incorporating 160mm main channel, 2 x 160mm	
F	232	В 1/15	4DG89G	£27.11	and 2 x 110mm branch inlets.	
_					470 ♥ B 1 4DI215R	£196.90
	Sauaro coaled com	or			Seal ring	
	Square sealed cov		DC02		Suitable for 4DI215R.	
	Material: Polypropyler Square Hopper. Head				♥ B 1 4DI215S	£46.62
	cover.					
3553 3652	With screws and seal.		4D0000	005 15		
100	155	B 1/100	4DG92GS	£80.42		

Underground

Reducers &	Adaptors				
	Size mm Angle	Co	Pack/ Box	Code	Price Each
			er end so 2/30 4/24	cket. 43DT 64DT	£56.30 £107.05
6	Universal wast Material: EPDM. For connecting 32 to 110mm underg 110	2mm, 40m	m or 50m	nm waste pipe 4DW200	£58.02
	Adaptor to abov Material: Flex PVC. For connecting 82n 82/68 110/68 110/82			n. External only. 3DW25 4DW25 4DW3	£61.58 £58.02 £59.30
	Material: Flex PV0 downpipes to und For square downp 110/62	lerground			£59.30
8	PVCu undergro Material: PVCu. S ribbed socket for 110	ocket for F	VCu drai	n pipe and	£76.64
TERRAIN Soluble Lubricate	Lubricant Material: Silicone For lubricating se 250ml Tub (si 500ml Tub (si	al rings or licone)	expansion 10/40		

Index			
Code	Pack Qty		
Pipe and Fittings			
3D20D	10/60	£57.31	80
3D23D	1/15	£82.37	80
3D25D	5/20	£78.70	80
3D33D	1/20	£118.14	80
3D64	5/40	£4.92	80
3DP58	1/88	£282.44	80
4D20D	5/48	£27.29	80
4D20DSC	5/45	£40.79	80
4D21D	3/9	£135.32	80
4D23D	5/18	£82.81	80
4D25D	5/26	£84.61	80
4D30D	12	£117.19	80
4D33D	12	£117.19	80
4D63	1/40	£80.48	80
4D64	5/50	£95.13	80
4D68	6/54	£49.31	80
4D69	5/40	£46.11	80
4DG80	2/4	£249.08	81
4DG89	4	£325.03	81
4DG90	4/12	£98.36	81
4DG91	4/8	£178.23	81
4DG92	5/15	£85.80	81
4DG93	4/12	£155.89	81
4DG97	4	£278.82	81
4DP58X	1/67	£296.37	80
4DRE	5/25	£228.89	80
4DV40	5/25	£115.37	80
64D33D	5	£293.21	81
6D20D	5/15	£75.30	80
6D23D	1/6	£196.70	80
6D25D	1/8	£196.70	80
6D30D	4	£328.26	80
6D33D	3	£328.26	80
6D63	1/35	£143.30	80
6D64	1/15	£154.06	80
6D68	1/30	£95.44	80
6DP58X	1/33	£610.90	80
Gullion & Hannors			

Index			
Code	Pack Qty		
Inspection Ch	ambers		
4DI215R	1	£196.90	82
4DI215S	1	£46.62	82
4DI240B	1	£485.05	82
4DI600	2	£299.72	82
4DIFC1	4/12	£234.39	82
64DI240B	1	£534.26	82
Reducers & A	daptors		
3DW25	5/60	£61.58	83
43DT	2/30	£56.30	83
4D73	1/36	£76.64	83
4DW200	5/60	£58.02	83
4DW23	5/50	£59.30	83
4DW25	5/50	£58.02	83
4DW3	5/50	£59.30	83
64DT	4/24	£107.05	83
9136.250L	10/40	£116.06	83

Gullies & Hopp	ers		
4DG82	1/30	£130.60	82
4DG83	1/30	£60.01	82
4DG89G	1/15	£27.11	82
4DG92G	1/100	£18.18	82
4DG92GS	1/100	£80.42	82
4DG96	3	£169.82	82

Standards & Certification

Quality Assurance

Polypipe Building Services is accredited to the following Quality Management Systems:





BS EN ISO 9001 – Quality Management System

BS EN ISO 14001 - Environmental Management System

BS ISO 45001 - Occupational Health & Safety Management System

PAS 99 - Integrated Management Registration

Standards Compliance and Certifications

Terrain FUZE, HDPE Soil and Waste

Pipes and Electrofusion Couplings are manufactured in accordance with BS EN 1519 Standard and is covered by British Board of Agreement certificate 07/4479 and Kitemark certificate KM 729217.

Terrain Soil and Waste

Terrain Soil and Waste systems are manufactured in accordance with the appropriate British and European Standards and, where applicable, bear a kitemark (KM).

PVCu Soil systems – 82, 110 and 160mm Soil Pipes and Fittings

BS 4514 (KM 05252), BS EN 1329-1 (KM 57744) & BS EN 1453 (KM 751221)

PVCu Waste Systems - 32, 40 and 50mm Waste Pipes and Fittings

BS EN 1566 (KM 88038) and BS 5255 (KM 06413)

Terrain P.A.P.A.

British Board of Agreement certificate 18/5551

Air Admittance Valve

BS EN 12380 (KM 554663)

Solvent Liquid Weld

BS EN 14680 (KM 51564)

Underground

BS EN 13476 (KM 578526) BS EN 1401-1 (KM 57184)

MecFlow Fusion & MecFlow Press

MecFlow Supply Systems

MecFlow Supply Systems are manufactured in accordance with the appropriate British and European Standards and, where applicable, WRAS approved.

MecFlow Fusion

ISO 15874 Plastics piping systems for hot and cold water installations – Polypropylene (PP)

- Part 1 General
- Part 2 Pipes
- Part 3 Fittings
- Part 5 Fitness for purpose of the system
- Part 7 Guidance for assessment of conformity

Standards & Certification

DIN 8077 Polypropylene (PP) pipes - PP-H, PP-B, PP-R, PP-RCT - Dimensions.

DIN 8078 Polypropylene (PP) pipes - PP-H, PP-B, PP-R, PP-RCT – General Quality Requirements & Testing.

NTC 4897-2 Systems of plastic pipes for hot and cold water – Polypropylene (PP).

RP 01.00 Common requirements for AENOR Certification of Plastic Products.

RP 01.78 Special regulations of the Certificate of Conformity AENOR for Piping Systems in random polypropylene with modified crystalline structure (PP-RCT) and fiberglass (FV) for hot and cold water installations inside the structure of the Buildings.

BS EN ISO 1043-1:2011+A1:2016 Plastics. Symbols and abbreviated terms. Basic polymers and their special characteristics.

ISO 9080:2003 Plastics piping and ducting systems – Determination of the long-term hydrostatic strength of thermoplastics materials in pipe form by extrapolation.

BS EN ISO 7686:2005 Plastic pipes and fittings. Determination of opacity.

BS EN 13501-1 Fire Classification of Construction Products and Building Elements. Part 1 – Classification using data from reaction to fire tests.

MecFlow Press

BS EN ISO 21003 Multilayer piping systems for hot and cold water installations inside buildings.

- Part 1 General
- Part 2 Pipes
- Part 3 Fittings
- Part 5 Fitness for purpose of the system
- Part 7 Guidance for the assessment of conformity

EN ISO 15875 Plastic piping systems for hot and cold water installations. Crosslinked Polyethylene (PE-X)

- Part 1 General
- Part 2 Pipes
- Part 3 Fittings
- Part 5 Fitness for purpose of the system
- Part 7 Guidance for the assessment of conformity

DIN EN ISO 4726 Warm water surface heating systems and radiator connecting systems - Plastics piping systems and multilayer piping systems.

DVGW Process Sheet W542

DVGW Process Sheet W534

KTW Recommendations

And

DIN EN 12163: 2011-08 / BS EN 12163: 2011-06

DIN EN 12165: 2011-08 / BS EN 12165: 2011-06

DIN EN 12249: 2014-09 / BS EN 12420: 2014-06

The product follows the provisions of the European Community directive no. 1935/2004, 2002/72/EC, 2004/1/EC and 2004/19/EC on the quality of drinking water.

BS EN 13501-1 Fire Classification of Construction Products and Building Elements. Part 1 – Classification using data from reaction to fire tests.

Polypipe Advantage

From time and cost-savings to scheduled system delivery and enhanced health & safety on site, there are a number of ways that the Polypipe Advantage service can benefit your project. There's never been a better time to experience these benefits for yourself. The construction industry is currently undergoing a period of change, brought about by technological advancements, shifts in the labour market and an increasing focus on environmental issues. Whichever system you require to help overcome your unique challenges, we make it. Simple.

Get in touch

See how Polypipe Advantage can benefit your next project.

Contact the Polypipe Advantage team and remove the complexity from design, estimation, fabrication, delivery and support.

Contact details below.

Availability

For details of local stockists, please contact Sales Support on 01622 795200.

Further information and assistance

Terrain products are backed by a comprehensive technical advisory service, available to provide advice and design guidance on all aspects of above and below ground drainage and supply systems.

Technical services include:

- On site advice and problem solving.
- Terrain drainage stacks and MecFlow Fusion bespoke parts are designed and fabricated through our Polypipe Advantage Service. Any items ordered through this service have a 21 day lead time.

For prompt assistance, please contact the Polypipe Advantage team:

T: 01622 795200 | E: commercialenquiries@polypipe.com www.polypipe.com/commercial-building-services

1 GENERAL

- 1.1 In these conditions
- 1.1.1 "the Company" means Polypipe Limited, a company registered in England and Wales with registered number 1099323. Registered office: Broomhouse Lane, Edlington, Doncaster, DN12 1ES, United Kingdom.
- 1.1.2 "Customer" means the person with whom the Company contracts for the supply of Product pursuant to these conditions;
- 1.1.3 "Order" means any order submitted to the Company by a Customer;
- 1.1.4 "Order Confirmation" means any order confirmation submitted to the Customer by the Company;
- 1.1.5 "Product(s)" means the goods and/or services to be supplied by the Company as referred to and described in an Order which is accepted by the Company;
- 1.1.6 "Quotation" means the quotation submitted to the Customer by the Company prior to submission of an Order which details the prices at which the Customer may make an offer to purchase the Products;
- 1.1.7 "Writing" includes telex, cable, facsimile transmission, electronic data transfer and comparable means of communication.
- 1.2 A contract shall come into force between the Parties each time an Order is accepted by the Company, whether by issuing an Order Confirmation, by delivery, or otherwise, but not before. Subject to clause 1.3, (i) the terms of each contract shall be as set out in these conditions and the terms of any Order accepted by the Company, and (ii) in the event of any conflict between these conditions and any such Order, the terms of the Order shall prevail.
- 1.3 Save to the extent contemplated at clause 2.1, the parties agree that any terms and conditions submitted at any time by the Customer which have not been written specifically for the purposes of the Product requirement to which a specific Order relates (including, without limitation, any standard terms and conditions of purchase which are printed on any order documentation submitted by the Customer), shall not apply to any contractual dealings between the parties and shall not be deemed to constitute a counter-offer to purchase Products in accordance with those terms unless a specific intention is expressed for such terms and conditions to apply in respect of a specific Order notwithstanding this clause 1.3, and any failure by the Company to challenge or respond to any such terms and conditions does not imply and shall not constitute acceptance of those terms and conditions.
- 1.4 Unless otherwise stated therein Quotations shall be valid for a maximum period of 30 days from issue and may be withdrawn at any time by written or oral notice.
- 1.5 Any statement or representation (other than in the Company's Quotation or these terms and conditions) by the Company its servants or agents upon which the Customer wishes to rely must be set out in Writing and attached to or endorsed on the Customer's Order and in any such case the Company may confirm, reject or clarify the point and submit a new Quotation. Any statement or representation which is not so confirmed in Writing is followed or acted upon entirely at the Customer's own risk, and shall not form any part of the contract between the parties, and shall be deemed not to have influenced the Customer in deciding whether to enter into the contract.
- 1.6 The contract is between the Company and the Customer as principals; neither the benefit nor the burden is assignable by the Customer without the Company's written consent; the contract may be assigned or subcontracted by the Company.
- 1.7 Unless specifically agreed to the contrary all trade terms shall be interpreted in accordance with current INCOTERMS.
- 1.8 If, subsequent to any contract of sale which is subject to these conditions, a contract of sale is made with the same Customer without reference to any conditions of sale or purchase, such contract howsoever made shall be deemed to be subject to these conditions or (if different) the standard Conditions of Sale of the Company current at the time when such contract of sale is made.

2 ELECTRONIC TRADING

- 2.1 If the Company and Customer agree that electronic trading between them shall be a basis for order processing and invoicing then these terms and conditions shall apply subject to any special terms and conditions terms which are specific to electronic trading and which have been agreed by the parties in writing.
- 2.2 Electronic orders shall be valid if all the information agreed between the Customer and the Company as being required is properly set out in the agreed format and the order is transmitted by the Customer to the Company by reference to the correct identification code and is received by the Company when collecting its electronic mail from the relevant system.

3 DELIVERY

- 3.1 Unless otherwise agreed in Writing by the Company delivery shall be deemed to take place in the case of ex-works sales when the Products are made available by the Company for collection by the Customer or its carrier and in all other cases upon delivery by the Company to the agreed mainland UK delivery point airport or port but before the Products are unloaded, which shall be the responsibility of the Customer.
- 3.2 The Company shall not be obliged to make delivery unless and until the Company has received all necessary information, drawings, final instructions and approvals from the Customer and the Customer acknowledges that any delays or alterations by the Customer may result in delayed delivery for which the Company shall not be resonnsible.
- 3.3 All dates and periods for delivery are estimated and do not constitute fixed times for delivery by the Company. Unless such a right or rights are expressly agreed in Writing by the Company, the Customer shall have no right to damages or to cancel the contract for failure arising from any cause to meet any delivery times given in the contract or subsequently set.
- 3.4 Notwithstanding clause 3.3 the Customer shall be obliged to accept delivery on the date or within the period stated in the Quotation or (if none is so stated) no later than one month after the issue or notice in Writing by the Company requiring the Customer to accept delivery. Failure by the Customer either to take delivery or to make payment in respect of any one or more installments of Products shall entitle the Company to terminate the Contract (such right is without prejudice to any other rights and remedies available to the Company whether expressly provided for in these Conditions or implied by any rule of law).
- 3.5 Where the Customer requests and the Company agrees to postpone delivery or where delivery is otherwise postponed or delayed without default by the Company, the Customer shall pay upon receipt of written demand from the Company all costs and expenses including a reasonable charge for storage and transportation occasioned thereby and the Customer shall pay for the Products in accordance with these conditions as if the same had been delivered in the ordinary course without reference to the postponement or delay. In addition, the Company shall be entitled to claim interest pursuant to Clause 7.3.2 of these Conditions from the date on which payment would have fallen due, had the Products been delivered in the ordinary course but for the postponement or delay.
- 3.6 Unless otherwise expressly agreed in Writing the Company may effect delivery in one or more installments. Where delivery is effected by installments each installment shall be treated as a separate contract governed by these conditions. No delay in the delivery of any installment of Products or any defect therein shall entitle the Customer to terminate the remainder of the contract.

4 RISK AND TITLE

- 4.1 Risk of damage to or loss of the Products shall pass to the Customer upon delivery and the Customer is then solely responsible for all loss damage or deterioration to the Products.
- 4.2 Title to the Products shall not pass to the Customer until either:-
- 4.2.1 The Company has received in cash or cleared funds all monies payable (whether or not due) to the Company under this and any other contracts whenever made between the Company and the Customer including contracts made after this contract; or
- 4.2.2 When the Company serves on the Customer notice in Writing specifying that title in the Products or any part thereof has passed.
- 4.3 Until title has passed to the Customer the Company may require the Customer to deliver up to the Company all products in respect of which the Company has title and if the Customer fails to do so forthwith the Company's officers, employees, representatives or agents shall be entitled to enter upon any premises where such Products are kept for the purposes of recovering the same.
- 4.4 Until title to the Products has passed to the Customer pursuant to these conditions it shall possess the Products as fiduciary agent and bailee of the Company and shall store the Products separately from other goods not owned by the Company and shall ensure that they are fully insured on an all risks basis and clearly identifiable as belonging to the Company and the Company shall be entitled to enter upon any premises where such Products are kept for the purpose of satisfying itself that this condition is being complied with by the Customer.
- 4.5 In the event that the Customer has any contract with any other company under the ultimate control of the parent company that has ultimate control of the Company under which any monies are outstanding (whether or not due) then the Customer shall not (notwithstanding that title would otherwise pass pursuant to Clause 4.2

Terms & Conditions

above) obtain title to the Products or other goods supplied by the Company under this or any other contracts between them until such other company has received in cash or cleared funds all such monies.

5 CANCELLATION AND AMENDMENT

5.1 No contract can be amended or cancelled except with the Company's approval in Writing and should such approval be given the Customer shall indemnify the Company against any costs, losses or expenses resulting from any cancellation or amendment.

6 PRICES

- 6.1 Unless otherwise agreed in Writing all prices shall be as stated in the valid Quotation or, if no valid Quotation is in place, the Company's prevailing standard price at the time of receipt of an Order, and are for delivery ex works and are exclusive of VAT and any other applicable taxes, which are payable in addition. Unless otherwise stipulated by the Company in Writing prices are payable in Sterling or if the Sterling currency has ceased to exist when the contract is made, shall be payable in such currency as replaces the Sterling currency.
- 6.2 The Company will endeavour to ensure that all prices on display/provided to Customers are correct and up to date. However, should a Customer place an Order using an incorrect price then the Customer agrees that the Company may substitute the incorrect price set out in the Order for the correct price (whether the price specified on a valid Quotation or the Company's prevailing standard price, as appropriate) and charge accordingly.
- 6.3 The Company shall be entitled at any time by giving notice in Writing, before or after final invoicing to make a reasonable adjustment to the price in the event of any alteration in quantity, design or specification requested by the Customer.
- 6.4 The Company reserves the right at any time prior to delivery by giving notice in Writing to increase the price if there is any increase in the cost of materials, labour, transport, or utilities or if the costs of the Company are increased by any other factor beyond the reasonable control of the Company.
- 6.5 Charges made on the Company's invoice for cases will be credited on their return to the Company's premises carriage paid and in good reusable condition. Cases shown as returnable but not charged on the Company's invoice must be returned to the Company's premises carriage paid and in good re-usable condition otherwise an additional charge will be made in respect of their cost.
- 6.6 The Customer shall be liable to the Company for any demurrage costs incurred in the event of vehicles being unduly delayed at the point of delivery.

7 TERMS OF PAYMENT

- 7.1 Unless otherwise agreed by the Company in Writing, the Customer shall make payment by the last day of the month following the month of invoice and the Company shall be entitled to issue invoices in the month in which the Products are delivered or would have been delivered, save for postponement or delay otherwise than due to default on the part of the Company. Time for payment of the price is of the essence of the contract.
- 7.2 No disputes arising under this contract shall serve to permit payment by the Customer of sums due to the Company to be delayed nor shall disputes interfere with prompt payment in full. The Buyer shall not be entitled to make any deduction from or set off against any sums owing to the Company by reason of any such dispute or at all.
- 7.3 In the event of default in payment by the Customer the Company shall be entitled, without prejudice to any other right or remedy:
- 7.3.1 to suspend without notice all further deliveries on this or any other contract between the Company and the Customer;
- 7.3.2 to charge interest on a daily basis (after as well as before judgement) on any amount outstanding at the rate of 4% above the Base Rate of Lloyds Bank plc from time to time: and/or
- 7.3.3 to serve notice on the Customer requiring immediate payment for all goods supplied by the company under this and all other contracts between them whether or not payment is otherwise due or invoiced.

8 SPECIFICATIONS

- 8.1 Subject to Clause 8.2 the Products shall in all material respects be of such specification agreed between the Company and the Customer under the contract, or (if not so agreed) shall be generally in all materials respects in accordance with any published specification issued by the Company.
- 8.2 The Company reserves the right to make changes in dimensions or other specifications of the Products as are required to conform to applicable standards

or laws or are otherwise within reasonable limits having regard to the nature of the Products. Dimensions specified by the Company are to be treated as approximate only unless it is specifically agreed in Writing that exact measurements are required. 8.3 The Customer acknowledges that it has not specified any particular use for the Products and that it is entirely its own responsibility to satisfy itself that the Product

9 LOSS SHORTAGES AND DAMAGE APPARENT ON DELIVERY INSPECTIONS

is suitable for the use which it intends.

- 9.1 The Customer shall have no claim for loss, shortages or damage on delivery which are or would be apparent on inspection unless the Customer:
- 9.1.1 unpacks and inspects the Products as soon as reasonably practicable following receipt:
- $9.1.2\ notifies\ the\ Company\ of\ any\ loss,\ shortages\ or\ damage\ (otherwise\ than\ by\ a\ qualified\ signature\ on\ the\ delivery\ note)\ within\ ten\ working\ days\ of\ receipt:\ and$
- 9.1.3 demonstrates to the satisfaction of the Company that such loss, shortages or damage occurred prior to delivery.
- 9.2 The Customer shall have no rights in respect of loss, shortages or damage unless the Company is given a reasonable opportunity to inspect the Products and investigate any complaint before any use of or alteration to or interference with the Products
- 9.3 On a valid complaint made in accordance with this Clause the Customer shall be entitled (in the case of notified shortages) to receive within a reasonable time a delivery of Products equivalent to the shortfall and (in the case of defects) to repairs to or replacements for the affected Products or at the Company's option a credit for the price thereof but the Company shall have no further liability whatsoever. If a complaint of loss, shortages or damage on delivery is not made to the Company in accordance with this Clause 9 within 5 working days of the date of delivery, then the Products shall be deemed to be delivered complete and undamaged in accordance with the contract and the Customer shall be bound to pay for the same accordingly.
- 9.4 Loss, shortages or damage in a delivery or any installment delivery shall not be a ground for termination of the contract or the remainder of the contract (as the case may be).

10 WARRANTY

- 10.1 The Company warrants that Products which do not comply with either Clause 8.1 or Sections 13 to 15 of the Sale of Goods Act 1979 (as amended) are shown to have been defective at delivery as a result of faulty design workmanship or materials (other than free-issue materials), shall either be repaired or replaced or that, at the Company's option, a credit or refund for the price thereof shall be given provided always that:
- 10.1.1 the Company receives written notice of the defect within 12 months of delivery;
- 10.1.2 no alteration to or interference with the Products takes place before the Company is given access to the Products to inspect and test the same;
- 10.1.3 the defect does not consist of a loss shortage or damage to which Clause 9 is expressed to apply;
- 10.1.4 the defect does not arise by reason of a design specification or instruction given by the Customer;
- 10.1.5 the Customer has not defaulted in its obligation to make payment of the contract price for the Products;
- 10.1.6 the defect shall not be attributable to incorrect storage or use of the Products by the Customer.
- 10.2 The benefit of Clause 10.1 shall only extend to Products or parts not manufactured by the Company to the extent that the Company has equivalent recourse against the manufacturer or supplier thereof.
- 10.3 The Customer shall indemnify the Company in respect of loss or damage arising from any use made of Products after the Customer became or ought reasonably to have been aware of a defect.
- 10.4 In the event of a valid claim being made in accordance with Clause 10.1:
- 10.4.1 the Customer shall be bound to accept repaired or replacement Products or at the Company's option credit or repayment and shall not be entitled to terminate the contract;
- 10.4.2 if the Company does not repair or replace Products within 60 days or such longer time as may be reasonable then the Customer's sole remedy shall be an entitlement to full credit or repayment in respect of the defective Products; and the Company shall be under no further liability in respect of any loss or damage

arising from the defect or from any delay before repair replacement credit or refund is effected.

11 LIABILITY

- 11.1 The Company does not exclude liability arising under Section 12 of the Sale of Goods Act 1979 (good title) (as amended) or for death or personal injury caused by its negligence as defined in the Unfair Contract Terms Act 1977, fraudulent misrepresentation or any other type of liability which cannot by law be excluded or limited.
- 11.2 Save as provided under Clauses 9, 10 and 11.1 the Company shall have no liability to the Customer in connection with or arising from any defect or failure in the Products or otherwise due to the quality, condition, suitability, durability, safety or any other aspect or feature of the Products. The Company's liability, whether in respect of one claim or in the aggregate, shall not exceed the contract price payable under this contract for the supply of Products to be provided under it. The price of the Products is predicated on the basis of the limitations and exclusions set out in these conditions. The Customer acknowledges that without those exclusions and limitations, the price of the Products would be higher and that the limitation of the Company's liability is therefore reasonable in all the circumstances. The Customer agrees that it is its own responsibility to insure adequately to cover any loss or damage in excess of the aforesaid limit of the Company's liability. Subject to reaching agreement on terms, the Company and the Customer may determine an increased level of liability which is to be accepted in Writing by the Company to cover, in particular specific types of loss or damage which both parties reasonably foresee and anticipate.
- 11.3 In Clause 11.2 the term "liability" means any form of liability whatsoever including but not limited to liability in misrepresentation and under contract, common law, equity and any statutory provision whether or not based on negligence or breach of any express or implied duty to act with care or skill.
- 11.4 Notwithstanding any other provisions of these conditions the Customer shall have no claim against the Company in respect of any loss other than strictly direct losses (meaning for these purposes the increased costs of purchasing products from a third party or the cost of remedial repair work) and specifically consequential, financial economic loss whether direct or indirect including but not limited to any incidental costs of dismantling fitting or other ancillary work required in connection with the provision of a repair or replacement, any loss or production profits contracts loss of use or anticipated savings and any claims made against the Customer by any third party are excluded even if reasonably foreseeable.
- 11.5 To the extent that any liability of the Company is expressed to be limited or excluded by these conditions the Customer shall indemnify the Company in respect thereof.

12 CONFIDENTIAL INFORMATION ETC

12.1 All drawings, documents, records, computer software and other information supplied by the Company are supplied on the express understanding that all intellectual property rights therein is reserved to the Company and that the Customer will not without written consent of the Company either give away, loan, exhibit, or sell the same or extracts therefrom or copies thereof or use the same in any way except in connection with the Products in respect of which they are issued.

13 PATENT INDEMNITIES

- 13.1 If the Customer is subject to a claim or threatened with any action alleging that the Products in the form supplied infringe any patent, copyright, design right or other intellectual property right then provided that the Customer promptly informs and fully co-operates with the Company and if requested allows the Company the conduct and defence thereof on the Customer's behalf, the Company will indemnify the Customer against any award or damages for infringement made in any such action by a court or other competent body against the Customer. Further, if the Products are infringing the Customer agrees that the company shall have the option at its own expense either to modify the Products so that they do not infringe: to replace the Products with a non-infringing substitute: to procure for the Customer the right for the Customer to continue its use of the Products: or to repurchase the Products from the Customer at the price paid by the Customer less an allowance for the user made thereof.
- 13.2 The Company shall have no liability in respect of claims for infringement or alleged infringement of third parties patent or other intellectual property rights arising from the manufacture or supply of the Products to the Customer's instructions or in accordance with designs plans or specifications given by the Customer and the Customer shall indemnify the Company against all losses damages expenses costs or other liability arising from such claims.

14 CUSTOMER'S DRAWINGS

14.1 The Customer shall be solely responsible for ensuring that all drawings information advice and recommendations specified or given to the Company by the Customer or its agents, servants, consultants or advisers are accurate correct and suitable. Examination or consideration by the Company of such drawings information advice or recommendations shall not result in any liability on the part of the Company.

15 COMPANY LITERATURE

15.1 The information contained in the advertising, sales, technical, and other literature issued by the Company may be relied upon to be accurate in the exact circumstances in which it is expressed otherwise any illustrations performance details examples of installations and methods of assembly and all other information and data in such literature are based on experience and upon trials under test conditions and are provided for general guidance only. No such information or data shall form part of the contract unless it is specifically referred to in the Quotation.

16 TERMINATION

- 16.1 Without prejudice to any other rights or remedies of the Company it shall be entitled in any of the following circumstances to terminate (in whole or in part) this and any other contract whenever made between the Company and the Customer and/or to suspend deliveries and/or to receive upon demand payment of all monies payable under any such contracts whether or not otherwise due:
- 16.1.1 the Customer made or proposes any voluntary arrangement with its creditors or becomes subject to an administration order or becomes bankrupt or goes into liquidation;
- 16.1.2 an encumbrancer takes possession or a receiver is appointed of any of the property or assets of the Customer;
- 16.1.3 the Customer becomes unable to satisfy its debts as they fall due or cease, or threatens to cease to carry on business;
- 16.1.4 the Company reasonably believes that any of the events mentioned above or any equivalent or similar event under any relevant laws to which the Customer or any connected person is subject has or may occur;
- 16.1.5 the Customer or any connected person commits any breach of this or any either contract whenever made between the Customer and the Company.

17 FORCE MAJEURE

- 17.1 The Company shall be excused performance of its obligations whilst and if affected by act of God governmental restriction condition or control, any act done or not done pursuant to a trade dispute whether such dispute involves its employees or not, default by suppliers of the Company, shortage of materials or by any other act matter or thing beyond its reasonable control including failure by the other party to carry out anything required for performance of the contract.
- 17.2 In the event that the Company does not perform its obligations by reason of any of the causes referred to in Clause 17.1 within six months after the time for performance then the Company or the Customer may by written notice terminate the contract without liability save that the Customer shall pay for any Products delivered or completed at the time of termination.

18 TOOLS

18.1 Any tools (such as jigs, dies, etc) which the Company may construct or acquire specifically in connection with the Products shall, notwithstanding any charges the Company may make for them, be and remain the Company's sole and unencumbered property and in the Company's possession and control without restriction.

19 FREE-ISSUE MATERIALS

- 19.1 Free-issue material shall be insured by and remain at the risk of the Customer at all times and the Company shall be indemnified by the Customer against any loss, damage, injury or expense whatsoever arising directly or indirectly therefrom and the company shall not be liable for loss of or damage to any such materials during fabrication by the Company or sub-contractor employed by Company or whilst on the premises of the Company or of any such sub-contractor or in transit to or from the premises of the Company or of any such sub-contractor provided that the Company may at its sole discretion make a contribution towards the replacement costs of such materials.
- 19.2 An allowance for material lost as process scrap is (where applicable) included in the contract price and no such losses shall be the subject of any claim by the Customer or contribution by the Company.
- 19.3 Where materials are supplied by or on behalf of the Company the Customer shall be responsible to ensure that the material is of satisfactory quality and is fit

Terms & Conditions

for its purpose and shall indemnify be Company against any loss damage, injury or expenses whatsoever arising directly or indirectly from any fault in or incorrect specification of the said materials.

20 CONSUMER PROTECTION ACT 1987

- 20.1 Where the Customer purchases the Products for use or incorporation with any other products to be assembled, produced, processed packed or supplied by the Customer or for resale or supply ancillary to any such other products or other products supplied by the Customer then:
- 20.1.1 the Customer shall forthwith on demand produce for inspection by the Company copies of all written instructions information and warnings to be supplied by the Customer in relation thereto provided nevertheless that such inspection or right to inspect shall not give rise to any responsibility or liability on the part of the Company; and
- 20.1.2 the Customer shall indemnify the Company against any losses, costs and damages that the Company may suffer or incur in the event any claim is made against the Company in relation thereto if the Products did not comprise the detective element thereof or were rendered defective by reason of actions or omissions of the Customer (including without limitation the supply of defective free-issue materials) or were rendered defective by reason of instructions or warnings given or omitted by the Customer or other reseller.
- 20.2 For the purpose of Clause 20.1 the term "defective" shall be interpreted in accordance with the definition contained in Part 1 of the Consumer Protection Act 1987

21 HEALTH & SAFETY

21.1 The Customer agrees to pay due regard to any information supplied by the Company relating to the use for which the Products are designed or have been tested or concerning conditions necessary to ensure that they will be safe and without risk to health at all times when they are being set, used, cleaned, serviced or maintained by any person and the Customer undertakes to take such steps as may be specified by such information or otherwise necessary to ensure that as far as is reasonably practicable the Products will be safe and without risk to health at all times as mentioned above.

22 LAW AND JURISDICTION ETC

- 22.1 The Contract shall be governed and interpreted exclusively according to the Laws of England. The parties hereby agree to submit to the exclusive jurisdiction of the English courts provided that the Company may at its option take proceedings in the courts of the state in which the Customer is domiciled including action to obtain any remedy (including injunctive relief). In the case of any order for the export of Products, the Schedule to the Uniform Law on International Sales Act 1967 shall not in any circumstances apply to the Contract and neither shall the limits imposed by the Unfair Contract Terms Act 1977 on the extent to which liability can be excluded or limited
- 22.2 No waiver of or delay or failure by the Company to exercise any rights or remedies shall prejudice or preclude any future or further exercise thereof.
- 22.3 If any provision of these conditions shall be held invalid or unenforceable in whole or in part then the unaffected provisions shall remain in full force and effect. Headings appear for convenience only and shall not affect the Construction of these conditions.
- 22.4 If the Contract provides for the supply of services and no general conditions of the Company relating specifically to the supply of services are made applicable to such services then these conditions shall mutatis mutandis apply to such services as they would apply to Products and in such event Clause 10.1 will be deemed to include a reference to Sections 3 to 5 of the Supply of Goods and Services Act 1982 (as amended), either in addition to or in place of the reference to Sections 13 to 15 of the Sale of Goods Act 1979 (as amended) as may be appropriate. For the avoidance of doubt the following provisions apply where the Company supplies services to the Customer in accordance with clause 22.4:-
- 22.4.1 the Company's obligation to provide the services is in any event conditional upon payment of the agreed price for the services. Any default or delay in payment according to the terms agreed between the Company and the Customer shall entitle the Company at its option to decline to perform or decline to continue to perform its obligations hereunder but without thereby incurring any liability to the Customer.
- 22.4.2 Save to the extent that by reason of negligence on the part of the Company in the performance of the services which results in death or personal injury (which the Company does not limit or exclude), the Company's liability under the contract shall be limited to the amount of charges paid to the Company in return for the


- services and in particular the Company accepts responsibility only for direct and unavoidable loss or damage arising from any negligence in the provision of services and in particular all other types of loss whether economic, financial, indirect or consequential and whether reasonably foreseeable or not are excluded to the fullest extent permitted by law.
- 22.4.3 The Customer shall lend all such reasonable assistance to the Company in the performance of the services as the Company shall reasonably require.
- 22.4.4 The Customer shall indemnify and keep the Company, its employees, agents and contractors indemnified at all times from and against any loss or damage and injury caused to persons or property in the course of the provision of the services where such loss or damage arises by reason of the Customer's negligence or negligence of persons under the control of the Customer.
- 22.4.5 The Customer acknowledges and agrees that if due to the act or omission of the Customer, the Company is not able, having attended at the Customer's premises to perform the services, the Company shall be entitled to claim reasonable additional costs and expenses from the Customer occasioned by any resulting delay in the provisions of the services.
- 22.5 In cases for the sale or supply of Products overseas, the following additional provisions shall apply unless otherwise stipulated in writing by the Company:
- 22.5.1 the Customer shall be solely responsible for obtaining all necessary import authorisations, the payment of any applicable import taxes, duties or imposts and the Company shall be under no obligation to give the Customer the notice specified in Section 32(3) of the Sale of Goods Act 1979 (or any re-enactment thereof);
- 22.5.2 Quotations issued in a currency other than Sterling may at the Company's option, unless otherwise agreed in writing, be subject to amendment in the event of fluctuations in the applicable exchange rate prior to the date of invoice;
- 22.5.3 payment in respect of Products for export is due on the date specified by the Company at the date when the Contract is made, in the currency stated in the invoice and in accordance with the method of payment stipulated by the Company. All costs incurred by the Company in connection with the designated particular method of payment shall be met by the customer.
- 22.5.4 If you are a consumer within the meaning of the Distance Selling Regulations 2000 and you have bought the products detailed overleaf over telephone, internet or via mail order then within seven days of receipt of you products you have the right to cancel your order and return the Products for a full refund.

-	 	
		•••••••••••••••••••••••••••••••••••••••
		-

	 	•
•		







Polypipe Building Services

New Hythe Business Park

College Road

Aylesford Kent ME20 7PJ

Tel: 01622 795 200

commercialenquiries@polypipe.com

www.polypipe.com/commercial-building-services



